



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : <b>C12N 15/12, C07K 14/47, C12N 15/11, C12Q 1/68, C07K 16/18, G01N 33/68, A61K 38/17</b>		<b>A2</b>	(11) International Publication Number: <b>WO 00/00610</b> (43) International Publication Date: 6 January 2000 (06.01.00)
(21) International Application Number: PCT/US99/14484 (22) International Filing Date: 25 June 1999 (25.06.99) (30) Priority Data: 60/090,762      26 June 1998 (26.06.98)      US 60/094,983      31 July 1998 (31.07.98)      US 60/102,686      1 October 1998 (01.10.98)      US 60/112,129      11 December 1998 (11.12.98)      US (63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Applications US      60/090,762 (CIP) Filed on      26 June 1998 (26.06.98) US      60/094,983 (CIP) Filed on      31 July 1998 (31.07.98) US      60/102,686 (CIP) Filed on      1 October 1998 (01.10.98) US      60/112,129 (CIP) Filed on      11 December 1998 (11.12.98) (71) Applicant (for all designated States except US): INCYTE PHARMACEUTICALS, INC. [US/US]; 3174 Porter Drive, Palo Alto, CA 94304 (US).		(72) Inventors; and (75) Inventors/Applicants (for US only): LAL, Preeti [IN/US]; 2382 Lass Drive, Santa Clara, CA 95054 (US). TANG, Y., Tom [CN/US]; 4230 Ranwick Court, San Jose, CA 95118 (US). GORGONE, Gina, A. [US/US]; 1253 Pincrest Drive, Boulder Creek, CA 95006 (US). CORLEY, Neil, C. [US/US]; 1240 Dale Avenue #30, Mountain View, CA 94040 (US). GUEGLER, Karl, J. [CH/US]; 1048 Oakland Avenue, Menlo Park, CA 94025 (US). BAUGHN, Mariah, R. [US/US]; 14244 Santiago Road, San Leandro, CA 94577 (US). AKERBLOM, Ingrid, E. [US/US]; 1234 Johnson Street, Redwood City, CA 94061 (US). AU-YOUNG, Janice [US/US]; 1419 Kains Avenue, Berkeley, CA 94702 (US). YUE, Henry [US/US]; 826 Lois Avenue, Sunnyvale, CA 94087 (US). PATTERSON, Chandra [US/US]; 490 Sherwood Way #1, Menlo Park, CA 94025 (US). REDDY, Roopa [IN/US]; 1233 W. McKinley Drive, Sunnyvale, CA 94086 (US). HILLMAN, Jennifer, L. [US/US]; 230 Monroe Drive #12, Mountain View, CA 94040 (US). BANDMAN, Olga [US/US]; 366 Anna Avenue, Mountain View, CA 94043 (US). (74) Agents: BILLINGS, Lucy, J. et al.; Incyte Pharmaceuticals, Inc., 3174 Porter Drive, Palo Alto, CA 94304 (US). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published Without international search report and to be republished upon receipt of that report.	
(54) Title: HUMAN SIGNAL PEPTIDE-CONTAINING PROTEINS			
(57) Abstract  The invention provides human signal peptide-containing proteins (HSPP) and polynucleotides which identify and encode HSPP. The invention also provides expression vectors, host cells, antibodies, agonists, and antagonists. The invention also provides methods for diagnosing, treating, or preventing disorders associated with expression of HSPP.			

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						



## HUMAN SIGNAL PEPTIDE-CONTAINING PROTEINS

5

### TECHNICAL FIELD

This invention relates to nucleic acid and amino acid sequences of human signal peptide-containing proteins and to the use of these sequences in the diagnosis, treatment, and prevention of cell proliferative disorders including cancer; inflammation; and cardiovascular, neurological,  
10 reproductive, and developmental disorders.

### BACKGROUND OF THE INVENTION

Protein transport is essential for cellular function. Transport of a protein may be  
15 mediated by a signal peptide located at the amino terminus of the protein itself. The signal peptide is comprised of about ten to twenty hydrophobic amino acids which target the nascent protein from the ribosome to a particular membrane bound compartment such as the endoplasmic reticulum (ER). Proteins targeted to the ER may either proceed through the secretory pathway or remain in any of the secretory organelles such as the ER, Golgi  
20 apparatus, or lysosomes. Proteins that transit through the secretory pathway are either secreted into the extracellular space or retained in the plasma membrane. Secreted proteins are often synthesized as inactive precursors that are activated by post-translational processing events during transit through the secretory pathway. Such events include glycosylation, phosphorylation, proteolysis, and removal of the signal peptide by a signal  
25 peptidase. Other events that may occur during protein transport include chaperone-dependent unfolding and folding of the nascent protein and interaction of the protein with a receptor or pore complex. Examples of secreted proteins with amino terminal signal peptides are discussed below and include receptors, extracellular matrix molecules, cytokines, hormones, growth and differentiation factors, neuropeptides, vasomediators,  
30 phosphokinases, phosphatases, phospholipases, phosphodiesterases, G and Ras-related proteins, ion channels, transporters/pumps, proteases, and transcription factors. (Reviewed in Alberts, B. et al. (1994) Molecular Biology of The Cell, Garland Publishing, New York, NY, pp. 557-560, 582-592.)

G-protein coupled receptors (GPCRs) comprise a superfamily of integral membrane proteins which transduce extracellular signals. GPCRs include receptors for biogenic amines such as dopamine, epinephrine, histamine, glutamate (metabotropic effect), acetylcholine (muscarinic effect), and serotonin; for lipid mediators of inflammation such as prostaglandins, platelet activating factor, and leukotrienes; for peptide hormones such as calcitonin, C5a anaphylatoxin, follicle stimulating hormone, gonadotropin releasing hormone, neurokinin, oxytocin, and thrombin; and for sensory signal mediators such as retinal photopigments and olfactory stimulatory molecules. The structure of these highly conserved receptors consists of seven hydrophobic transmembrane regions, cysteine disulfide bridges between the second and third extracellular loops, an extracellular N-terminus, and a cytoplasmic C-terminus. The N-terminus interacts with ligands, the disulfide bridges interact with agonists and antagonists, and the large third intracellular loop interacts with G proteins to activate second messengers such as cyclic AMP, phospholipase C, inositol triphosphate, or ion channels. (Reviewed in Watson, S. and Arkinstall, S. (1994) The G-protein Linked Receptor Facts Book, Academic Press, San Diego, CA, pp. 2-6; and Bolander, F.F. (1994) Molecular Endocrinology, Academic Press, San Diego, CA, pp. 162-176.)

Other types of receptors include cell surface antigens identified on leukocytic cells of the immune system. These antigens have been identified using systematic, monoclonal antibody (mAb)-based "shot gun" techniques. These techniques have resulted in the production of hundreds of mAbs directed against unknown cell surface leukocytic antigens. These antigens have been grouped into "clusters of differentiation" based on common immunocytochemical localization patterns in various differentiated and undifferentiated leukocytic cell types. Antigens in a given cluster are presumed to identify a single cell surface protein and are assigned a "CD" number. Some of the genes encoding proteins identified by CD antigens have been isolated and characterized as both transmembrane proteins and cell surface proteins anchored to the plasma membrane via covalent attachment to fatty acid-containing glycolipids such as glycosylphosphatidylinositol (GPI). (Reviewed in Barclay, A. N. et al. (1993) The Leucocyte Antigen Facts Book, Academic Press, San Diego, CA, pp. 144-145; Noel, L. S. et al. (1998) *J. Biol. Chem.* 273:3878-3883.)

Tetraspanins are a superfamily of membrane proteins which facilitate the formation

and stability of cell-surface signaling complexes containing lineage-specific proteins, integrins, and other tetraspanins. They are involved in cell activation, proliferation (including cancer), differentiation, adhesion, and motility. These proteins cross the membrane four times, have conserved intracellular – and C-termini and an extracellular, non-conserved hydrophilic domain. Tetraspanins include, e.g., platelet and endothelial cell membrane proteins, leukocyte surface proteins, tissue specific and tumorous antigens, and the retinitis pigmentosa-associated gene peripherin. (Maecker, H.T. et al. (1997) FASEB J. 11:428-442.)

Matrix proteins (MPs) are transmembrane and extracellular proteins which function in formation, growth, remodeling, and maintenance of tissues and as important mediators and regulators of the inflammatory response. The expression and balance of MPs may be perturbed by biochemical changes that result from congenital, epigenetic, or infectious diseases. In addition, MPs affect leukocyte migration, proliferation, differentiation, and activation in the immune response. MPs are frequently characterized by the presence of one or more domains which may include collagen-like domains, EGF-like domains, immunoglobulin-like domains, and fibronectin-like domains. In addition, some MPs are heavily glycosylated. MPs include extracellular proteins such as fibronectin, collagen, and galectin and cell adhesion receptors such as cell adhesion molecules (CAMs), cadherins, and integrins. (Reviewed in Ayad, S. et al. (1994) The Extracellular Matrix Facts Book, Academic Press, San Diego, CA, pp. 2-16; Ruoslahti, E. (1997) *Kidney Int.* 51:1413-1417; Sjaastad, M.D. and Nelson, W.J. (1997) *BioEssays* 19:47-55.)

Lectins are proteins characterized by their ability to bind carbohydrates on cell membranes by means of discrete, modular carbohydrate recognition domains, CRDs. (Kishore, U. et al. (1997) *Matrix Biol.* 15:583-592.) Certain cytokines and membrane-spanning proteins have CRDs which may enhance interactions with extracellular or intracellular ligands, with proteins in secretory pathways, or with molecules in signal transduction pathways. The lipocalin superfamily constitutes a phylogenetically conserved group of more than forty proteins that function by binding to and transporting a variety of physiologically important ligands. (Tanaka, T. et al. (1997) *J. Biol. Chem.* 272:15789-15795; and van't Hof, W. et al. (1997) *J. Biol. Chem.* 272:1837-1841.) Selectins are a family of calcium ion-dependent lectins expressed on inflamed vascular

endothelium and the surface of some leukocytes. (Rossiter, H. et al. (1997) Mol. Med. Today 3:214-222.)

Protein kinases regulate many different cell proliferation, differentiation, and signaling processes by adding phosphate groups to proteins. Reversible protein phosphorylation is a key strategy for controlling protein functional activity in eukaryotic cells. The high energy phosphate which drives this activation is generally transferred from adenosine triphosphate molecules (ATP) to a particular protein by protein kinases and removed from that protein by protein phosphatases. Phosphorylation occurs in response to extracellular signals, cell cycle checkpoints, and environmental or nutritional stresses.

Protein kinases may be roughly divided into two groups; protein tyrosine kinases (PTKs) which phosphorylate tyrosine residues, and serine/threonine kinases (STKs) which phosphorylate serine or threonine residues. A few protein kinases have dual specificity. A majority of kinases contain a similar 250-300 amino acid catalytic domain. (Hardie, G. and Hanks, S. (1995) The Protein Kinase Facts Book, Vol I, pp. 7-47, Academic Press, San Diego, CA.)

Protein phosphatases remove phosphate groups from molecules previously modified by protein kinases thus participating in cell signaling, proliferation, differentiation, contacts, and oncogenesis. Protein phosphorylation is a key strategy used to control protein functional activity in eukaryotic cells. The high energy phosphate is transferred from ATP to a protein by protein kinases and removed by protein phosphatases. There appear to be three, evolutionarily-distinct protein phosphatase gene families: protein phosphatases (PPs); protein tyrosine phosphatases (PTPs); and acid/alkaline phosphatases (APs). PPs dephosphorylate phosphoserine/threonine residues and are an important regulator of many cAMP mediated, hormone responses in cells.

PTPs reverse the effects of protein tyrosine kinases and therefore play a significant role in cell cycle and cell signaling processes. Although APs dephosphorylate substrates in vitro, their role in vivo is not well known. (Charbonneau, H. and Tonks, N.K. (1992) Annu. Rev. Cell Biol. 8:463-493.)

Cyclic nucleotides (cAMP and cGMP) function as intracellular second messengers to transduce a variety of extracellular signals, including hormones, light and neurotransmitters. Cyclic nucleotide phosphodiesterases (PDEs) degrade cyclic nucleotides to their corresponding monophosphates, thereby regulating the intracellular

concentrations of cyclic nucleotides and their effects on signal transduction. At least seven families of mammalian PDEs have been identified based on substrate specificity and affinity, sensitivity to cofactors and sensitivity to inhibitory drugs. (Beavo, J.A. (1995) *Physiological Reviews* 75: 725-748.)

5        Phospholipases (PLs) are enzymes that catalyze the removal of fatty acid residues from phosphoglycerides. PLs play an important role in transmembrane signal transduction and are named according to the specific ester bond in phosphoglycerides that is hydrolyzed, i.e., A<sub>1</sub>, A<sub>2</sub>, C or D. PLA<sub>2</sub> cleaves the ester bond at position 2 of the glycerol moiety of membrane phospholipids giving rise to arachidonic acid. Arachidonic acid is  
10    the common precursor to four major classes of eicosanoids, namely prostaglandins, prostacyclins, thromboxanes and leukotrienes. Eicosanoids are signaling molecules involved in the contraction of smooth muscle, platelet aggregation, and pain and inflammatory responses. (Alberts, B. et al. (1994) *Molecular Biology of The Cell*, Garland Publishing, Inc., New York, NY, pp. 85, 211, 239-240, 642-645.)

15        The nucleotide cyclases, i.e., adenylate and guanylate cyclase, catalyze the synthesis of the cyclic nucleotides, cAMP and cGMP, from ATP and GTP, respectively. They act in concert with phosphodiesterases, which degrade cAMP and cGMP, to regulate the cellular levels of these molecules and their functions. cAMP and cGMP function as intracellular second messengers to transduce a variety of extracellular signals, e.g.,  
20    hormones, and light and neurotransmitters. (Stryer, L. (1988) *Biochemistry* W.H. Freeman and Co., New York, pp. 975-980, 1029-1035.)

      Cytokines are produced in response to cell perturbation. Some cytokines are produced as precursor forms, and some form multimers in order to become active. They are produced in groups and in patterns characteristic of the particular stimulus or disease,  
25    and the members of the group interact with one another and other molecules to produce an overall biological response. Interleukins, neurotrophins, growth factors, interferons, and chemokines are all families of cytokines which work in conjunction with cellular receptors to regulate cell proliferation and differentiation and to affect such activities as leukocyte migration and function, hematopoietic cell proliferation, temperature regulation, acute  
30    response to infections, tissue remodeling, apoptosis, and cell survival. Studies using antibodies or other drugs that modify the activity of a particular cytokine are used to elucidate the roles of individual cytokines in pathology and physiology.



Chemokines, in particular, are small chemoattractant cytokines involved in inflammation, leukocyte proliferation and migration, angiogenesis and angiostasis, regulation of hematopoiesis, HIV infectivity, and stimulation of cytokine secretion. Chemokines generally contain 70-100 amino acids and are subdivided into four  
5 subfamilies based on the presence of conserved cysteine-based motifs. (Callard, R. and Gearing, A. (1994) The Cytokine Facts Book, Academic Press, New York, NY, pp. 181-190, 210-213, 223-227.)

Growth and differentiation factors are secreted proteins which function in intercellular communication. Some factors require oligomerization or association with  
10 MPs for activity. Complex interactions among these factors and their receptors trigger intracellular signal transduction pathways that stimulate or inhibit cell division, cell differentiation, cell signaling, and cell motility. Most growth and differentiation factors act on cells in their local environment (paracrine signaling). There are three broad classes of growth and differentiation factors. The first class includes the large polypeptide growth  
15 factors such as epidermal growth factor, fibroblast growth factor, transforming growth factor, insulin-like growth factor, and platelet-derived growth factor. The second class includes the hematopoietic growth factors such as the colony stimulating factors (CSFs). Hematopoietic growth factors stimulate the proliferation and differentiation of blood cells such as B-lymphocytes, T-lymphocytes, erythrocytes, platelets, eosinophils, basophils,  
20 neutrophils, macrophages, and their stem cell precursors. The third class includes small peptide factors such as bombesin, vasopressin, oxytocin, endothelin, transferrin, angiotensin II, vasoactive intestinal peptide, and bradykinin which function as hormones to regulate cellular functions other than proliferation.

Growth and differentiation factors play critical roles in neoplastic transformation of  
25 cells in vitro and in tumor progression in vivo. Inappropriate expression of growth factors by tumor cells may contribute to vascularization and metastasis of melanotic tumors. During hematopoiesis, growth factor misregulation can result in anemias, leukemias, and lymphomas. Certain growth factors such as interferon are cytotoxic to tumor cells both in vivo and in vitro. Moreover, some growth factors and growth factor receptors are related  
30 both structurally and functionally to oncoproteins. In addition, growth factors affect transcriptional regulation of both proto-oncogenes and oncosuppressor genes. (Reviewed in Pimentel, E. (1994) Handbook of Growth Factors, CRC Press, Ann Arbor, MI, pp. 1-9.)

Proteolytic enzymes or proteases either activate or deactivate proteins by hydrolyzing peptide bonds. Proteases are found in the cytosol, in membrane-bound compartments, and in the extracellular space. The major families are the zinc, serine, cysteine, thiol, and carboxyl proteases.

- 5 Zinc proteases, e.g., carboxypeptidase A, have a zinc ion bound to the active site. These proteases recognize C-terminal residues that contain an aromatic or bulky aliphatic side chain, and hydrolyze the peptide bond adjacent to the C-terminal residues. Serine proteases have an active site serine residue and include digestive enzymes, e.g., trypsin and chymotrypsin, components of the complement and blood-clotting cascades, and
- 10 enzymes that control the degradation and turnover of extracellular matrix (ECM) molecules. Cysteine proteases (e.g. cathepsin) are produced by monocytes, macrophages and other immune cells, and are involved in diverse cellular processes ranging from the processing of precursor proteins to intracellular degradation. Overproduction of these enzymes can cause the tissue destruction associated with rheumatoid arthritis and asthma.
- 15 Thiol proteases, e.g., papain, contain an active site cysteine and are widely distributed within tissues. Carboxyl proteases, e.g., pepsin, are active only under acidic conditions (pH 2 to 3).

Guanosine triphosphate-binding proteins (G proteins) can be grouped into two major classes: heterotrimeric G proteins and small G proteins. Heterotrimeric G proteins

20 interact with GPCRs that respond to hormones, growth factors, neuromodulators, or other signaling molecules. The interaction between GPCR and G protein allows the G protein to exchange GTP for guanosine diphosphate (GDP). This exchange activates the G protein, allowing it to dissociate from the receptor and interact with the its cognate second messenger-generating protein, e.g., adenylate cyclase, guanylate cyclase, phospholipase C,

25 or ion channels. The hydrolysis of GTP to GDP by the G protein acts as an on-off switch, terminating the action of the G protein and preparing it to interact with another receptor molecule, thus beginning another round of signal transduction.

The small G proteins consist of single 21-30 kDa polypeptides. They can be classified into five subfamilies: Ras, Rho, Ran, Rab, and ADP-ribosylation factor. These

30 proteins regulate cell growth, cell cycle control, protein secretion, and intracellular vesicle interaction. In particular, the Ras proteins are essential in transducing signals from receptor tyrosine kinases to serine/threonine kinases which control cell growth and



differentiation. Mutant Ras proteins, which bind but can not hydrolyze GTP, are permanently activated and cause continuous cell proliferation or cancer. All five subfamilies share common structural features and four conserved motifs. Most of the membrane-bound G proteins require a carboxy terminal isoprenyl group (CAAX), added posttranslationally, for membrane association and biological activity. The G proteins also have a variable effector region, located between motifs I and II, which is characterized as the interaction site for guanine nucleotide exchange factors or GTPase-activating proteins.

Eukaryotic cells are bound by a membrane and subdivided into membrane-bound compartments. Membranes are impermeable to many ions and polar molecules, therefore transport of these molecules is mediated by ion channels, ion pumps, transport proteins, or pumps. Symporters and antiporters regulate cytosolic pH by transporting ions and small molecules, e.g., amino acids, glucose, and drugs, across membranes; symporters transport small molecules and ions in the same direction, and antiporters, in the opposite direction. Transporter superfamilies include facilitative transporters and active ATP binding cassette transporters involved in multiple-drug resistance and the targeting of antigenic peptides to MHC Class I molecules. These transporters bind to a specific ion or other molecule and undergo conformational changes in order to transfer the ion or molecule across a membrane. Transport can occur by a passive, concentration-dependent mechanism or can be linked to an energy source such as ATP hydrolysis or an ion gradient.

Ion channels, ion pumps, and transport proteins mediate the transport of molecules across cellular membranes. Symporters and antiporters regulate cytosolic pH by transporting ions and small molecules such as amino acids, glucose, and drugs. Symporters transport small molecules and ions unidirectionally, and antiporters, bidirectionally. Transporter superfamilies include facilitative transporters and active ATP-binding cassette transporters which are involved in multiple-drug resistance and the targeting of antigenic peptides to MHC Class I molecules. These transporters bind to a specific ion or other molecule and undergo a conformational change in order to transfer the ion or molecule across the membrane. Transport can occur by a passive, concentration-dependent mechanism or can be linked to an energy source such as ATP hydrolysis. (Reviewed in Alberts, B. et al. (1994) Molecular Biology of The Cell, Garland Publishing, New York, NY, pp. 523-546.)

Ion channels are formed by transmembrane proteins which create a lined passageway across the membrane through which water and ions, such as  $\text{Na}^+$ ,  $\text{K}^+$ ,  $\text{Ca}^{2+}$ , and  $\text{Cl}^-$ , enter and exit the cell. For example, chloride channels are involved in the regulation of the membrane electric potential as well as absorption and secretion of ions across the membrane. Chloride channels also regulate the internal pH of membrane-bound organelles.

Ion pumps are ATPases which actively maintain membrane gradients. Ion pumps are classified as P, V, or F according to their structure and function. All have one or more binding sites for ATP in their cytosolic domains. The P-class ion pumps include  $\text{Ca}^{2+}$  ATPase and  $\text{Na}^+/\text{K}^+$  ATPase and function in transporting  $\text{H}^+$ ,  $\text{Na}^+$ ,  $\text{K}^+$ , and  $\text{Ca}^{2+}$  ions. P-class pumps consist of two  $\alpha$  and two  $\beta$  transmembrane subunits. The V- and F-class ion pumps have similar structures and but transport only  $\text{H}^+$ . F class  $\text{H}^+$  pumps mediate transport across the membranes of mitochondria and chloroplasts, while V-class  $\text{H}^+$  pumps regulate acidity inside lysosomes, endosomes, and plant vacuoles.

A family of structurally related intrinsic membrane proteins known as facilitative glucose transporters catalyze the movement of glucose and other selected sugars across the plasma membrane. The proteins in this family contain a highly conserved, large transmembrane domain comprised of 12  $\alpha$ -helices, and several weakly conserved, cytoplasmic and exoplasmic domains (Pessin, J. E., and Bell, G.I. (1992) *Annu. Rev. Physiol.* 54:911-930).

Amino acid transport is mediated by  $\text{Na}^+$  dependent amino acid transporters. These transporters are involved in gastrointestinal and renal uptake of dietary and cellular amino acids and in neuronal reuptake of neurotransmitters. Transport of cationic amino acids is mediated by the system  $y^+$  family and the cationic amino acid transporter (CAT) family. Members of the CAT family share a high degree of sequence homology, and each contains 12-14 putative transmembrane domains (Ito, K. and Groudine, M. (1997) *J. Biol. Chem.* 272:26780-26786).

Proton-coupled, 12 membrane-spanning domain transporters such as PEPT 1 and PEPT 2 are responsible for gastrointestinal absorption and for renal reabsorption of peptides using an electrochemical  $\text{H}^+$  gradient as the driving force. A heterodimeric peptide transporter, consisting of TAP 1 and TAP 2, is associated with antigen processing. Peptide antigens are transported across the membrane of the endoplasmic reticulum so

they can be presented to the major histocompatibility complex class I molecules. Each TAP protein consists of multiple hydrophobic membrane spanning segments and a highly conserved ATP-binding cassette. (Boll, M. et al. (1996) Proc. Natl. Acad. Sci. 93:284-289.)

5       Hormones are secreted molecules that travel through the circulation and bind to specific receptors on the surface of, or within, target cells. Although they have diverse biochemical compositions and mechanisms of action, hormones can be grouped into two categories. One category consists of small lipophilic hormones that diffuse through the plasma membrane of target cells, bind to cytosolic or nuclear receptors, and form a  
10   complex that alters gene expression. Examples of these molecules include retinoic acid, thyroxine, and the cholesterol-derived steroid hormones such as progesterone, estrogen, testosterone, cortisol, and aldosterone. The second category consists of hydrophilic hormones that function by binding to cell surface receptors that transduce signals across the plasma membrane. Examples of such hormones include amino acid derivatives such  
15   as catecholamines and peptide hormones such as glucagon, insulin, gastrin, secretin, cholecystokinin, adrenocorticotrophic hormone, follicle stimulating hormone, luteinizing hormone, thyroid stimulating hormone, and vasopressin. (See, for example, Lodish et al. (1995) Molecular Cell Biology, Scientific American Books Inc., New York, NY, pp. 856-864.)

20       Neuropeptides and vasomediators (NP/VM) comprise a large family of endogenous signaling molecules. Included in this family are neuropeptides and neuropeptide hormones such as bombesin, neuropeptide Y, neurotensin, neuromedin N, melanocortins, opioids, galanin, somatostatin, tachykinins, urotensin II and related peptides involved in smooth muscle stimulation, vasopressin, vasoactive intestinal peptide,  
25   and circulatory system-borne signaling molecules such as angiotensin, complement, calcitonin, endothelins, formyl-methionyl peptides, glucagon, cholecystokinin and gastrin. NP/VMs can transduce signals directly, modulate the activity or release of other neurotransmitters and hormones, and act as catalytic enzymes in cascades. The effects of NP/VMs range from extremely brief to long-lasting. (Reviewed in Martin, C. R. et al.  
30   (1985) Endocrine Physiology, Oxford University Press, New York, NY, pp. 57-62.)

Regulatory molecules turn individual genes or groups of genes on and off in response to various inductive mechanisms of the cell or organism; act as transcription factors by determining

whether or not transcription is initiated, enhanced, or repressed; and splice transcripts as dictated in a particular cell or tissue. Although they interact with short stretches of DNA scattered throughout the entire genome, most gene expression is regulated near the site at which transcription starts or within the open reading frame of the gene being expressed. Many of the transcription factors incorporate one of a set of DNA-binding structural motifs, each of which contains either  $\alpha$  helices or  $\beta$  sheets and binds to the major groove of DNA. (Pabo, C.O. and R.T. Sauer (1992) *Ann. Rev. Biochem.* 61:1053-95.) Other domains of transcription factors may form crucial contacts with the DNA. In addition, accessory proteins provide important interactions which may convert a particular protein complex to an activator or a repressor or may prevent binding. (Alberts, B. et al. (1994) *Molecular Biology of the Cell*, Garland Publishing Co, New York, NY pp. 401-474.)

The discovery of new human signal peptide-containing proteins and the polynucleotides encoding them satisfies a need in the art by providing new compositions which are useful in the diagnosis, prevention, and treatment of cell proliferative disorders including cancer; inflammation; and cardiovascular, neurological, reproductive, and developmental disorders.

#### SUMMARY OF THE INVENTION

The invention features substantially purified polypeptides, proteins with signal peptides, referred to collectively as "HSPP" and individually as "HSPP-1", "HSPP-2", "HSPP-3", "HSPP-4", "HSPP-5", "HSPP-6", "HSPP-7", "HSPP-8", "HSPP-9", "HSPP-10", "HSPP-11", "HSPP-12", "HSPP-13", "HSPP-14", "HSPP-15", "HSPP-16", "HSPP-17", "HSPP-18", "HSPP-19", "HSPP-20", "HSPP-21", "HSPP-22", "HSPP-23", "HSPP-24", "HSPP-25", "HSPP-26", "HSPP-27", "HSPP-28", "HSPP-29", "HSPP-30", "HSPP-31", "HSPP-32", "HSPP-33", "HSPP-34", "HSPP-35", "HSPP-36", "HSPP-37", "HSPP-38", "HSPP-39", "HSPP-40", "HSPP-41", "HSPP-42", "HSPP-43", "HSPP-44", "HSPP-45", "HSPP-46", "HSPP-47", "HSPP-48", "HSPP-49", "HSPP-50", "HSPP-51", "HSPP-52", "HSPP-53", "HSPP-54", "HSPP-55", "HSPP-56", "HSPP-57", "HSPP-58", "HSPP-59", "HSPP-60", "HSPP-61", "HSPP-62", "HSPP-63", "HSPP-64", "HSPP-65", "HSPP-66", "HSPP-67", "HSPP-68", "HSPP-69", "HSPP-70", "HSPP-71", "HSPP-72", "HSPP-73", "HSPP-74", "HSPP-75", "HSPP-76", "HSPP-77", "HSPP-78", "HSPP-79", "HSPP-80", "HSPP-81", "HSPP-82", "HSPP-83", "HSPP-84", "HSPP-85", "HSPP-86", "HSPP-87", "HSPP-88", "HSPP-89", "HSPP-90", "HSPP-91", "HSPP-92", "HSPP-93", "HSPP-94", "HSPP-95", "HSPP-96", "HSPP-97", "HSPP-98", "HSPP-99", "HSPP-100", "HSPP-

101", "HSPP-102", "HSPP-103", "HSPP-104", "HSPP-105", "HSPP-106", "HSPP-107",  
 "HSPP-108", "HSPP-109", "HSPP-110", "HSPP-111", "HSPP-112", "HSPP-113", "HSPP-  
 114", "HSPP-115", "HSPP-116", "HSPP-117", "HSPP-118", "HSPP-119", "HSPP-120",  
 "HSPP-121", "HSPP-122", "HSPP-123", "HSPP-124", "HSPP-125", "HSPP-126",  
 5 "HSPP-127", "HSPP-128", "HSPP-129", "HSPP-130", "HSPP-131", "HSPP-132",  
 "HSPP-133", and "HSPP-134". In one aspect, the invention provides a substantially  
 purified polypeptide comprising an amino acid sequence selected from the group  
 consisting of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5,  
 SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID  
 10 NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16,  
 SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ  
 ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID  
 NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID  
 NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37,  
 15 SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ  
 ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID  
 NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53,  
 SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ  
 ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID  
 20 NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69,  
 SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ  
 ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID  
 NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85,  
 SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ  
 25 ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID  
 NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID  
 NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID  
 NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID  
 NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID  
 30 NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, SEQ ID  
 NO:121, SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID  
 NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID



NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134 (SEQ ID NO:1-134), and fragments thereof.

The invention further provides a substantially purified variant having at least 90% amino acid identity to at least one of the amino acid sequences selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. The invention also provides an isolated and purified polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. The invention also includes an isolated and purified polynucleotide variant having at least 90% polynucleotide sequence identity to the polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof.

Additionally, the invention provides an isolated and purified polynucleotide which hybridizes under stringent conditions to the polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. The invention also provides an isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide encoding the polypeptide comprising the amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof.

The invention also provides an isolated and purified polynucleotide comprising a polynucleotide sequence selected from the group consisting of SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:192, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID

NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, SEQ ID NO:242, SEQ ID NO:243, SEQ ID NO:244, SEQ ID NO:245, SEQ ID NO:246, SEQ ID NO:247, SEQ ID NO:248, SEQ ID NO:249, SEQ ID NO:250, SEQ ID NO:251, SEQ ID NO:252, SEQ ID NO:253, SEQ ID NO:254, SEQ ID NO:255, SEQ ID NO:256, SEQ ID NO:257, SEQ ID NO:258, SEQ ID NO:259, SEQ ID NO:260, SEQ ID NO:261, SEQ ID NO:262, SEQ ID NO:263, SEQ ID NO:264, SEQ ID NO:265, SEQ ID NO:266, SEQ ID NO:267, SEQ ID NO:268 (SEQ ID NO:135-268), and fragments thereof. The invention further provides an isolated and purified polynucleotide variant having at least 90% polynucleotide sequence identity to the polynucleotide sequence selected from the group consisting of SEQ ID NO:135-268, and fragments thereof. The invention also provides an isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide comprising a polynucleotide sequence selected from the group consisting of SEQ ID NO:135-268, and fragments thereof.

The invention also provides a method for detecting a polynucleotide in a sample containing nucleic acids, the method comprising the steps of (a) hybridizing the complement of the polynucleotide sequence to at least one of the polynucleotides of the sample, thereby forming a hybridization complex; and (b) detecting the hybridization complex, wherein the presence of the hybridization complex correlates with the presence of a polynucleotide in the sample. In one aspect, the method further comprises amplifying the polynucleotide prior to hybridization.

The invention further provides an expression vector containing at least a fragment of the polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. In another aspect, the expression vector is contained within a host cell.



The invention also provides a method for producing a polypeptide, the method comprising the steps of: (a) culturing the host cell containing an expression vector containing at least a fragment of a polynucleotide under conditions suitable for the expression of the polypeptide; and (b) recovering the polypeptide from the host cell  
5 culture.

The invention also provides a pharmaceutical composition comprising a substantially purified polypeptide having the amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof, in conjunction with a suitable pharmaceutical carrier.

10 The invention further includes a purified antibody which binds to a polypeptide selected from the group consisting of SEQ ID NO:1-134, and fragments thereof. The invention also provides a purified agonist and a purified antagonist to the polypeptide.

The invention also provides a method for treating or preventing a disorder associated with decreased expression or activity of HSPP, the method comprising  
15 administering to a subject in need of such treatment an effective amount of a pharmaceutical composition comprising a substantially purified polypeptide having the amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof, in conjunction with a suitable pharmaceutical carrier.

The invention also provides a method for treating or preventing a disorder  
20 associated with increased expression or activity of HSPP, the method comprising administering to a subject in need of such treatment an effective amount of an antagonist of a polypeptide having an amino acid sequence selected from the group consisting of SEQ ID NO:1-134, and fragments thereof.

25

#### BRIEF DESCRIPTION OF THE TABLE

Table 1 shows nucleotide and polypeptide sequence identification numbers (SEQ ID NO), clone identification numbers (clone ID), cDNA libraries, and cDNA fragments used to assemble full-length sequences encoding HSPP.

30 Table 2 shows features of each polypeptide sequence, including predicted signal peptide sequences, and methods and algorithms used for identification of HSPP.

Table 3 shows the tissue-specific expression patterns of each nucleic acid sequence as determined by northern analysis, diseases, disorders, or conditions associated with these tissues, and the vector into which each cDNA was cloned.

Table 4 describes the tissues used to construct the cDNA libraries from which  
5 Incyte cDNA clones encoding HSPP were isolated.

Table 5 shows the programs, their descriptions, references, and threshold parameters used to analyze HSPP.

Table 6 shows the regions of the full-length nucleotide sequences of HSPP to which cDNA fragments of Table 1 correspond.

10

### DESCRIPTION OF THE INVENTION

Before the present proteins, nucleotide sequences, and methods are described, it is understood that this invention is not limited to the particular machines, materials and methods described, as these may vary. It is also to be understood that the terminology  
15 used herein is for the purpose of describing particular embodiments only, and is not intended to limit the scope of the present invention which will be limited only by the appended claims.

It must be noted that as used herein and in the appended claims, the singular forms "a," "an," and "the" include plural reference unless the context clearly dictates otherwise.  
20 Thus, for example, a reference to "a host cell" includes a plurality of such host cells, and a reference to "an antibody" is a reference to one or more antibodies and equivalents thereof known to those skilled in the art, and so forth.

Unless defined otherwise, all technical and scientific terms used herein have the same meanings as commonly understood by one of ordinary skill in the art to which this  
25 invention belongs. Although any machines, materials, and methods similar or equivalent to those described herein can be used to practice or test the present invention, the preferred machines, materials and methods are now described. All publications mentioned herein are cited for the purpose of describing and disclosing the cell lines, protocols, reagents and vectors which are reported in the publications and which might be used in connection with  
30 the invention. Nothing herein is to be construed as an admission that the invention is not entitled to antedate such disclosure by virtue of prior invention.

## DEFINITIONS

"HSPP" refers to the amino acid sequences of substantially purified HSPP obtained from any species, particularly a mammalian species, including bovine, ovine, porcine, murine, equine, and preferably the human species, from any source, whether natural,  
5 synthetic, semi-synthetic, or recombinant.

The term "agonist" refers to a molecule which, when bound to HSPP, increases or prolongs the duration of the effect of HSPP. Agonists may include proteins, nucleic acids, carbohydrates, or any other molecules which bind to and modulate the effect of HSPP.

An "allelic variant" is an alternative form of the gene encoding HSPP. Allelic  
10 variants may result from at least one mutation in the nucleic acid sequence and may result in altered mRNAs or in polypeptides whose structure or function may or may not be altered. Any given natural or recombinant gene may have none, one, or many allelic forms. Common mutational changes which give rise to allelic variants are generally ascribed to natural deletions, additions, or substitutions of nucleotides. Each of these  
15 types of changes may occur alone, or in combination with the others, one or more times in a given sequence.

"Altered" nucleic acid sequences encoding HSPP include those sequences with deletions, insertions, or substitutions of different nucleotides, resulting in a polynucleotide the same as HSPP or a polypeptide with at least one functional characteristic of HSPP.  
20 Included within this definition are polymorphisms which may or may not be readily detectable using a particular oligonucleotide probe of the polynucleotide encoding HSPP, and improper or unexpected hybridization to allelic variants, with a locus other than the normal chromosomal locus for the polynucleotide sequence encoding HSPP. The encoded protein may also be "altered," and may contain deletions, insertions, or substitutions of  
25 amino acid residues which produce a silent change and result in a functionally equivalent HSPP. Deliberate amino acid substitutions may be made on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues, as long as the biological or immunological activity of HSPP is retained. For example, negatively charged amino acids may include aspartic acid and glutamic acid,  
30 positively charged amino acids may include lysine and arginine, and amino acids with uncharged polar head groups having similar hydrophilicity values may include leucine,

isoleucine, and valine; glycine and alanine; asparagine and glutamine; serine and threonine; and phenylalanine and tyrosine.

The terms "amino acid" or "amino acid sequence" refer to an oligopeptide, peptide, polypeptide, or protein sequence, or a fragment of any of these, and to naturally occurring  
5 or synthetic molecules. In this context, "fragments," "immunogenic fragments," or "antigenic fragments" refer to fragments of HSPP which are preferably at least 5 to about 15 amino acids in length, most preferably at least 14 amino acids, and which retain some biological activity or immunological activity of HSPP. Where "amino acid sequence" is recited to refer to an amino acid sequence of a naturally occurring protein molecule,  
10 "amino acid sequence" and like terms are not meant to limit the amino acid sequence to the complete native amino acid sequence associated with the recited protein molecule.

"Amplification" relates to the production of additional copies of a nucleic acid sequence. Amplification is generally carried out using polymerase chain reaction (PCR) technologies well known in the art.

15 The term "antagonist" refers to a molecule which, when bound to HSPP, decreases the amount or the duration of the effect of the biological or immunological activity of HSPP. Antagonists may include proteins, nucleic acids, carbohydrates, antibodies, or any other molecules which decrease the effect of HSPP.

The term "antibody" refers to intact molecules as well as to fragments thereof, such  
20 as Fab, F(ab')<sub>2</sub>, and Fv fragments, which are capable of binding the epitopic determinant. Antibodies that bind HSPP polypeptides can be prepared using intact polypeptides or using fragments containing small peptides of interest as the immunizing antigen. The polypeptide or oligopeptide used to immunize an animal (e.g., a mouse, a rat, or a rabbit) can be derived from the translation of RNA, or synthesized chemically, and can be  
25 conjugated to a carrier protein if desired. Commonly used carriers that are chemically coupled to peptides include bovine serum albumin, thyroglobulin, and keyhole limpet hemocyanin (KLH). The coupled peptide is then used to immunize the animal.

The term "antigenic determinant" refers to that fragment of a molecule (i.e., an epitope) that makes contact with a particular antibody. When a protein or a fragment of a  
30 protein is used to immunize a host animal, numerous regions of the protein may induce the production of antibodies which bind specifically to antigenic determinants (given regions or three-dimensional structures on the protein). An antigenic determinant may compete

with the intact antigen (i.e., the immunogen used to elicit the immune response) for binding to an antibody.

The term "antisense" refers to any composition containing a nucleic acid sequence which is complementary to the "sense" strand of a specific nucleic acid sequence.

- 5 Antisense molecules may be produced by any method including synthesis or transcription. Once introduced into a cell, the complementary nucleotides combine with natural sequences produced by the cell to form duplexes and to block either transcription or translation. The designation "negative" can refer to the antisense strand, and the designation "positive" can refer to the sense strand.

- 10 The term "biologically active," refers to a protein having structural, regulatory, or biochemical functions of a naturally occurring molecule. Likewise, "immunologically active" refers to the capability of the natural, recombinant, or synthetic HSPP, or of any oligopeptide thereof, to induce a specific immune response in appropriate animals or cells and to bind with specific antibodies.

- 15 The terms "complementary" or "complementarity" refer to the natural binding of polynucleotides by base pairing. For example, the sequence "5' A-G-T 3'" bonds to the complementary sequence "3' T-C-A 5'." Complementarity between two single-stranded molecules may be "partial," such that only some of the nucleic acids bind, or it may be "complete," such that total complementarity exists between the single stranded molecules.
- 20 The degree of complementarity between nucleic acid strands has significant effects on the efficiency and strength of the hybridization between the nucleic acid strands. This is of particular importance in amplification reactions, which depend upon binding between nucleic acids strands, and in the design and use of peptide nucleic acid (PNA) molecules.

- A "composition comprising a given polynucleotide sequence" or a "composition comprising a given amino acid sequence" refer broadly to any composition containing the given polynucleotide or amino acid sequence. The composition may comprise a dry formulation or an aqueous solution. Compositions comprising polynucleotide sequences encoding HSPP or fragments of HSPP may be employed as hybridization probes. The probes may be stored in freeze-dried form and may be associated with a stabilizing agent
- 25 such as a carbohydrate. In hybridizations, the probe may be deployed in an aqueous solution containing salts (e.g., NaCl), detergents (e.g., sodium dodecyl sulfate; SDS), and other components (e.g., Denhardt's solution, dry milk, salmon sperm DNA, etc.).
- 30



"Consensus sequence" refers to a nucleic acid sequence which has been resequenced to resolve uncalled bases, extended using XL-PCR kit (Perkin-Elmer, Norwalk CT) in the 5' and/or the 3' direction, and resequenced, or which has been assembled from the overlapping sequences of more than one Incyte Clone using a computer program for fragment assembly, such as the GELVIEW Fragment Assembly system (GCG, Madison WI). Some sequences have been both extended and assembled to produce the consensus sequence.

The term "correlates with expression of a polynucleotide" indicates that the detection of the presence of nucleic acids, the same or related to a nucleic acid sequence encoding HSPP, by northern analysis is indicative of the presence of nucleic acids encoding HSPP in a sample, and thereby correlates with expression of the transcript from the polynucleotide encoding HSPP.

A "deletion" refers to a change in the amino acid or nucleotide sequence that results in the absence of one or more amino acid residues or nucleotides.

The term "derivative" refers to the chemical modification of a polypeptide sequence, or a polynucleotide sequence. Chemical modifications of a polynucleotide sequence can include, for example, replacement of hydrogen by an alkyl, acyl, or amino group. A derivative polynucleotide encodes a polypeptide which retains at least one biological or immunological function of the natural molecule. A derivative polypeptide is one modified by glycosylation, pegylation, or any similar process that retains at least one biological or immunological function of the polypeptide from which it was derived.

The term "similarity" refers to a degree of complementarity. There may be partial similarity or complete similarity. The word "identity" may substitute for the word "similarity." A partially complementary sequence that at least partially inhibits an identical sequence from hybridizing to a target nucleic acid is referred to as "substantially similar." The inhibition of hybridization of the completely complementary sequence to the target sequence may be examined using a hybridization assay (Southern or northern blot, solution hybridization, and the like) under conditions of reduced stringency. A substantially similar sequence or hybridization probe will compete for and inhibit the binding of a completely similar (identical) sequence to the target sequence under conditions of reduced stringency. This is not to say that conditions of reduced stringency are such that non-specific binding is permitted, as reduced stringency conditions require

that the binding of two sequences to one another be a specific (i.e., a selective) interaction. The absence of non-specific binding may be tested by the use of a second target sequence which lacks even a partial degree of complementarity (e.g., less than about 30% similarity or identity). In the absence of non-specific binding, the substantially similar sequence or  
5 probe will not hybridize to the second non-complementary target sequence.

The phrases "percent identity" or "% identity" refer to the percentage of sequence similarity found in a comparison of two or more amino acid or nucleic acid sequences. Percent identity can be determined electronically, e.g., by using the MEGALIGN program (DNASTAR, Madison WI) which creates alignments between two or more sequences  
10 according to methods selected by the user, e.g., the clustal method. (See, e.g., Higgins, D.G. and P.M. Sharp (1988) Gene 73:237-244.) The clustal algorithm groups sequences into clusters by examining the distances between all pairs. The clusters are aligned pairwise and then in groups. The percentage similarity between two amino acid sequences, e.g., sequence A and sequence B, is calculated by dividing the length of  
15 sequence A, minus the number of gap residues in sequence A, minus the number of gap residues in sequence B, into the sum of the residue matches between sequence A and sequence B, times one hundred. Gaps of low or of no similarity between the two amino acid sequences are not included in determining percentage similarity. Percent identity between nucleic acid sequences can also be counted or calculated by other methods known  
20 in the art, e.g., the Jotun Hein method. (See, e.g., Hein, J. (1990) Methods Enzymol. 183:626-645.) Identity between sequences can also be determined by other methods known in the art, e.g., by varying hybridization conditions.

"Human artificial chromosomes" (HACs) are linear microchromosomes which may contain DNA sequences of about 6 kb to 10 Mb in size, and which contain all of the  
25 elements required for stable mitotic chromosome segregation and maintenance.

The term "humanized antibody" refers to antibody molecules in which the amino acid sequence in the non-antigen binding regions has been altered so that the antibody more closely resembles a human antibody, and still retains its original binding ability.

"Hybridization" refers to any process by which a strand of nucleic acid binds with  
30 a complementary strand through base pairing.

The term "hybridization complex" refers to a complex formed between two nucleic acid sequences by virtue of the formation of hydrogen bonds between complementary



bases. A hybridization complex may be formed in solution (e.g.,  $C_0t$  or  $R_0t$  analysis) or formed between one nucleic acid sequence present in solution and another nucleic acid sequence immobilized on a solid support (e.g., paper, membranes, filters, chips, pins or glass slides, or any other appropriate substrate to which cells or their nucleic acids have  
5 been fixed).

The words "insertion" or "addition" refer to changes in an amino acid or nucleotide sequence resulting in the addition of one or more amino acid residues or nucleotides, respectively, to the sequence found in the naturally occurring molecule.

"Immune response" can refer to conditions associated with inflammation, trauma,  
10 immune disorders, or infectious or genetic disease, etc. These conditions can be characterized by expression of various factors, e.g., cytokines, chemokines, and other signaling molecules, which may affect cellular and systemic defense systems.

The term "microarray" refers to an arrangement of distinct polynucleotides on a substrate.

15 The terms "element" or "array element" in a microarray context, refer to hybridizable polynucleotides arranged on the surface of a substrate.

The term "modulate" refers to a change in the activity of HSPP. For example, modulation may cause an increase or a decrease in protein activity, binding characteristics, or any other biological, functional, or immunological properties of HSPP.

20 The phrases "nucleic acid" or "nucleic acid sequence," as used herein, refer to a nucleotide, oligonucleotide, polynucleotide, or any fragment thereof. These phrases also refer to DNA or RNA of genomic or synthetic origin which may be single-stranded or double-stranded and may represent the sense or the antisense strand, to peptide nucleic acid (PNA), or to any DNA-like or RNA-like material. In this context, "fragments" refers  
25 to those nucleic acid sequences which, comprise a region of unique polynucleotide sequence that specifically identifies SEQ ID NO:135-268, for example, as distinct from any other sequence in the same genome. For example, a fragment of SEQ ID NO:135-268 is useful in hybridization and amplification technologies and in analogous methods that distinguish SEQ ID NO:135-268 from related polynucleotide sequences. A fragment of  
30 SEQ ID NO:135-268 is at least about 15-20 nucleotides in length. The precise length of the fragment of SEQ ID NO:135-268 and the region of SEQ ID NO:135-268 to which the fragment corresponds are routinely determinable by one of ordinary skill in the art based

on the intended purpose for the fragment. In some cases, a fragment, when translated, would produce polypeptides retaining some functional characteristic, e.g., antigenicity, or structural domain characteristic, e.g., ATP-binding site, of the full-length polypeptide.

The terms "operably associated" or "operably linked" refer to functionally related  
5 nucleic acid sequences. A promoter is operably associated or operably linked with a coding sequence if the promoter controls the translation of the encoded polypeptide. While operably associated or operably linked nucleic acid sequences can be contiguous and in the same reading frame, certain genetic elements, e.g., repressor genes, are not contiguously linked to the sequence encoding the polypeptide but still bind to operator  
10 sequences that control expression of the polypeptide.

The term "oligonucleotide" refers to a nucleic acid sequence of at least about 6 nucleotides to 60 nucleotides, preferably about 15 to 30 nucleotides, and most preferably about 20 to 25 nucleotides, which can be used in PCR amplification or in a hybridization assay or microarray. "Oligonucleotide" is substantially equivalent to the terms  
15 "amplimer," "primer," "oligomer," and "probe," as these terms are commonly defined in the art.

"Peptide nucleic acid" (PNA) refers to an antisense molecule or anti-gene agent which comprises an oligonucleotide of at least about 5 nucleotides in length linked to a peptide backbone of amino acid residues ending in lysine. The terminal lysine confers  
20 solubility to the composition. PNAs preferentially bind complementary single stranded DNA or RNA and stop transcript elongation, and may be pegylated to extend their lifespan in the cell.

The term "sample" is used in its broadest sense. A sample suspected of containing nucleic acids encoding HSPP, or fragments thereof, or HSPP itself, may comprise a bodily  
25 fluid; an extract from a cell, chromosome, organelle, or membrane isolated from a cell; a cell; genomic DNA, RNA, or cDNA, in solution or bound to a substrate; a tissue; a tissue print; etc.

The terms "specific binding" or "specifically binding" refer to that interaction between a protein or peptide and an agonist, an antibody, or an antagonist. The interaction  
30 is dependent upon the presence of a particular structure of the protein, e.g., the antigenic determinant or epitope, recognized by the binding molecule. For example, if an antibody is specific for epitope "A," the presence of a polypeptide containing the epitope A, or the

presence of free unlabeled A, in a reaction containing free labeled A and the antibody will reduce the amount of labeled A that binds to the antibody.

The term "stringent conditions" refers to conditions which permit hybridization between polynucleotides and the claimed polynucleotides. Stringent conditions can be  
5 defined by salt concentration, the concentration of organic solvent, e.g., formamide, temperature, and other conditions well known in the art. In particular, stringency can be increased by reducing the concentration of salt, increasing the concentration of formamide, or raising the hybridization temperature.

The term "substantially purified" refers to nucleic acid or amino acid sequences  
10 that are removed from their natural environment and are isolated or separated, and are at least about 60% free, preferably about 75% free, and most preferably about 90% free from other components with which they are naturally associated.

A "substitution" refers to the replacement of one or more amino acids or nucleotides by different amino acids or nucleotides, respectively.

15 "Substrate" refers to any suitable rigid or semi-rigid support including membranes, filters, chips, slides, wafers, fibers, magnetic or nonmagnetic beads, gels, tubing, plates, polymers, microparticles and capillaries. The substrate can have a variety of surface forms, such as wells, trenches, pins, channels and pores, to which polynucleotides or polypeptides are bound.

20 "Transformation" describes a process by which exogenous DNA enters and changes a recipient cell. Transformation may occur under natural or artificial conditions according to various methods well known in the art, and may rely on any known method for the insertion of foreign nucleic acid sequences into a prokaryotic or eukaryotic host cell. The method for transformation is selected based on the type of host cell being  
25 transformed and may include, but is not limited to, viral infection, electroporation, heat shock, lipofection, and particle bombardment. The term "transformed" cells includes stably transformed cells in which the inserted DNA is capable of replication either as an autonomously replicating plasmid or as part of the host chromosome, as well as transiently transformed cells which express the inserted DNA or RNA for limited periods of time.

30 A "variant" of HSPP polypeptides refers to an amino acid sequence that is altered by one or more amino acid residues. The variant may have "conservative" changes, wherein a substituted amino acid has similar structural or chemical properties (e.g.,

replacement of leucine with isoleucine). More rarely, a variant may have "nonconservative" changes (e.g., replacement of glycine with tryptophan). Analogous minor variations may also include amino acid deletions or insertions, or both. Guidance in determining which amino acid residues may be substituted, inserted, or deleted without  
5 abolishing biological or immunological activity may be found using computer programs well known in the art, for example, LASERGENE software (DNASTAR).

The term "variant," when used in the context of a polynucleotide sequence, may encompass a polynucleotide sequence related to HSPP. This definition may also include, for example, "allelic" (as defined above), "splice," "species," or "polymorphic" variants.  
10 A splice variant may have significant identity to a reference molecule, but will generally have a greater or lesser number of polynucleotides due to alternate splicing of exons during mRNA processing. The corresponding polypeptide may possess additional functional domains or an absence of domains. Species variants are polynucleotide sequences that vary from one species to another. The resulting polypeptides generally will  
15 have significant amino acid identity relative to each other. A polymorphic variant is a variation in the polynucleotide sequence of a particular gene between individuals of a given species. Polymorphic variants also may encompass "single nucleotide polymorphisms" (SNPs) in which the polynucleotide sequence varies by one base. The presence of SNPs may be indicative of, for example, a certain population, a disease state,  
20 or a propensity for a disease state.

## THE INVENTION

The invention is based on the discovery of new human signal peptide-containing proteins (HSPP), the polynucleotides encoding HSPP, and the use of these compositions  
25 for the diagnosis, treatment, or prevention of cell proliferative disorders including cancer; inflammation; and cardiovascular, neurological, reproductive, and developmental disorders.

Table 1 lists the Incyte Clones used to derive full length nucleotide sequences encoding HSPP. Columns 1 and 2 show the sequence identification numbers (SEQ ID  
30 NO) of the amino acid and nucleic acid sequences, respectively. Column 3 shows the Clone ID of the Incyte Clone in which nucleic acids encoding each HSPP were identified, and column 4, the cDNA libraries from which these clones were isolated. Column 5

shows Incyte clones, their corresponding cDNA libraries, and shotgun sequences. The clones and shotgun sequences are part of the consensus nucleotide sequence of each HSPP and are useful as fragments in hybridization technologies.

Table 6 shows the regions of the full-length nucleotide sequences of HSPP to which cDNA fragments of Table 1 correspond. Column 1 lists nucleotide sequence identifiers and column 2 shows the clone ID of the Incyte clone in which nucleic acids encoding each HSPP were identified. Column 3 shows Incyte clones and shotgun sequences which are part of the consensus nucleotide sequence of each HSPP and are useful as fragments in hybridization technologies. Column 4 lists the starting nucleotide position and column 5 the ending nucleotide position of the region of the full-length HSPP to which the cDNA fragment corresponds.

The columns of Table 2 show various properties of the polypeptides of the invention: column 1 references the SEQ ID NO; column 2 shows the number of amino acid residues in each polypeptide; column 3, potential phosphorylation sites; column 4, potential glycosylation sites; column 5, the amino acid residues comprising signature sequences and motifs; column 6, the identity of each protein; and column 7, analytical methods used to identify each HSPP as a signal peptide-containing protein. Note that in column 5, the first line of each cell lists the amino acid residues comprising predicted signal peptide sequences. Additional identifying motifs or signatures are also listed in column 5. Of particular note is the presence of a glycosyl hydrolase family 9 active site signature in SEQ ID NO:126, a ribosomal protein S18 signature in SEQ ID NO:127, an adrenodoxin family iron-sulfur binding region signature and a cytochrome c family heme-binding site signature in SEQ ID NO:132, and a urotensin II signature sequence in SEQ ID NO:96.

Using BLAST, SEQ ID NO:68 (HSPP-68) has been identified as a TWIK-related acid-sensitive K<sup>+</sup> channel, and SEQ ID NO:92 (HSPP-92) has been identified as a tyrosine-specific protein phosphatase. The tyrosine-specific protein phosphatases signature in SEQ ID NO:92 (HSPP-92) from about V328 through about F340 (including the putative active site cysteine residue at C330) was identified using BLOCKS and PRINTS. Also of note is the identification of SEQ ID NO:66 (HSPP-66) as a steroid binding protein using BLAST.



The columns of Table 3 show the tissue-specificity and diseases, disorders, or conditions associated with nucleotide sequences encoding HSPP. The first column of Table 3 lists the nucleotide sequence identifiers. The second column lists tissue categories which express HSPP as a fraction of total tissue categories expressing HSPP. The third column lists the diseases, disorders, or conditions associated with those tissues expressing HSPP. The fourth column lists the vectors used to subclone the cDNA library. Of particular note is the expression of SEQ ID NO:200, SEQ ID NO:203, and SEQ ID NO:225 in lung tissues; the expression of SEQ ID NO:212, SEQ ID NO:216, and SEQ ID NO:220 in reproductive tissues; the expression of SEQ ID NO:223 in cancerous tissues; the expression of SEQ ID NO:232 in gastrointestinal tissue, specifically the small intestine or colon (fifteen out of sixteen (93.8%) cDNA libraries); and the expression of SEQ ID NO:224 in cancerous and proliferating tissues. Also of particular interest is the tissue-specific expression of SEQ ID NO:252 and SEQ ID NO:257. SEQ ID NO:252 is derived from OVARTUT01, an ovarian tumor cDNA library and is exclusively expressed in reproductive tumor tissue. SEQ ID NO:257 is derived from THP1AZT01, a 5-aza-2'-deoxycytidine treated human promonocyte cDNA library and is exclusively expressed in hematopoietic tissue.

The following fragments of the nucleotide sequences encoding HSPP are useful in hybridization or amplification technologies to identify SEQ ID NO:135-268 and to distinguish between SEQ ID NO:135-268 and related polynucleotide sequences. The useful fragments are the fragment of SEQ ID NO:230 from about nucleotide 75 to about nucleotide 104; the fragment of SEQ ID NO:231 from about nucleotide 210 to about nucleotide 239; the fragment of SEQ ID NO:232 from about nucleotide 157 to about nucleotide 186; the fragment of SEQ ID NO:233 from about nucleotide 268 to about nucleotide 297; the fragment of SEQ ID NO:234 from about nucleotide 160 to about nucleotide 186; the fragment of SEQ ID NO:235 from about nucleotide 201 to about nucleotide 230; the fragment of SEQ ID NO:236 from about nucleotide 165 to about nucleotide 194; the fragment of SEQ ID NO:237 from about nucleotide 366 to about nucleotide 395; the fragment of SEQ ID NO:238 from about nucleotide 714 to about nucleotide 743; the fragment of SEQ ID NO:239 from about nucleotide 1731 to about nucleotide 1760; the fragment of SEQ ID NO:240 from about nucleotide 419 to about nucleotide 448; the fragment of SEQ ID NO:241 from about nucleotide 494 to about

nucleotide 523; the fragment of SEQ ID NO:242 from about nucleotide 100 to about nucleotide 129; the fragment of SEQ ID NO:243 from about nucleotide 104 to about nucleotide 133; the fragment of SEQ ID NO:244 from about nucleotide 136 to about nucleotide 165; the fragment of SEQ ID NO:245 from about nucleotide 140 to about  
5 nucleotide 169; the fragment of SEQ ID NO:246 from about nucleotide 125 to about nucleotide 154; the fragment of SEQ ID NO:247 from about nucleotide 687 to about nucleotide 758; the fragment of SEQ ID NO:248 from about nucleotide 327 to about nucleotide 398; the fragment of SEQ ID NO:249 from about nucleotide 741 to about nucleotide 785; the fragment of SEQ ID NO:250 from about nucleotide 184 to about  
10 nucleotide 255; the fragment of SEQ ID NO:251 from about nucleotide 165 to about nucleotide 242; the fragment of SEQ ID NO:252 from about nucleotide 271 to about nucleotide 342; the fragment of SEQ ID NO:253 from about nucleotide 1081 to about nucleotide 1152; the fragment of SEQ ID NO:254 from about nucleotide 781 to about nucleotide 852; the fragment of SEQ ID NO:255 from about nucleotide 620 to about  
15 nucleotide 691; the fragment of SEQ ID NO:256 from about nucleotide 872 to about nucleotide 916; the fragment of SEQ ID NO:257 from about nucleotide 242 to about nucleotide 313; the fragment of SEQ ID NO:258 from about nucleotide 595 to about nucleotide 648; the fragment of SEQ ID NO:259 from about nucleotide 163 to about nucleotide 216; the fragment of SEQ ID NO:260 from about nucleotide 244 to about  
20 nucleotide 315; the fragment of SEQ ID NO:261 from about nucleotide 75 to about nucleotide 128; the fragment of SEQ ID NO:262 from about nucleotide 650 to about nucleotide 703; the fragment of SEQ ID NO:263 from about nucleotide 143 to about nucleotide 214; the fragment of SEQ ID NO:264 from about nucleotide 434 to about nucleotide 487; the fragment of SEQ ID NO:265 from about nucleotide 218 to about  
25 nucleotide 271; the fragment of SEQ ID NO:266 from about nucleotide 89 to about nucleotide 145; the fragment of SEQ ID NO:267 from about nucleotide 198 to about nucleotide 254; and the fragment of SEQ ID NO:268 from about nucleotide 10 to about nucleotide 54.

The invention also encompasses HSPP variants. A preferred HSPP variant is one  
30 which has at least about 80%, more preferably at least about 90%, and most preferably at least about 95% amino acid sequence identity to the HSPP amino acid sequence, and which contains at least one functional or structural characteristic of HSPP.



The invention also encompasses polynucleotides which encode HSPP. In a particular embodiment, the invention encompasses a polynucleotide sequence comprising a sequence selected from the group consisting of SEQ ID NO:135-268, which encodes HSPP.

5 The invention also encompasses a variant of a polynucleotide sequence encoding HSPP. In particular, such a variant polynucleotide sequence will have at least about 80%, more preferably at least about 90%, and most preferably at least about 95% polynucleotide sequence identity to the polynucleotide sequence encoding HSPP. A particular aspect of the invention encompasses a variant of a polynucleotide sequence comprising a sequence  
10 selected from the group consisting of SEQ ID NO:135-268 which has at least about 80%, more preferably at least about 90%, and most preferably at least about 95% polynucleotide sequence identity to a nucleic acid sequence selected from the group consisting of SEQ ID NO:135-268. Any one of the polynucleotide variants described above can encode an amino acid sequence which contains at least one functional or structural characteristic of  
15 HSPP.

It will be appreciated by those skilled in the art that as a result of the degeneracy of the genetic code, a multitude of polynucleotide sequences encoding HSPP, some bearing minimal similarity to the polynucleotide sequences of any known and naturally occurring gene, may be produced. Thus, the invention contemplates each and every possible  
20 variation of polynucleotide sequence that could be made by selecting combinations based on possible codon choices. These combinations are made in accordance with the standard triplet genetic code as applied to the polynucleotide sequence of naturally occurring HSPP, and all such variations are to be considered as being specifically disclosed.

Although nucleotide sequences which encode HSPP and its variants are preferably  
25 capable of hybridizing to the nucleotide sequence of the naturally occurring HSPP under appropriately selected conditions of stringency, it may be advantageous to produce nucleotide sequences encoding HSPP or its derivatives possessing a substantially different codon usage, e.g., inclusion of non-naturally occurring codons. Codons may be selected to increase the rate at which expression of the peptide occurs in a particular prokaryotic or  
30 eukaryotic host in accordance with the frequency with which particular codons are utilized by the host. Other reasons for substantially altering the nucleotide sequence encoding HSPP and its derivatives without altering the encoded amino acid sequences include the

production of RNA transcripts having more desirable properties, such as a greater half-life, than transcripts produced from the naturally occurring sequence.

The invention also encompasses production of DNA sequences which encode HSPP and HSPP derivatives, or fragments thereof, entirely by synthetic chemistry. After  
5 production, the synthetic sequence may be inserted into any of the many available expression vectors and cell systems using reagents well known in the art. Moreover, synthetic chemistry may be used to introduce mutations into a sequence encoding HSPP or any fragment thereof.

Also encompassed by the invention are polynucleotide sequences that are capable  
10 of hybridizing to the claimed polynucleotide sequences, and, in particular, to those shown in SEQ ID NO:135-268 and fragments thereof under various conditions of stringency. (See, e.g., Wahl, G.M. and S.L. Berger (1987) *Methods Enzymol.* 152:399-407; Kimmel, A.R. (1987) *Methods Enzymol.* 152:507-511.) For example, stringent salt concentration will ordinarily be less than about 750 mM NaCl and 75 mM trisodium citrate, preferably  
15 less than about 500 mM NaCl and 50 mM trisodium citrate, and most preferably less than about 250 mM NaCl and 25 mM trisodium citrate. Low stringency hybridization can be obtained in the absence of organic solvent, e.g., formamide, while high stringency hybridization can be obtained in the presence of at least about 35% formamide, and most preferably at least about 50% formamide. Stringent temperature conditions will ordinarily  
20 include temperatures of at least about 30°C, more preferably of at least about 37°C, and most preferably of at least about 42°C. Varying additional parameters, such as hybridization time, the concentration of detergent, e.g., sodium dodecyl sulfate (SDS), and the inclusion or exclusion of carrier DNA, are well known to those skilled in the art. Various levels of stringency are accomplished by combining these various conditions as  
25 needed. In a preferred embodiment, hybridization will occur at 30°C in 750 mM NaCl, 75 mM trisodium citrate, and 1% SDS. In a more preferred embodiment, hybridization will occur at 37°C in 500 mM NaCl, 50 mM trisodium citrate, 1% SDS, 35% formamide, and 100 µg/ml denatured salmon sperm DNA (ssDNA). In a most preferred embodiment, hybridization will occur at 42°C in 250 mM NaCl, 25 mM trisodium citrate, 1% SDS, 50  
30 % formamide, and 200 µg/ml ssDNA. Useful variations on these conditions will be readily apparent to those skilled in the art.

The washing steps which follow hybridization can also vary in stringency. Wash stringency conditions can be defined by salt concentration and by temperature. As above, wash stringency can be increased by decreasing salt concentration or by increasing temperature. For example, stringent salt concentration for the wash steps will preferably be less than about 30 mM NaCl and 3 mM trisodium citrate, and most preferably less than about 15 mM NaCl and 1.5 mM trisodium citrate. Stringent temperature conditions for the wash steps will ordinarily include temperature of at least about 25°C, more preferably of at least about 42°C, and most preferably of at least about 68°C. In a preferred embodiment, wash steps will occur at 25°C in 30 mM NaCl, 3 mM trisodium citrate, and 0.1% SDS. In a more preferred embodiment, wash steps will occur at 42°C in 15 mM NaCl, 1.5 mM trisodium citrate, and 0.1% SDS. In a most preferred embodiment, wash steps will occur at 68°C in 15 mM NaCl, 1.5 mM trisodium citrate, and 0.1% SDS. Additional variations on these conditions will be readily apparent to those skilled in the art.

Methods for DNA sequencing are well known in the art and may be used to practice any of the embodiments of the invention. The methods may employ such enzymes as the Klenow fragment of DNA polymerase I, SEQUENASE (US Biochemical, Cleveland OH), Taq polymerase (Perkin-Elmer), thermostable T7 polymerase (Amersham Pharmacia Biotech, Piscataway NJ), or combinations of polymerases and proofreading exonucleases such as those found in the ELONGASE amplification system (Life Technologies, Gaithersburg MD). Preferably, sequence preparation is automated with machines such as the Hamilton MICROLAB 2200 (Hamilton, Reno NV), Peltier Thermal Cycler 200 (PTC200; MJ Research, Watertown MA) and the ABI CATALYST 800 (Perkin-Elmer). Sequencing is then carried out using either ABI 373 or 377 DNA sequencing systems (Perkin-Elmer) or the MEGABACE 1000 DNA sequencing system (Molecular Dynamics, Sunnyvale CA). The resulting sequences are analyzed using a variety of algorithms which are well known in the art. (See, e.g., Ausubel, F.M. (1997) Short Protocols in Molecular Biology, John Wiley & Sons, New York NY, unit 7.7; Meyers, R.A. (1995) Molecular Biology and Biotechnology, Wiley VCH, New York NY, pp. 856-853.)

The nucleic acid sequences encoding HSPP may be extended utilizing a partial nucleotide sequence and employing various PCR-based methods known in the art to detect

upstream sequences, such as promoters and regulatory elements. For example, one method which may be employed, restriction-site PCR, uses universal and nested primers to amplify unknown sequence from genomic DNA within a cloning vector. (See, e.g., Sarkar, G. (1993) PCR Methods Applic. 2:318-322.) Another method, inverse PCR, uses  
5 primers that extend in divergent directions to amplify unknown sequence from a circularized template. The template is derived from restriction fragments comprising a known genomic locus and surrounding sequences. (See, e.g., Triglia, T. et al. (1988) Nucleic Acids Res. 16:8186.) A third method, capture PCR, involves PCR amplification of DNA fragments adjacent to known sequences in human and yeast artificial chromosome  
10 DNA. (See, e.g., Lagerstrom, M. et al. (1991) PCR Methods Applic. 1:111-119.) In this method, multiple restriction enzyme digestions and ligations may be used to insert an engineered double-stranded sequence into a region of unknown sequence before performing PCR. Other methods which may be used to retrieve unknown sequences are known in the art. (See, e.g., Parker, J.D. et al. (1991) Nucleic Acids Res. 19:3055-306).  
15 Additionally, one may use PCR, nested primers, and PROMOTERFINDER libraries (Clontech, Palo Alto CA) to walk genomic DNA. This procedure avoids the need to screen libraries and is useful in finding intron/exon junctions. For all PCR-based methods, primers may be designed using commercially available software, such as OLIGO 4.06 Primer Analysis software (National Biosciences, Plymouth MN) or another appropriate  
20 program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the template at temperatures of about 68°C to 72°C.

When screening for full-length cDNAs, it is preferable to use libraries that have been size-selected to include larger cDNAs. In addition, random-primed libraries, which often include sequences containing the 5' regions of genes, are preferable for situations in  
25 which an oligo d(T) library does not yield a full-length cDNA. Genomic libraries may be useful for extension of sequence into 5' non-transcribed regulatory regions.

Capillary electrophoresis systems which are commercially available may be used to analyze the size or confirm the nucleotide sequence of sequencing or PCR products. In particular, capillary sequencing may employ flowable polymers for electrophoretic  
30 separation, four different nucleotide-specific, laser-stimulated fluorescent dyes, and a charge coupled device camera for detection of the emitted wavelengths. Output/light intensity may be converted to electrical signal using appropriate software (e.g.,

GENOTYPER and SEQUENCE NAVIGATOR, Perkin-Elmer), and the entire process from loading of samples to computer analysis and electronic data display may be computer controlled. Capillary electrophoresis is especially preferable for sequencing small DNA fragments which may be present in limited amounts in a particular sample.

5 In another embodiment of the invention, polynucleotide sequences or fragments thereof which encode HSPP may be cloned in recombinant DNA molecules that direct expression of HSPP, or fragments or functional equivalents thereof, in appropriate host cells. Due to the inherent degeneracy of the genetic code, other DNA sequences which encode substantially the same or a functionally equivalent amino acid sequence may be  
10 produced and used to express HSPP.

The nucleotide sequences of the present invention can be engineered using methods generally known in the art in order to alter HSPP-encoding sequences for a variety of purposes including, but not limited to, modification of the cloning, processing, and/or expression of the gene product. DNA shuffling by random fragmentation and PCR  
15 reassembly of gene fragments and synthetic oligonucleotides may be used to engineer the nucleotide sequences. For example, oligonucleotide-mediated site-directed mutagenesis may be used to introduce mutations that create new restriction sites, alter glycosylation patterns, change codon preference, produce splice variants, and so forth.

In another embodiment, sequences encoding HSPP may be synthesized, in whole  
20 or in part, using chemical methods well known in the art. (See, e.g., Caruthers, M.H. et al. (1980) Nucl. Acids Res. Symp. Ser. 215-223, and Horn, T. et al. (1980) Nucl. Acids Res. Symp. Ser. 225-232.) Alternatively, HSPP itself or a fragment thereof may be synthesized using chemical methods. For example, peptide synthesis can be performed using various solid-phase techniques. (See, e.g., Roberge, J.Y. et al. (1995) Science 269:202-204.)  
25 Automated synthesis may be achieved using the ABI 431A Peptide Synthesizer (Perkin-Elmer). Additionally, the amino acid sequence of HSPP, or any part thereof, may be altered during direct synthesis and/or combined with sequences from other proteins, or any part thereof, to produce a variant polypeptide.

The peptide may be substantially purified by preparative high performance liquid  
30 chromatography. (See, e.g., Chiez, R.M. and F.Z. Regnier (1990) Methods Enzymol. 182:392-421.) The composition of the synthetic peptides may be confirmed by amino acid



analysis or by sequencing. (See, e.g., Creighton, T. (1984) Proteins, Structures and Molecular Properties, WH Freeman, New York NY.)

In order to express a biologically active HSPP, the nucleotide sequences encoding HSPP or derivatives thereof may be inserted into an appropriate expression vector, i.e., a vector which contains the necessary elements for transcriptional and translational control of the inserted coding sequence in a suitable host. These elements include regulatory sequences, such as enhancers, constitutive and inducible promoters, and 5' and 3' untranslated regions in the vector and in polynucleotide sequences encoding HSPP. Such elements may vary in their strength and specificity. Specific initiation signals may also be used to achieve more efficient translation of sequences encoding HSPP. Such signals include the ATG initiation codon and adjacent sequences, e.g. the Kozak sequence. In cases where sequences encoding HSPP and its initiation codon and upstream regulatory sequences are inserted into the appropriate expression vector, no additional transcriptional or translational control signals may be needed. However, in cases where only coding sequence, or a fragment thereof, is inserted, exogenous translational control signals including an in-frame ATG initiation codon should be provided by the vector. Exogenous translational elements and initiation codons may be of various origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of enhancers appropriate for the particular host cell system used. (See, e.g., Scharf, D. et al. (1994) Results Probl. Cell Differ. 20:125-162.)

Methods which are well known to those skilled in the art may be used to construct expression vectors containing sequences encoding HSPP and appropriate transcriptional and translational control elements. These methods include in vitro recombinant DNA techniques, synthetic techniques, and in vivo genetic recombination. (See, e.g., Sambrook, J. et al. (1989) Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Press, Plainview NY, ch. 4, 8, and 16-17; Ausubel, F.M. et al. (1995) Current Protocols in Molecular Biology, John Wiley & Sons, New York NY, ch. 9, 13, and 16.)

A variety of expression vector/host systems may be utilized to contain and express sequences encoding HSPP. These include, but are not limited to, microorganisms such as bacteria transformed with recombinant bacteriophage, plasmid, or cosmid DNA expression vectors; yeast transformed with yeast expression vectors; insect cell systems infected with viral expression vectors (e.g., baculovirus); plant cell systems transformed with viral

expression vectors (e.g., cauliflower mosaic virus, CaMV, or tobacco mosaic virus, TMV) or with bacterial expression vectors (e.g., Ti or pBR322 plasmids); or animal cell systems. The invention is not limited by the host cell employed.

In bacterial systems, a number of cloning and expression vectors may be selected depending upon the use intended for polynucleotide sequences encoding HSPP. For example, routine cloning, subcloning, and propagation of polynucleotide sequences encoding HSPP can be achieved using a multifunctional E. coli vector such as PBLUESCRIPT (Stratagene, La Jolla CA) or pSPORT1 plasmid (Life Technologies). Ligation of sequences encoding HSPP into the vector's multiple cloning site disrupts the *lacZ* gene, allowing a colorimetric screening procedure for identification of transformed bacteria containing recombinant molecules. In addition, these vectors may be useful for in vitro transcription, dideoxy sequencing, single strand rescue with helper phage, and creation of nested deletions in the cloned sequence. (See, e.g., Van Heeke, G. and S.M. Schuster (1989) J. Biol. Chem. 264:5503-5509.) When large quantities of HSPP are needed, e.g. for the production of antibodies, vectors which direct high level expression of HSPP may be used. For example, vectors containing the strong, inducible T5 or T7 bacteriophage promoter may be used.

Yeast expression systems may be used for production of HSPP. A number of vectors containing constitutive or inducible promoters, such as alpha factor, alcohol oxidase, and PGH, may be used in the yeast Saccharomyces cerevisiae or Pichia pastoris. In addition, such vectors direct either the secretion or intracellular retention of expressed proteins and enable integration of foreign sequences into the host genome for stable propagation. (See, e.g., Ausubel, 1995, supra; Grant et al. (1987) Methods Enzymol. 153:516-54; and Scorer, C. A. et al. (1994) Bio/Technology 12:181-184.)

Plant systems may also be used for expression of HSPP. Transcription of sequences encoding HSPP may be driven viral promoters, e.g., the 35S and 19S promoters of CaMV used alone or in combination with the omega leader sequence from TMV (Takamatsu, N. (1987) EMBO J. 6:307-311). Alternatively, plant promoters such as the small subunit of RUBISCO or heat shock promoters may be used. (See, e.g., Coruzzi, G. et al. (1984) EMBO J. 3:1671-1680; Broglie, R. et al. (1984) Science 224:838-843; and Winter, J. et al. (1991) Results Probl. Cell Differ. 17:85-105.) These constructs can be introduced into plant cells by direct DNA transformation or pathogen-mediated

transfection. (See, e.g., The McGraw Hill Yearbook of Science and Technology (1992) McGraw Hill, New York NY, pp. 191-196.)

In mammalian cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, sequences encoding HSPP  
5 may be ligated into an adenovirus transcription/translation complex consisting of the late promoter and tripartite leader sequence. Insertion in a non-essential E1 or E3 region of the viral genome may be used to obtain infective virus which expresses HSPP in host cells. (See, e.g., Logan, J. and T. Shenk (1984) *Proc. Natl. Acad. Sci.* 81:3655-3659.) In addition, transcription enhancers, such as the Rous sarcoma virus (RSV) enhancer, may be  
10 used to increase expression in mammalian host cells. SV40 or EBV-based vectors may also be used for high-level protein expression.

Human artificial chromosomes (HACs) may also be employed to deliver larger fragments of DNA than can be contained in and expressed from a plasmid. HACs of about 6 kb to 10 Mb are constructed and delivered via conventional delivery methods  
15 (liposomes, polycationic amino polymers, or vesicles) for therapeutic purposes. (See, e.g., Harrington, J.J. et al. (1997) *Nat Genet.* 15:345-355.)

For long term production of recombinant proteins in mammalian systems, stable expression of HSPP in cell lines is preferred. For example, sequences encoding HSPP can be transformed into cell lines using expression vectors which may contain viral origins of  
20 replication and/or endogenous expression elements and a selectable marker gene on the same or on a separate vector. Following the introduction of the vector, cells may be allowed to grow for about 1 to 2 days in enriched media before being switched to selective media. The purpose of the selectable marker is to confer resistance to a selective agent, and its presence allows growth and recovery of cells which successfully express the  
25 introduced sequences. Resistant clones of stably transformed cells may be propagated using tissue culture techniques appropriate to the cell type.

Any number of selection systems may be used to recover transformed cell lines. These include, but are not limited to, the herpes simplex virus thymidine kinase and adenine phosphoribosyltransferase genes, for use in *tk* or *apr* cells, respectively. (See,  
30 e.g., Wigler, M. et al. (1977) *Cell* 11:223-232; Lowy, I. et al. (1980) *Cell* 22:817-823.) Also, antimetabolite, antibiotic, or herbicide resistance can be used as the basis for selection. For example, *dhfr* confers resistance to methotrexate; *neo* confers resistance to

the aminoglycosides, neomycin and G-418; and *als* or *pat* confer resistance to chlorsulfuron and phosphinotricin acetyltransferase, respectively. (See, e.g., Wigler, M. et al. (1980) Proc. Natl. Acad. Sci. 77:3567-3570; Colbere-Garapin, F. et al. (1981) J. Mol. Biol. 150:1-14.) Additional selectable genes have been described, e.g., *trpB* and *hisD*,  
5 which alter cellular requirements for metabolites. (See, e.g., Hartman, S.C. and R.C. Mulligan (1988) Proc. Natl. Acad. Sci. 85:8047-8051.) Visible markers, e.g., anthocyanins, green fluorescent proteins (GFP; Clontech),  $\beta$  glucuronidase and its substrate  $\beta$ -glucuronide, or luciferase and its substrate luciferin may be used. These markers can be used not only to identify transformants, but also to quantify the amount of  
10 transient or stable protein expression attributable to a specific vector system. (See, e.g., Rhodes, C.A. (1995) Methods Mol. Biol. 55:121-131.)

Although the presence/absence of marker gene expression suggests that the gene of interest is also present, the presence and expression of the gene may need to be confirmed. For example, if the sequence encoding HSPP is inserted within a marker gene sequence,  
15 transformed cells containing sequences encoding HSPP can be identified by the absence of marker gene function. Alternatively, a marker gene can be placed in tandem with a sequence encoding HSPP under the control of a single promoter. Expression of the marker gene in response to induction or selection usually indicates expression of the tandem gene as well.

20 In general, host cells that contain the nucleic acid sequence encoding HSPP and that express HSPP may be identified by a variety of procedures known to those of skill in the art. These procedures include, but are not limited to, DNA-DNA or DNA-RNA hybridizations, PCR amplification, and protein bioassay or immunoassay techniques which include membrane, solution, or chip based technologies for the detection and/or  
25 quantification of nucleic acid or protein sequences.

Immunological methods for detecting and measuring the expression of HSPP using either specific polyclonal or monoclonal antibodies are known in the art. Examples of such techniques include enzyme-linked immunosorbent assays (ELISAs), radioimmunoassays (RIAs), and fluorescence activated cell sorting (FACS). A two-site,  
30 monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two non-interfering epitopes on HSPP is preferred, but a competitive binding assay may be employed. These and other assays are well known in the art. (See, e.g., Hampton, R. et al.

(1990) Serological Methods, a Laboratory Manual, APS Press, St Paul MN, Sect. IV;  
Coligan, J. E. et al. (1997) Current Protocols in Immunology, Greene Pub. Associates and  
Wiley-Interscience, New York NY; and Pound, J.D. (1998) Immunochemical Protocols,  
Humana Press, Totowa NJ).

5       A wide variety of labels and conjugation techniques are known by those skilled in  
the art and may be used in various nucleic acid and amino acid assays. Means for  
producing labeled hybridization or PCR probes for detecting sequences related to  
polynucleotides encoding HSPP include oligolabeling, nick translation, end-labeling, or  
PCR amplification using a labeled nucleotide. Alternatively, the sequences encoding  
10 HSPP, or any fragments thereof, may be cloned into a vector for the production of an  
mRNA probe. Such vectors are known in the art, are commercially available, and may be  
used to synthesize RNA probes in vitro by addition of an appropriate RNA polymerase  
such as T7, T3, or SP6 and labeled nucleotides. These procedures may be conducted using  
a variety of commercially available kits, such as those provided by Amersham Pharmacia  
15 Biotech, Promega (Madison WI), and US Biochemical. Suitable reporter molecules or  
labels which may be used for ease of detection include radionuclides, enzymes,  
fluorescent, chemiluminescent, or chromogenic agents, as well as substrates, cofactors,  
inhibitors, magnetic particles, and the like.

Host cells transformed with nucleotide sequences encoding HSPP may be cultured  
20 under conditions suitable for the expression and recovery of the protein from cell culture.  
The protein produced by a transformed cell may be secreted or retained intracellularly  
depending on the sequence and/or the vector used. As will be understood by those of skill  
in the art, expression vectors containing polynucleotides which encode HSPP may be  
designed to contain signal sequences which direct secretion of HSPP through a prokaryotic  
25 or eukaryotic cell membrane.

In addition, a host cell strain may be chosen for its ability to modulate expression  
of the inserted sequences or to process the expressed protein in the desired fashion. Such  
modifications of the polypeptide include, but are not limited to, acetylation, carboxylation,  
glycosylation, phosphorylation, lipidation, and acylation. Post-translational processing  
30 which cleaves a "prepro" form of the protein may also be used to specify protein targeting,  
folding, and/or activity. Different host cells which have specific cellular machinery and  
characteristic mechanisms for post-translational activities (e.g., CHO, HeLa, MDCK,



HEK293, and WI38), are available from the American Type Culture Collection (ATCC, Manassas, VA) and may be chosen to ensure the correct modification and processing of the foreign protein.

In another embodiment of the invention, natural, modified, or recombinant nucleic acid sequences encoding HSPP may be ligated to a heterologous sequence resulting in translation of a fusion protein in any of the aforementioned host systems. For example, a chimeric HSPP protein containing a heterologous moiety that can be recognized by a commercially available antibody may facilitate the screening of peptide libraries for inhibitors of HSPP activity. Heterologous protein and peptide moieties may also facilitate purification of fusion proteins using commercially available affinity matrices. Such moieties include, but are not limited to, glutathione S-transferase (GST), maltose binding protein (MBP), thioredoxin (Trx), calmodulin binding peptide (CBP), 6-His, FLAG, *c-myc*, and hemagglutinin (HA). GST, MBP, Trx, CBP, and 6-His enable purification of their cognate fusion proteins on immobilized glutathione, maltose, phenylarsine oxide, calmodulin, and metal-chelate resins, respectively. FLAG, *c-myc*, and hemagglutinin (HA) enable immunoaffinity purification of fusion proteins using commercially available monoclonal and polyclonal antibodies that specifically recognize these epitope tags. A fusion protein may also be engineered to contain a proteolytic cleavage site located between the HSPP encoding sequence and the heterologous protein sequence, so that HSPP may be cleaved away from the heterologous moiety following purification. Methods for fusion protein expression and purification are discussed in Ausubel (1995, supra, ch 10). A variety of commercially available kits may also be used to facilitate expression and purification of fusion proteins.

In a further embodiment of the invention, synthesis of radiolabeled HSPP may be achieved in vitro using the TNT rabbit reticulocyte lysate or wheat germ extract systems (Promega). These systems couple transcription and translation of protein-coding sequences operably associated with the T7, T3, or SP6 promoters. Translation takes place in the presence of a radiolabeled amino acid precursor, preferably <sup>35</sup>S-methionine.

Fragments of HSPP may be produced not only by recombinant production, but also by direct peptide synthesis using solid-phase techniques. (See, e.g., Creighton, supra, pp. 55-60.) Protein synthesis may be performed by manual techniques or by automation. Automated synthesis may be achieved, for example, using the ABI 431A Peptide

Synthesizer (Perkin-Elmer). Various fragments of HSPP may be synthesized separately and then combined to produce the full length molecule.

## THERAPEUTICS

5 Chemical and structural similarity, e.g., in the context of sequences and motifs, exists between regions of HSPP and signal peptide sequences. In addition, chemical and structural similarity, in the context of sequences and motifs, exists between HSPP-66 and prostatic steroid-binding C3 precursor from rat (GI 206453); between HSPP-68 and TWIK-related acid-sensitive K<sup>+</sup>channel from human (GI 2465542); and between HSPP-92  
10 and tyrosine specific protein phosphatases (PROSITE PDOC00323). In addition, the expression of HSPP is closely associated with proliferative, cancerous, inflamed, cardiovascular, nervous, reproductive, hematopoietic/immune, and developmental tissue. Therefore, HSPP appears to play a role in cell proliferative disorders including cancer; inflammation; and cardiovascular,  
15 neurological, reproductive, and developmental disorders. In the treatment of cell proliferative disorders including cancer; inflammation; and cardiovascular, neurological, reproductive, and developmental disorders associated with increased HSPP expression or activity, it is desirable to decrease the expression or activity of HSPP. In the treatment of the above conditions associated with decreased HSPP expression or activity, it is desirable  
20 to increase the expression or activity of HSPP.

Therefore, in one embodiment, HSPP or a fragment or derivative thereof may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HSPP. Examples of such disorders include, but are not limited to, cell proliferative disorders such as actinic keratosis, arteriosclerosis, atherosclerosis,  
25 bursitis, cirrhosis, hepatitis, mixed connective tissue disease (MCTD), myelofibrosis, paroxysmal nocturnal hemoglobinuria, polycythemia vera, psoriasis, primary thrombocythemia, and cancers including adenocarcinoma, leukemia, lymphoma, melanoma, myeloma, sarcoma, teratocarcinoma, and, in particular, cancers of the adrenal gland, bladder, bone, bone marrow, brain, breast, cervix, gall bladder, ganglia,  
30 gastrointestinal tract, heart, kidney, liver, lung, muscle, ovary, pancreas, parathyroid, penis, prostate, salivary glands, skin, spleen, testis, thymus, thyroid, and uterus; inflammatory disorders, such as acquired immunodeficiency syndrome (AIDS), Addison's

disease, adult respiratory distress syndrome, allergies, ankylosing spondylitis, amyloidosis, anemia, asthma, atherosclerosis, autoimmune hemolytic anemia, autoimmune thyroiditis, autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy (APECED), bronchitis, cholecystitis, contact dermatitis, Crohn's disease, atopic dermatitis,

5 dermatomyositis, diabetes mellitus, emphysema, episodic lymphopenia with lymphocytotoxins, erythroblastosis fetalis, erythema nodosum, atrophic gastritis, glomerulonephritis, Goodpasture's syndrome, gout, Graves' disease, Hashimoto's thyroiditis, hypereosinophilia, irritable bowel syndrome, multiple sclerosis, myasthenia gravis, myocardial or pericardial inflammation, osteoarthritis, osteoporosis, pancreatitis,

10 polymyositis, psoriasis, Reiter's syndrome, rheumatoid arthritis, scleroderma, Sjögren's syndrome, systemic anaphylaxis, systemic lupus erythematosus, systemic sclerosis, thrombocytopenic purpura, ulcerative colitis, uveitis, Werner syndrome, complications of cancer, hemodialysis, and extracorporeal circulation, viral, bacterial, fungal, parasitic, protozoal, and helminthic infections, and trauma; cardiovascular disorders including

15 disorders of the blood vessels such as arteriovenous fistula, atherosclerosis, hypertension, vasculitis, Raynaud's disease, aneurysms, arterial dissections, varicose veins, thrombophlebitis and phlebothrombosis, and vascular tumors; disorders of the heart such as congestive heart failure, ischemic heart disease, angina pectoris, myocardial infarction, hypertensive heart disease, degenerative valvular heart disease, calcific aortic valve

20 stenosis, congenitally bicuspid aortic valve, mitral annular calcification, mitral valve prolapse, rheumatic fever and rheumatic heart disease, infective endocarditis, nonbacterial thrombotic endocarditis, endocarditis of systemic lupus erythematosus, carcinoid heart disease, cardiomyopathy, myocarditis, pericarditis, neoplastic heart disease, and congenital heart disease; and disorders of the lungs such as congenital lung anomalies, atelectasis,

25 pulmonary congestion and edema, pulmonary embolism, pulmonary hemorrhage, pulmonary infarction, pulmonary hypertension, vascular sclerosis, obstructive pulmonary disease, restrictive pulmonary disease, chronic obstructive pulmonary disease, emphysema, chronic bronchitis, bronchial asthma, bronchiectasis, bacterial pneumonia, viral and mycoplasmal pneumonia, lung abscess, pulmonary tuberculosis, diffuse

30 interstitial diseases, pneumoconioses, sarcoidosis, idiopathic pulmonary fibrosis, desquamative interstitial pneumonitis, hypersensitivity pneumonitis, pulmonary eosinophilia bronchiolitis obliterans-organizing pneumonia, diffuse pulmonary

hemorrhage syndromes, Goodpasture's syndromes, idiopathic pulmonary hemosiderosis, pulmonary involvement in collagen-vascular disorders, pulmonary alveolar proteinosis, lung tumors, inflammatory and noninflammatory pleural effusions, pneumothorax, and pleural tumors; neurological disorders such as epilepsy, ischemic cerebrovascular disease, 5 stroke, cerebral neoplasms, Alzheimer's disease, Pick's disease, Huntington's disease, dementia, Parkinson's disease and other extrapyramidal disorders, amyotrophic lateral sclerosis and other motor neuron disorders, progressive neural muscular atrophy, retinitis pigmentosa, hereditary ataxias, multiple sclerosis and other demyelinating diseases, bacterial and viral meningitis, brain abscess, subdural empyema, epidural abscess, 10 suppurative intracranial thrombophlebitis, myelitis and radiculitis, viral central nervous system disease; prion diseases including kuru, Creutzfeldt-Jakob disease, and Gerstmann-Straussler-Scheinker syndrome; fatal familial insomnia, nutritional and metabolic diseases of the nervous system, neurofibromatosis, tuberous sclerosis, cerebelloretinal hemangioblastomatosis, encephalotrigeminal syndrome, mental retardation and other 15 developmental disorders of the central nervous system, cerebral palsy, neuroskeletal disorders, autonomic nervous system disorders, cranial nerve disorders, spinal cord diseases, muscular dystrophy and other neuromuscular disorders, peripheral nervous system disorders, dermatomyositis and polymyositis; inherited, metabolic, endocrine, and toxic myopathies; myasthenia gravis, periodic paralysis; mental disorders including mood, 20 anxiety, and schizophrenic disorders; akathisia, amnesia, catatonia, diabetic neuropathy, tardive dyskinesia, dystonias, paranoid psychoses, postherpetic neuralgia, and Tourette's disorder; reproductive disorders such as disorders of prolactin production; infertility, including tubal disease, ovulatory defects, and endometriosis; disruptions of the estrous cycle, disruptions of the menstrual cycle, polycystic ovary syndrome, ovarian 25 hyperstimulation syndrome, endometrial and ovarian tumors, uterine fibroids, autoimmune disorders, ectopic pregnancies, and teratogenesis; cancer of the breast, fibrocystic breast disease, and galactorrhea; disruptions of spermatogenesis, abnormal sperm physiology, cancer of the testis, cancer of the prostate, benign prostatic hyperplasia, prostatitis, Peyronie's disease, carcinoma of the male breast, and gynecomastia; and developmental 30 disorders, such as renal tubular acidosis, anemia, Cushing's syndrome, achondroplastic dwarfism, Duchenne and Becker muscular dystrophy, epilepsy, gonadal dysgenesis, WAGR syndrome (Wilms' tumor, aniridia, genitourinary abnormalities, and mental

retardation), Smith-Magenis syndrome, myelodysplastic syndrome, hereditary mucoepithelial dysplasia, hereditary keratodermas, hereditary neuropathies such as Charcot-Marie-Tooth disease and neurofibromatosis, hypothyroidism, hydrocephalus, seizure disorders such as Sydenham's chorea and cerebral palsy, spina bifida, anencephaly, craniorachischisis, congenital glaucoma, cataract, and sensorineural hearing loss.

In another embodiment, a vector capable of expressing HSPP or a fragment or derivative thereof may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HSPP including, but not limited to, those described above.

In a further embodiment, a pharmaceutical composition comprising a substantially purified HSPP in conjunction with a suitable pharmaceutical carrier may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HSPP including, but not limited to, those provided above.

In still another embodiment, an agonist which modulates the activity of HSPP may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HSPP including, but not limited to, those listed above.

In a further embodiment, an antagonist of HSPP may be administered to a subject to treat or prevent a disorder associated with increased expression or activity of HSPP. Examples of such disorders include, but are not limited to, those described above. In one aspect, an antibody which specifically binds HSPP may be used directly as an antagonist or indirectly as a targeting or delivery mechanism for bringing a pharmaceutical agent to cells or tissue which express HSPP.

In an additional embodiment, a vector expressing the complement of the polynucleotide encoding HSPP may be administered to a subject to treat or prevent a disorder associated with increased expression or activity of HSPP including, but not limited to, those described above.

In other embodiments, any of the proteins, antagonists, antibodies, agonists, complementary sequences, or vectors of the invention may be administered in combination with other appropriate therapeutic agents. Selection of the appropriate agents for use in combination therapy may be made by one of ordinary skill in the art, according to conventional pharmaceutical principles. The combination of therapeutic agents may act



synergistically to effect the treatment or prevention of the various disorders described above. Using this approach, one may be able to achieve therapeutic efficacy with lower dosages of each agent, thus reducing the potential for adverse side effects.

An antagonist of HSPP may be produced using methods which are generally known in the art. In particular, purified HSPP may be used to produce antibodies or to screen libraries of pharmaceutical agents to identify those which specifically bind HSPP. Antibodies to HSPP may also be generated using methods that are well known in the art. Such antibodies may include, but are not limited to, polyclonal, monoclonal, chimeric, and single chain antibodies, Fab fragments, and fragments produced by a Fab expression library. Neutralizing antibodies (i.e., those which inhibit dimer formation) are especially preferred for therapeutic use.

For the production of antibodies, various hosts including goats, rabbits, rats, mice, humans, and others may be immunized by injection with HSPP or with any fragment or oligopeptide thereof which has immunogenic properties. Depending on the host species, various adjuvants may be used to increase immunological response. Such adjuvants include, but are not limited to, Freund's, mineral gels such as aluminum hydroxide, and surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, KLH, and dinitrophenol. Among adjuvants used in humans, BCG (bacilli Calmette-Guerin) and Corynebacterium parvum are especially preferable.

It is preferred that the oligopeptides, peptides, or fragments used to induce antibodies to HSPP have an amino acid sequence consisting of at least about 5 amino acids, and, more preferably, of at least about 10 amino acids. It is also preferable that these oligopeptides, peptides, or fragments are identical to a portion of the amino acid sequence of the natural protein and contain the entire amino acid sequence of a small, naturally occurring molecule. Short stretches of HSPP amino acids may be fused with those of another protein, such as KLH, and antibodies to the chimeric molecule may be produced.

Monoclonal antibodies to HSPP may be prepared using any technique which provides for the production of antibody molecules by continuous cell lines in culture. These include, but are not limited to, the hybridoma technique, the human B-cell hybridoma technique, and the EBV-hybridoma technique. (See, e.g., Kohler, G. et al. (1975) Nature 256:495-497; Kozbor, D. et al. (1985) J. Immunol. Methods 81:31-42;

Cote, R.J. et al. (1983) Proc. Natl. Acad. Sci. 80:2026-2030; and Cole, S.P. et al. (1984) Mol. Cell Biol. 62:109-120.)

In addition, techniques developed for the production of "chimeric antibodies," such as the splicing of mouse antibody genes to human antibody genes to obtain a molecule  
5 with appropriate antigen specificity and biological activity, can be used. (See, e.g., Morrison, S.L. et al. (1984) Proc. Natl. Acad. Sci. 81:6851-6855; Neuberger, M.S. et al. (1984) Nature 312:604-608; and Takeda, S. et al. (1985) Nature 314:452-454.)  
Alternatively, techniques described for the production of single chain antibodies may be adapted, using methods known in the art, to produce HSPP-specific single chain  
10 antibodies. Antibodies with related specificity, but of distinct idiotypic composition, may be generated by chain shuffling from random combinatorial immunoglobulin libraries.  
(See, e.g., Burton D.R. (1991) Proc. Natl. Acad. Sci. 88:10134-10137.)

Antibodies may also be produced by inducing in vivo production in the lymphocyte population or by screening immunoglobulin libraries or panels of highly  
15 specific binding reagents as disclosed in the literature. (See, e.g., Orlandi, R. et al. (1989) Proc. Natl. Acad. Sci. 86: 3833-3837; Winter, G. et al. (1991) Nature 349:293-299.)

Antibody fragments which contain specific binding sites for HSPP may also be generated. For example, such fragments include, but are not limited to, F(ab')<sub>2</sub> fragments produced by pepsin digestion of the antibody molecule and Fab fragments generated by  
20 reducing the disulfide bridges of the F(ab')<sub>2</sub> fragments. Alternatively, Fab expression libraries may be constructed to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity. (See, e.g., Huse, W.D. et al. (1989) Science 246:1275-1281.)

Various immunoassays may be used for screening to identify antibodies having the  
25 desired specificity. Numerous protocols for competitive binding or immunoradiometric assays using either polyclonal or monoclonal antibodies with established specificities are well known in the art. Such immunoassays typically involve the measurement of complex formation between HSPP and its specific antibody. A two-site, monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two non-interfering HSPP  
30 epitopes is preferred, but a competitive binding assay may also be employed (Pound, supra).

Various methods such as Scatchard analysis in conjunction with radioimmunoassay techniques may be used to assess the affinity of antibodies for HSPP. Affinity is expressed as an association constant,  $K_a$ , which is defined as the molar concentration of HSPP-antibody complex divided by the molar concentrations of free antigen and free antibody under equilibrium conditions. The  $K_a$  determined for a preparation of polyclonal antibodies, which are heterogeneous in their affinities for multiple HSPP epitopes, represents the average affinity, or avidity, of the antibodies for HSPP. The  $K_a$  determined for a preparation of monoclonal antibodies, which are monospecific for a particular HSPP epitope, represents a true measure of affinity. High-affinity antibody preparations with  $K_a$  ranging from about  $10^9$  to  $10^{12}$  L/mole are preferred for use in immunoassays in which the HSPP-antibody complex must withstand rigorous manipulations. Low-affinity antibody preparations with  $K_a$  ranging from about  $10^6$  to  $10^7$  L/mole are preferred for use in immunopurification and similar procedures which ultimately require dissociation of HSPP, preferably in active form, from the antibody (Catty, D. (1988) Antibodies, Volume I: A Practical Approach, IRL Press, Washington, DC; Liddell, J. E. and Cryer, A. (1991) A Practical Guide to Monoclonal Antibodies, John Wiley & Sons, New York NY).

The titer and avidity of polyclonal antibody preparations may be further evaluated to determine the quality and suitability of such preparations for certain downstream applications. For example, a polyclonal antibody preparation containing at least 1-2 mg specific antibody/ml, preferably 5-10 mg specific antibody/ml, is preferred for use in procedures requiring precipitation of HSPP-antibody complexes. Procedures for evaluating antibody specificity, titer, and avidity, and guidelines for antibody quality and usage in various applications, are generally available. (See, e.g., Catty, supra, and Coligan et al. supra.)

In another embodiment of the invention, the polynucleotides encoding HSPP, or any fragment or complement thereof, may be used for therapeutic purposes. In one aspect, the complement of the polynucleotide encoding HSPP may be used in situations in which it would be desirable to block the transcription of the mRNA. In particular, cells may be transformed with sequences complementary to polynucleotides encoding HSPP. Thus, complementary molecules or fragments may be used to modulate HSPP activity, or to achieve regulation of gene function. Such technology is now well known in the art, and

sense or antisense oligonucleotides or larger fragments can be designed from various locations along the coding or control regions of sequences encoding HSPP.

Expression vectors derived from retroviruses, adenoviruses, or herpes or vaccinia viruses, or from various bacterial plasmids, may be used for delivery of nucleotide  
5 sequences to the targeted organ, tissue, or cell population. Methods which are well known to those skilled in the art can be used to construct vectors to express nucleic acid sequences complementary to the polynucleotides encoding HSPP. (See, e.g., Sambrook, supra; Ausubel, 1995, supra.)

Genes encoding HSPP can be turned off by transforming a cell or tissue with  
10 expression vectors which express high levels of a polynucleotide, or fragment thereof, encoding HSPP. Such constructs may be used to introduce untranslatable sense or antisense sequences into a cell. Even in the absence of integration into the DNA, such vectors may continue to transcribe RNA molecules until they are disabled by endogenous nucleases. Transient expression may last for a month or more with a non-replicating  
15 vector, and may last even longer if appropriate replication elements are part of the vector system.

As mentioned above, modifications of gene expression can be obtained by designing complementary sequences or antisense molecules (DNA, RNA, or PNA) to the control, 5', or regulatory regions of the gene encoding HSPP. Oligonucleotides derived  
20 from the transcription initiation site, e.g., between about positions -10 and +10 from the start site, are preferred. Similarly, inhibition can be achieved using triple helix base-pairing methodology. Triple helix pairing is useful because it causes inhibition of the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors, or regulatory molecules. Recent therapeutic advances using triplex  
25 DNA have been described in the literature. (See, e.g., Gee, J.E. et al. (1994) in Huber, B.E. and B.I. Carr, Molecular and Immunologic Approaches, Futura Publishing, Mt. Kisco NY, pp. 163-177.) A complementary sequence or antisense molecule may also be designed to block translation of mRNA by preventing the transcript from binding to ribosomes.

30 Ribozymes, enzymatic RNA molecules, may also be used to catalyze the specific cleavage of RNA. The mechanism of ribozyme action involves sequence-specific hybridization of the ribozyme molecule to complementary target RNA, followed by

endonucleolytic cleavage. For example, engineered hammerhead motif ribozyme molecules may specifically and efficiently catalyze endonucleolytic cleavage of sequences encoding HSPP.

Specific ribozyme cleavage sites within any potential RNA target are initially  
5 identified by scanning the target molecule for ribozyme cleavage sites, including the following sequences: GUA, GUU, and GUC. Once identified, short RNA sequences of between 15 and 20 ribonucleotides, corresponding to the region of the target gene containing the cleavage site, may be evaluated for secondary structural features which may render the oligonucleotide inoperable. The suitability of candidate targets may also be  
10 evaluated by testing accessibility to hybridization with complementary oligonucleotides using ribonuclease protection assays.

Complementary ribonucleic acid molecules and ribozymes of the invention may be prepared by any method known in the art for the synthesis of nucleic acid molecules. These include techniques for chemically synthesizing oligonucleotides such as solid phase  
15 phosphoramidite chemical synthesis. Alternatively, RNA molecules may be generated by in vitro and in vivo transcription of DNA sequences encoding HSPP. Such DNA sequences may be incorporated into a wide variety of vectors with suitable RNA polymerase promoters such as T7 or SP6. Alternatively, these cDNA constructs that synthesize complementary RNA, constitutively or inducibly, can be introduced into cell  
20 lines, cells, or tissues.

RNA molecules may be modified to increase intracellular stability and half-life. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3' ends of the molecule, or the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages within the backbone of the molecule. This concept is  
25 inherent in the production of PNAs and can be extended in all of these molecules by the inclusion of nontraditional bases such as inosine, queosine, and wybutosine, as well as acetyl-, methyl-, thio-, and similarly modified forms of adenine, cytidine, guanine, thymine, and uridine which are not as easily recognized by endogenous endonucleases.

Many methods for introducing vectors into cells or tissues are available and  
30 equally suitable for use in vivo, in vitro, and ex vivo. For ex vivo therapy, vectors may be introduced into stem cells taken from the patient and clonally propagated for autologous transplant back into that same patient. Delivery by transfection, by liposome injections, or



by polycationic amino polymers may be achieved using methods which are well known in the art. (See, e.g., Goldman, C.K. et al. (1997) Nature Biotechnology 15:462-466.)

Any of the therapeutic methods described above may be applied to any subject in need of such therapy, including, for example, mammals such as dogs, cats, cows, horses,  
5 rabbits, monkeys, and most preferably, humans.

An additional embodiment of the invention relates to the administration of a pharmaceutical or sterile composition, in conjunction with a pharmaceutically acceptable carrier, for any of the therapeutic effects discussed above. Such pharmaceutical compositions may consist of HSPP, antibodies to HSPP, and mimetics, agonists,  
10 antagonists, or inhibitors of HSPP. The compositions may be administered alone or in combination with at least one other agent, such as a stabilizing compound, which may be administered in any sterile, biocompatible pharmaceutical carrier including, but not limited to, saline, buffered saline, dextrose, and water. The compositions may be administered to a patient alone, or in combination with other agents, drugs, or hormones.

15 The pharmaceutical compositions utilized in this invention may be administered by any number of routes including, but not limited to, oral, intravenous, intramuscular, intra-arterial, intramedullary, intrathecal, intraventricular, transdermal, subcutaneous, intraperitoneal, intranasal, enteral, topical, sublingual, or rectal means.

In addition to the active ingredients, these pharmaceutical compositions may  
20 contain suitable pharmaceutically-acceptable carriers comprising excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used pharmaceutically. Further details on techniques for formulation and administration may be found in the latest edition of Remington's Pharmaceutical Sciences (Maack Publishing, Easton PA).

25 Pharmaceutical compositions for oral administration can be formulated using pharmaceutically acceptable carriers well known in the art in dosages suitable for oral administration. Such carriers enable the pharmaceutical compositions to be formulated as tablets, pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions, and the like, for ingestion by the patient.

30 Pharmaceutical preparations for oral use can be obtained through combining active compounds with solid excipient and processing the resultant mixture of granules (optionally, after grinding) to obtain tablets or dragee cores. Suitable auxiliaries can be

added, if desired. Suitable excipients include carbohydrate or protein fillers, such as sugars, including lactose, sucrose, mannitol, and sorbitol; starch from corn, wheat, rice, potato, or other plants; cellulose, such as methyl cellulose, hydroxypropylmethyl-cellulose, or sodium carboxymethylcellulose; gums, including  
5 arabic and tragacanth; and proteins, such as gelatin and collagen. If desired, disintegrating or solubilizing agents may be added, such as the cross-linked polyvinyl pyrrolidone, agar, and alginic acid or a salt thereof, such as sodium alginate.

Dragee cores may be used in conjunction with suitable coatings, such as concentrated sugar solutions, which may also contain gum arabic, talc,  
10 polyvinylpyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dyestuffs or pigments may be added to the tablets or dragee coatings for product identification or to characterize the quantity of active compound, i.e., dosage.

Pharmaceutical preparations which can be used orally include push-fit capsules  
15 made of gelatin, as well as soft, sealed capsules made of gelatin and a coating, such as glycerol or sorbitol. Push-fit capsules can contain active ingredients mixed with fillers or binders, such as lactose or starches, lubricants, such as talc or magnesium stearate, and, optionally, stabilizers. In soft capsules, the active compounds may be dissolved or suspended in suitable liquids, such as fatty oils, liquid, or liquid polyethylene glycol with  
20 or without stabilizers.

Pharmaceutical formulations suitable for parenteral administration may be formulated in aqueous solutions, preferably in physiologically compatible buffers such as Hanks' solution, Ringer's solution, or physiologically buffered saline. Aqueous injection suspensions may contain substances which increase the viscosity of the suspension, such  
25 as sodium carboxymethyl cellulose, sorbitol, or dextran. Additionally, suspensions of the active compounds may be prepared as appropriate oily injection suspensions. Suitable lipophilic solvents or vehicles include fatty oils, such as sesame oil, or synthetic fatty acid esters, such as ethyl oleate, triglycerides, or liposomes. Non-lipid polycationic amino polymers may also be used for delivery. Optionally, the suspension may also contain  
30 suitable stabilizers or agents to increase the solubility of the compounds and allow for the preparation of highly concentrated solutions.

For topical or nasal administration, penetrants appropriate to the particular barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

The pharmaceutical compositions of the present invention may be manufactured in  
5 a manner that is known in the art, e.g., by means of conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping, or lyophilizing processes.

The pharmaceutical composition may be provided as a salt and can be formed with many acids, including but not limited to, hydrochloric, sulfuric, acetic, lactic, tartaric,  
10 malic, and succinic acid. Salts tend to be more soluble in aqueous or other protonic solvents than are the corresponding free base forms. In other cases, the preferred preparation may be a lyophilized powder which may contain any or all of the following: 1 mM to 50 mM histidine, 0.1% to 2% sucrose, and 2% to 7% mannitol, at a pH range of 4.5 to 5.5, that is combined with buffer prior to use.

15 After pharmaceutical compositions have been prepared, they can be placed in an appropriate container and labeled for treatment of an indicated condition. For administration of HSPP, such labeling would include amount, frequency, and method of administration.

Pharmaceutical compositions suitable for use in the invention include compositions  
20 wherein the active ingredients are contained in an effective amount to achieve the intended purpose. The determination of an effective dose is well within the capability of those skilled in the art.

For any compound, the therapeutically effective dose can be estimated initially either in cell culture assays, e.g., of neoplastic cells or in animal models such as mice, rats,  
25 rabbits, dogs, or pigs. An animal model may also be used to determine the appropriate concentration range and route of administration. Such information can then be used to determine useful doses and routes for administration in humans.

A therapeutically effective dose refers to that amount of active ingredient, for example HSPP or fragments thereof, antibodies of HSPP, and agonists, antagonists or  
30 inhibitors of HSPP, which ameliorates the symptoms or condition. Therapeutic efficacy and toxicity may be determined by standard pharmaceutical procedures in cell cultures or with experimental animals, such as by calculating the ED<sub>50</sub> (the dose therapeutically

effective in 50% of the population) or  $LD_{50}$  (the dose lethal to 50% of the population) statistics. The dose ratio of toxic to therapeutic effects is the therapeutic index, and it can be expressed as the  $LD_{50}/ED_{50}$  ratio. Pharmaceutical compositions which exhibit large therapeutic indices are preferred. The data obtained from cell culture assays and animal studies are used to formulate a range of dosage for human use. The dosage contained in such compositions is preferably within a range of circulating concentrations that includes the  $ED_{50}$  with little or no toxicity. The dosage varies within this range depending upon the dosage form employed, the sensitivity of the patient, and the route of administration.

The exact dosage will be determined by the practitioner, in light of factors related to the subject requiring treatment. Dosage and administration are adjusted to provide sufficient levels of the active moiety or to maintain the desired effect. Factors which may be taken into account include the severity of the disease state, the general health of the subject, the age, weight, and gender of the subject, time and frequency of administration, drug combination(s), reaction sensitivities, and response to therapy. Long-acting pharmaceutical compositions may be administered every 3 to 4 days, every week, or biweekly depending on the half-life and clearance rate of the particular formulation.

Normal dosage amounts may vary from about  $0.1 \mu\text{g}$  to  $100,000 \mu\text{g}$ , up to a total dose of about 1 gram, depending upon the route of administration. Guidance as to particular dosages and methods of delivery is provided in the literature and generally available to practitioners in the art. Those skilled in the art will employ different formulations for nucleotides than for proteins or their inhibitors. Similarly, delivery of polynucleotides or polypeptides will be specific to particular cells, conditions, locations, etc.

## 25 **DIAGNOSTICS**

In another embodiment, antibodies which specifically bind HSPP may be used for the diagnosis of disorders characterized by expression of HSPP, or in assays to monitor patients being treated with HSPP or agonists, antagonists, or inhibitors of HSPP.

Antibodies useful for diagnostic purposes may be prepared in the same manner as described above for therapeutics. Diagnostic assays for HSPP include methods which utilize the antibody and a label to detect HSPP in human body fluids or in extracts of cells or tissues. The antibodies may be used with or without modification, and may be labeled

by covalent or non-covalent attachment of a reporter molecule. A wide variety of reporter molecules, several of which are described above, are known in the art and may be used.

A variety of protocols for measuring HSPP, including ELISAs, RIAs, and FACS, are known in the art and provide a basis for diagnosing altered or abnormal levels of HSPP expression. Normal or standard values for HSPP expression are established by combining  
5 body fluids or cell extracts taken from normal mammalian subjects, preferably human, with antibody to HSPP under conditions suitable for complex formation. The amount of standard complex formation may be quantitated by various methods, preferably by photometric means. Quantities of HSPP expressed in subject, control, and disease samples  
10 from biopsied tissues are compared with the standard values. Deviation between standard and subject values establishes the parameters for diagnosing disease.

In another embodiment of the invention, the polynucleotides encoding HSPP may be used for diagnostic purposes. The polynucleotides which may be used include oligonucleotide sequences, complementary RNA and DNA molecules, and PNAs. The  
15 polynucleotides may be used to detect and quantitate gene expression in biopsied tissues in which expression of HSPP may be correlated with disease. The diagnostic assay may be used to determine absence, presence, and excess expression of HSPP, and to monitor regulation of HSPP levels during therapeutic intervention.

In one aspect, hybridization with PCR probes which are capable of detecting  
20 polynucleotide sequences, including genomic sequences, encoding HSPP or closely related molecules may be used to identify nucleic acid sequences which encode HSPP. The specificity of the probe, whether it is made from a highly specific region, e.g., the 5' regulatory region, or from a less specific region, e.g., a conserved motif, and the stringency of the hybridization or amplification (maximal, high, intermediate, or low), will  
25 determine whether the probe identifies only naturally occurring sequences encoding HSPP, allelic variants, or related sequences.

Probes may also be used for the detection of related sequences, and should preferably have at least 50% sequence identity to any of the HSPP encoding sequences. The hybridization probes of the subject invention may be DNA or RNA and may be  
30 derived from the sequence of SEQ ID NO:135-268 or from genomic sequences including promoters, enhancers, and introns of the HSPP gene.



Means for producing specific hybridization probes for DNAs encoding HSPP include the cloning of polynucleotide sequences encoding HSPP or HSPP derivatives into vectors for the production of mRNA probes. Such vectors are known in the art, are commercially available, and may be used to synthesize RNA probes in vitro by means of the addition of the appropriate RNA polymerases and the appropriate labeled nucleotides. Hybridization probes may be labeled by a variety of reporter groups, for example, by radionuclides such as  $^{32}\text{P}$  or  $^{35}\text{S}$ , or by enzymatic labels, such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems, and the like.

Polynucleotide sequences encoding HSPP may be used for the diagnosis of disorders associated with expression of HSPP. Examples of such disorders include, but are not limited to, cell proliferative disorders such as actinic keratosis, arteriosclerosis, atherosclerosis, bursitis, cirrhosis, hepatitis, mixed connective tissue disease (MCTD), myelofibrosis, paroxysmal nocturnal hemoglobinuria, polycythemia vera, psoriasis, primary thrombocythemia, and cancers including adenocarcinoma, leukemia, lymphoma, melanoma, myeloma, sarcoma, teratocarcinoma, and, in particular, cancers of the adrenal gland, bladder, bone, bone marrow, brain, breast, cervix, gall bladder, ganglia, gastrointestinal tract, heart, kidney, liver, lung, muscle, ovary, pancreas, parathyroid, penis, prostate, salivary glands, skin, spleen, testis, thymus, thyroid, and uterus; inflammatory disorders, such as acquired immunodeficiency syndrome (AIDS), Addison's disease, adult respiratory distress syndrome, allergies, ankylosing spondylitis, amyloidosis, anemia, asthma, atherosclerosis, autoimmune hemolytic anemia, autoimmune thyroiditis, autoimmune polyendocrinopathy-candidiasis-ectodermal dystrophy (APECED), bronchitis, cholecystitis, contact dermatitis, Crohn's disease, atopic dermatitis, dermatomyositis, diabetes mellitus, emphysema, episodic lymphopenia with lymphocytotoxins, erythroblastosis fetalis, erythema nodosum, atrophic gastritis, glomerulonephritis, Goodpasture's syndrome, gout, Graves' disease, Hashimoto's thyroiditis, hypereosinophilia, irritable bowel syndrome, multiple sclerosis, myasthenia gravis, myocardial or pericardial inflammation, osteoarthritis, osteoporosis, pancreatitis, polymyositis, psoriasis, Reiter's syndrome, rheumatoid arthritis, scleroderma, Sjögren's syndrome, systemic anaphylaxis, systemic lupus erythematosus, systemic sclerosis, thrombocytopenic purpura, ulcerative colitis, uveitis, Werner syndrome, complications of cancer, hemodialysis, and extracorporeal circulation, viral, bacterial, fungal, parasitic,

protozoal, and helminthic infections, and trauma; cardiovascular disorders including disorders of the blood vessels such as arteriovenous fistula, atherosclerosis, hypertension, vasculitis, Raynaud's disease, aneurysms, arterial dissections, varicose veins, thrombophlebitis and phlebothrombosis, and vascular tumors; disorders of the heart such

5 as congestive heart failure, ischemic heart disease, angina pectoris, myocardial infarction, hypertensive heart disease, degenerative valvular heart disease, calcific aortic valve stenosis, congenitally bicuspid aortic valve, mitral annular calcification, mitral valve prolapse, rheumatic fever and rheumatic heart disease, infective endocarditis, nonbacterial thrombotic endocarditis, endocarditis of systemic lupus erythematosus, carcinoid heart

10 disease, cardiomyopathy, myocarditis, pericarditis, neoplastic heart disease, and congenital heart disease; and disorders of the lungs such as congenital lung anomalies, atelectasis, pulmonary congestion and edema, pulmonary embolism, pulmonary hemorrhage, pulmonary infarction, pulmonary hypertension, vascular sclerosis, obstructive pulmonary disease, restrictive pulmonary disease, chronic obstructive pulmonary disease,

15 emphysema, chronic bronchitis, bronchial asthma, bronchiectasis, bacterial pneumonia, viral and mycoplasmal pneumonia, lung abscess, pulmonary tuberculosis, diffuse interstitial diseases, pneumoconioses, sarcoidosis, idiopathic pulmonary fibrosis, desquamative interstitial pneumonitis, hypersensitivity pneumonitis, pulmonary eosinophilia bronchiolitis obliterans-organizing pneumonia, diffuse pulmonary

20 hemorrhage syndromes, Goodpasture's syndromes, idiopathic pulmonary hemosiderosis, pulmonary involvement in collagen-vascular disorders, pulmonary alveolar proteinosis, lung tumors, inflammatory and noninflammatory pleural effusions, pneumothorax, and pleural tumors; neurological disorders such as epilepsy, ischemic cerebrovascular disease, stroke, cerebral neoplasms, Alzheimer's disease, Pick's disease, Huntington's disease,

25 dementia, Parkinson's disease and other extrapyramidal disorders, amyotrophic lateral sclerosis and other motor neuron disorders, progressive neural muscular atrophy, retinitis pigmentosa, hereditary ataxias, multiple sclerosis and other demyelinating diseases, bacterial and viral meningitis, brain abscess, subdural empyema, epidural abscess, suppurative intracranial thrombophlebitis, myelitis and radiculitis, viral central nervous

30 system disease; prion diseases including kuru, Creutzfeldt-Jakob disease, and Gerstmann-Straussler-Scheinker syndrome; fatal familial insomnia, nutritional and metabolic diseases of the nervous system, neurofibromatosis, tuberous sclerosis, cerebelloretinal

hemangioblastomatosis, encephalotrigeminal syndrome, mental retardation and other developmental disorders of the central nervous system, cerebral palsy, neuroskeletal disorders, autonomic nervous system disorders, cranial nerve disorders, spinal cord diseases, muscular dystrophy and other neuromuscular disorders, peripheral nervous system disorders, dermatomyositis and polymyositis; inherited, metabolic, endocrine, and toxic myopathies; myasthenia gravis, periodic paralysis; mental disorders including mood, anxiety, and schizophrenic disorders; akathisia, amnesia, catatonia, diabetic neuropathy, tardive dyskinesia, dystonias, paranoid psychoses, postherpetic neuralgia, and Tourette's disorder; reproductive disorders such as disorders of prolactin production; infertility, including tubal disease, ovulatory defects, and endometriosis; disruptions of the estrous cycle, disruptions of the menstrual cycle, polycystic ovary syndrome, ovarian hyperstimulation syndrome, endometrial and ovarian tumors, uterine fibroids, autoimmune disorders, ectopic pregnancies, and teratogenesis; cancer of the breast, fibrocystic breast disease, and galactorrhea; disruptions of spermatogenesis, abnormal sperm physiology, cancer of the testis, cancer of the prostate, benign prostatic hyperplasia, prostatitis, Peyronie's disease, carcinoma of the male breast, and gynecomastia; and developmental disorders, such as renal tubular acidosis, anemia, Cushing's syndrome, achondroplastic dwarfism, Duchenne and Becker muscular dystrophy, epilepsy, gonadal dysgenesis, WAGR syndrome (Wilms' tumor, aniridia, genitourinary abnormalities, and mental retardation), Smith-Magenis syndrome, myelodysplastic syndrome, hereditary mucoepithelial dysplasia, hereditary keratodermas, hereditary neuropathies such as Charcot-Marie-Tooth disease and neurofibromatosis, hypothyroidism, hydrocephalus, seizure disorders such as Sydenham's chorea and cerebral palsy, spina bifida, anencephaly, craniorachischisis, congenital glaucoma, cataract, and sensorineural hearing loss. The polynucleotide sequences encoding HSPP may be used in Southern or northern analysis, dot blot, or other membrane-based technologies; in PCR technologies; in dipstick, pin, and multiformat ELISA-like assays; and in microarrays utilizing fluids or tissues from patients to detect altered HSPP expression. Such qualitative or quantitative methods are well known in the art.

30 In a particular aspect, the nucleotide sequences encoding HSPP may be useful in assays that detect the presence of associated disorders, particularly those mentioned above. The nucleotide sequences encoding HSPP may be labeled by standard methods and added

to a fluid or tissue sample from a patient under conditions suitable for the formation of hybridization complexes. After a suitable incubation period, the sample is washed and the signal is quantitated and compared with a standard value. If the amount of signal in the patient sample is significantly altered in comparison to a control sample then the presence  
5 of altered levels of nucleotide sequences encoding HSPP in the sample indicates the presence of the associated disorder. Such assays may also be used to evaluate the efficacy of a particular therapeutic treatment regimen in animal studies, in clinical trials, or to monitor the treatment of an individual patient.

In order to provide a basis for the diagnosis of a disorder associated with  
10 expression of HSPP, a normal or standard profile for expression is established. This may be accomplished by combining body fluids or cell extracts taken from normal subjects, either animal or human, with a sequence, or a fragment thereof, encoding HSPP, under conditions suitable for hybridization or amplification. Standard hybridization may be quantified by comparing the values obtained from normal subjects with values from an  
15 experiment in which a known amount of a substantially purified polynucleotide is used. Standard values obtained in this manner may be compared with values obtained from samples from patients who are symptomatic for a disorder. Deviation from standard values is used to establish the presence of a disorder.

Once the presence of a disorder is established and a treatment protocol is initiated,  
20 hybridization assays may be repeated on a regular basis to determine if the level of expression in the patient begins to approximate that which is observed in the normal subject. The results obtained from successive assays may be used to show the efficacy of treatment over a period ranging from several days to months.

With respect to cancer, the presence of an abnormal amount of transcript (either  
25 under- or overexpressed) in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of  
30 the cancer.

Additional diagnostic uses for oligonucleotides designed from the sequences encoding HSPP may involve the use of PCR. These oligomers may be chemically

synthesized, generated enzymatically, or produced in vitro. Oligomers will preferably contain a fragment of a polynucleotide encoding HSPP, or a fragment of a polynucleotide complementary to the polynucleotide encoding HSPP, and will be employed under optimized conditions for identification of a specific gene or condition. Oligomers may  
5 also be employed under less stringent conditions for detection or quantitation of closely related DNA or RNA sequences.

Methods which may also be used to quantitate the expression of HSPP include radiolabeling or biotinylating nucleotides, coamplification of a control nucleic acid, and interpolating results from standard curves. (See, e.g., Melby, P.C. et al. (1993) J.  
10 Immunol. Methods 159:235-244; Duplaa, C. et al. (1993) Anal. Biochem. 212:229-236.) The speed of quantitation of multiple samples may be accelerated by running the assay in an ELISA format where the oligomer of interest is presented in various dilutions and a spectrophotometric or colorimetric response gives rapid quantitation.

In further embodiments, oligonucleotides or longer fragments derived from any of  
15 the polynucleotide sequences described herein may be used as targets in a microarray. The microarray can be used to monitor the expression level of large numbers of genes simultaneously and to identify genetic variants, mutations, and polymorphisms. This information may be used to determine gene function, to understand the genetic basis of a disorder, to diagnose a disorder, and to develop and monitor the activities of therapeutic  
20 agents.

Microarrays may be prepared, used, and analyzed using methods known in the art. (See, e.g., Brennan, T.M. et al. (1995) U.S. Patent No. 5,474,796; Schena, M. et al. (1996) Proc. Natl. Acad. Sci. 93:10614-10619; Baldeschweiler et al. (1995) PCT application WO95/251116; Shalon, D. et al. (1995) PCT application WO95/35505; Heller, R.A. et al.  
25 (1997) Proc. Natl. Acad. Sci. 94:2150-2155; and Heller, M.J. et al. (1997) U.S. Patent No. 5,605,662.)

In another embodiment of the invention, nucleic acid sequences encoding HSPP may be used to generate hybridization probes useful in mapping the naturally occurring genomic sequence. The sequences may be mapped to a particular chromosome, to a  
30 specific region of a chromosome, or to artificial chromosome constructions, e.g., human artificial chromosomes (HACs), yeast artificial chromosomes (YACs), bacterial artificial chromosomes (BACs), bacterial P1 constructions, or single chromosome cDNA libraries.



(See, e.g., Harrington, J.J. et al. (1997) Nat Genet. 15:345-355; Price, C.M. (1993) Blood Rev. 7:127-134; and Trask, B.J. (1991) Trends Genet. 7:149-154.)

Fluorescent in situ hybridization (FISH) may be correlated with other physical chromosome mapping techniques and genetic map data. (See, e.g., Heinz-Ulrich, et al. (1995) in Meyers, supra, pp. 965-968.) Examples of genetic map data can be found in various scientific journals or at the Online Mendelian Inheritance in Man (OMIM) site. Correlation between the location of the gene encoding HSPP on a physical chromosomal map and a specific disorder, or a predisposition to a specific disorder, may help define the region of DNA associated with that disorder. The nucleotide sequences of the invention may be used to detect differences in gene sequences among normal, carrier, and affected individuals.

In situ hybridization of chromosomal preparations and physical mapping techniques, such as linkage analysis using established chromosomal markers, may be used for extending genetic maps. Often the placement of a gene on the chromosome of another mammalian species, such as mouse, may reveal associated markers even if the number or arm of a particular human chromosome is not known. New sequences can be assigned to chromosomal arms by physical mapping. This provides valuable information to investigators searching for disease genes using positional cloning or other gene discovery techniques. Once the disease or syndrome has been crudely localized by genetic linkage to a particular genomic region, e.g., ataxia-telangiectasia to 11q22-23, any sequences mapping to that area may represent associated or regulatory genes for further investigation. (See, e.g., Gatti, R.A. et al. (1988) Nature 336:577-580.) The nucleotide sequence of the subject invention may also be used to detect differences in the chromosomal location due to translocation, inversion, etc., among normal, carrier, or affected individuals.

In another embodiment of the invention, HSPP, its catalytic or immunogenic fragments, or oligopeptides thereof can be used for screening libraries of compounds in any of a variety of drug screening techniques. The fragment employed in such screening may be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. The formation of binding complexes between HSPP and the agent being tested may be measured.

Another technique for drug screening provides for high throughput screening of compounds having suitable binding affinity to the protein of interest. (See, e.g., Geysen,

et al. (1984) PCT application WO84/03564.) In this method, large numbers of different small test compounds are synthesized on a solid substrate. The test compounds are reacted with HSPP, or fragments thereof, and washed. Bound HSPP is then detected by methods well known in the art. Purified HSPP can also be coated directly onto plates for use in the  
5   aforementioned drug screening techniques. Alternatively, non-neutralizing antibodies can be used to capture the peptide and immobilize it on a solid support.

In another embodiment, one may use competitive drug screening assays in which neutralizing antibodies capable of binding HSPP specifically compete with a test compound for binding HSPP. In this manner, antibodies can be used to detect the  
10   presence of any peptide which shares one or more antigenic determinants with HSPP.

In additional embodiments, the nucleotide sequences which encode HSPP may be used in any molecular biology techniques that have yet to be developed, provided the new techniques rely on properties of nucleotide sequences that are currently known, including, but not limited to, such properties as the triplet genetic code and specific base pair  
15   interactions.

Without further elaboration, it is believed that one skilled in the art can, using the preceding description, utilize the present invention to its fullest extent. The following preferred specific embodiments are, therefore, to be construed as merely illustrative, and not limitative of the remainder of the disclosure in any way whatsoever.

20    The disclosures of all applications, patents, and publications, mentioned above and below, in particular US Ser. No. 60/090,762, US Ser. No. 60/094,983, US Ser. No. 60/102,686, and US Ser. No. 60/112,129, are hereby expressly incorporated by reference.

## EXAMPLES

### 25   I.   Construction of cDNA Libraries

RNA was purchased from Clontech or isolated from tissues described in Table 4. Some tissues were homogenized and lysed in guanidinium isothiocyanate, while others were homogenized and lysed in phenol or in a suitable mixture of denaturants, such as TRIZOL (Life Technologies), a monophasic solution of phenol and guanidine  
30   isothiocyanate. The resulting lysates were centrifuged over CsCl cushions or extracted with chloroform. RNA was precipitated from the lysates with either isopropanol or sodium acetate and ethanol, or by other routine methods.

Phenol extraction and precipitation of RNA were repeated as necessary to increase RNA purity. In some cases, RNA was treated with DNase. For most libraries, poly(A+) RNA was isolated using oligo d(T)-coupled paramagnetic particles (Promega), OLIGOTEX latex particles (QIAGEN, Valencia CA), or an OLIGOTEX mRNA purification kit (QIAGEN). Alternatively, RNA was isolated directly from tissue lysates using other RNA isolation kits, e.g., the POLY(A)PURE mRNA purification kit (Ambion, Austin TX).

In some cases, Stratagene was provided with RNA and constructed the corresponding cDNA libraries. Otherwise, cDNA was synthesized and cDNA libraries were constructed with the UNIZAP vector system (Stratagene) or SUPERScript plasmid system (Life Technologies), using the recommended procedures or similar methods known in the art. (See, e.g., Ausubel, 1997, supra, units 5.1-6.6). Reverse transcription was initiated using oligo d(T) or random primers. Synthetic oligonucleotide adapters were ligated to double stranded cDNA, and the cDNA was digested with the appropriate restriction enzyme or enzymes. For most libraries, the cDNA was size-selected (300-1000 bp) using SEPHACRYL S1000, SEPHAROSE CL2B, or SEPHAROSE CL4B column chromatography (Amersham Pharmacia Biotech) or preparative agarose gel electrophoresis. cDNAs were ligated into compatible restriction enzyme sites of the polylinker of a suitable plasmid, e.g., PBLUESCRIPT plasmid (Stratagene), pSPORT1 plasmid (Life Technologies), or pINCY (Incyte Pharmaceuticals, Palo Alto CA). Recombinant plasmids were transformed into competent *E. coli* cells including XL1-Blue, XL1-BlueMRF, or SOLR from Stratagene or DH5 $\alpha$ , DH10B, or ElectroMAX DH10B from Life Technologies.

## II. Isolation of cDNA Clones

Plasmids were recovered from host cells by in vivo excision, using the UNIZAP vector system (Stratagene) or cell lysis. Plasmids were purified using at least one of the following: a MAGIC or WIZARD Minipreps DNA purification system (Promega); an AGTC Miniprep purification kit (Edge Biosystems, Gaithersburg MD); and QIAWELL 8 Plasmid, QIAWELL 8 Plus Plasmid, QIAWELL 8 Ultra Plasmid purification systems or the REAL Prep 96 plasmid kit from QIAGEN. Following precipitation, plasmids were resuspended in 0.1 ml of distilled water and stored, with or without lyophilization, at 4°C.

Alternatively, plasmid DNA was amplified from host cell lysates using direct link PCR in a high-throughput format (Rao, V.B. (1994) Anal. Biochem. 216:1-14). Host cell lysis and thermal cycling steps were carried out in a single reaction mixture. Samples were processed and stored in 384-well plates, and the concentration of amplified plasmid DNA was quantified fluorometrically using PICOGREEN dye (Molecular Probes, Eugene OR) and a Fluoroskan II fluorescence scanner (Labsystems Oy, Helsinki, Finland).

### III. Sequencing and Analysis

The cDNAs were prepared for sequencing using the ABI CATALYST 800 (Perkin-Elmer) or the HYDRA microdispenser (Robbins Scientific) or MICROLAB 2200 (Hamilton) systems in combination with the PTC-200 thermal cyclers (MJ Research). The cDNAs were sequenced using the ABI PRISM 373 or 377 sequencing systems (Perkin-Elmer) and standard ABI protocols, base calling software, and kits. In one alternative, cDNAs were sequenced using the MEGABACE 1000 DNA sequencing system (Molecular Dynamics). In another alternative, the cDNAs were amplified and sequenced using the ABI PRISM BIGDYE Terminator cycle sequencing ready reaction kit (Perkin-Elmer). In yet another alternative, cDNAs were sequenced using solutions and dyes from Amersham Pharmacia Biotech. Reading frames for the ESTs were determined using standard methods (reviewed in Ausubel, 1997, *supra*, unit 7.7). Some of the cDNA sequences were selected for extension using the techniques disclosed in Example V.

The polynucleotide sequences derived from cDNA, extension, and shotgun sequencing were assembled and analyzed using a combination of software programs which utilize algorithms well known to those skilled in the art. Table 5 summarizes the software programs, descriptions, references, and threshold parameters used. The first column of Table 5 shows the tools, programs, and algorithms used, the second column provides a brief description thereof, the third column presents the references which are incorporated by reference herein, and the fourth column presents, where applicable, the scores, probability values, and other parameters used to evaluate the strength of a match between two sequences (the higher the probability the greater the homology). Sequences were analyzed using MACDNASIS PRO software (Hitachi Software Engineering, South San Francisco CA) and LASERGENE software (DNASTAR).

The polynucleotide sequences were validated by removing vector, linker, and polyA sequences and by masking ambiguous bases, using algorithms and programs based

on BLAST, dynamic programming, and dinucleotide nearest neighbor analysis. The sequences were then queried against a selection of public databases such as GenBank primate, rodent, mammalian, vertebrate, and eukaryote databases, and BLOCKS to acquire annotation, using programs based on BLAST, FASTA, and BLIMPS. The sequences were  
5 assembled into full length polynucleotide sequences using programs based on Phred, Phrap, and Consed, and were screened for open reading frames using programs based on GeneMark, BLAST, and FASTA. The full length polynucleotide sequences were translated to derive the corresponding full length amino acid sequences, and these full length sequences were subsequently analyzed by querying against databases such as the  
10 GenBank databases (described above), SwissProt, BLOCKS, PRINTS, Prosite, and Hidden Markov Model (HMM)-based protein family databases such as PFAM. HMM is a probabilistic approach which analyzes consensus primary structures of gene families. (See, e.g., Eddy, S.R. (1996) Cur. Opin. Str. Biol. 6:361-365.)

The programs described above for the assembly and analysis of full length  
15 polynucleotide and amino acid sequences were also used to identify polynucleotide sequence fragments from SEQ ID NO:135-268. Fragments from about 20 to about 4000 nucleotides which are useful in hybridization and amplification technologies were described in The Invention section above.

#### IV. Northern Analysis

20 Northern analysis is a laboratory technique used to detect the presence of a transcript of a gene and involves the hybridization of a labeled nucleotide sequence to a membrane on which RNAs from a particular cell type or tissue have been bound. (See, e.g., Sambrook, *supra*, ch. 7; Ausubel, 1995, *supra*, ch. 4 and 16.)

Analogous computer techniques applying BLAST were used to search for identical  
25 or related molecules in nucleotide databases such as GenBank or LIFESEQ database (Incyte Pharmaceuticals). This analysis is much faster than multiple membrane-based hybridizations. In addition, the sensitivity of the computer search can be modified to determine whether any particular match is categorized as exact or similar. The basis of the search is the product score, which is defined as:

$$30 \quad \frac{\% \text{ sequence identity} \times \% \text{ maximum BLAST score}}{100}$$

100



The product score takes into account both the degree of similarity between two sequences and the length of the sequence match. For example, with a product score of 40, the match will be exact within a 1% to 2% error, and, with a product score of 70, the match will be exact. Similar molecules are usually identified by selecting those which show product  
5 scores between 15 and 40, although lower scores may identify related molecules.

The results of northern analyses are reported as a percentage distribution of libraries in which the transcript encoding HSPP occurred. Analysis involved the categorization of cDNA libraries by organ/tissue and disease. The organ/tissue categories included cardiovascular, dermatologic, developmental, endocrine, gastrointestinal,  
10 hematopoietic/immune, musculoskeletal, nervous, reproductive, and urologic. The disease/condition categories included cancer, inflammation/trauma, cell proliferation, neurological, and pooled. For each category, the number of libraries expressing the sequence of interest was counted and divided by the total number of libraries across all categories. Percentage values of tissue-specific and disease- or condition-specific  
15 expression are reported in Table 3.

#### **V. Extension of HSPP Encoding Polynucleotides**

Full length nucleic acid sequences of SEQ ID NOs:135-229 were produced by extension of the component fragments described in Table 1, column 5, using oligonucleotide primers based on these fragments. For each nucleic acid sequence, one  
20 primer was synthesized to initiate extension of an antisense polynucleotide, and the other was synthesized to initiate extension of a sense polynucleotide. Primers were used to facilitate the extension of the known sequence "outward" generating amplicons containing new unknown nucleotide sequence for the region of interest. The initial primers were designed from the cDNA using OLIGO™ 4.06 (National Biosciences, Plymouth, MN), or  
25 another appropriate program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the target sequence at temperatures of about 68°C to about 72°C. Any stretch of nucleotides which would result in hairpin structures and primer-primer dimerizations was avoided.

Selected human cDNA libraries (GIBCO BRL) were used to extend the sequence.  
30 If more than one extension is necessary or desired, additional sets of primers are designed to further extend the known region.

High fidelity amplification was obtained by following the instructions for the XL-PCR™ kit (The Perkin-Elmer Corp., Norwalk, CT) and thoroughly mixing the enzyme and reaction mix. PCR was performed using the PTC-200 thermal cycler (MJ Research, Inc., Watertown, MA), beginning with 40 pmol of each primer and the recommended

5 concentrations of all other components of the kit, with the following parameters:

	Step 1	94° C for 1 min (initial denaturation)
	Step 2	65° C for 1 min
	Step 3	68° C for 6 min
	Step 4	94° C for 15 sec
10	Step 5	65° C for 1 min
	Step 6	68° C for 7 min
	Step 7	Repeat steps 4 through 6 for an additional 15 cycles
	Step 8	94° C for 15 sec
	Step 9	65° C for 1 min
15	Step 10	68° C for 7:15 min
	Step 11	Repeat steps 8 through 10 for an additional 12 cycles
	Step 12	72° C for 8 min
	Step 13	4° C (and holding)

20 A 5  $\mu$ l to 10  $\mu$ l aliquot of the reaction mixture was analyzed by electrophoresis on a low concentration (about 0.6% to 0.8%) agarose mini-gel to determine which reactions were successful in extending the sequence. Bands thought to contain the largest products were excised from the gel, purified using QIAQUICK™ (QIAGEN Inc.), and trimmed of overhangs using Klenow enzyme to facilitate religation and cloning.

25 After ethanol precipitation, the products were redissolved in 13  $\mu$ l of ligation buffer, 1  $\mu$ l T4-DNA ligase (15 units) and 1  $\mu$ l T4 polynucleotide kinase were added, and the mixture was incubated at room temperature for 2 to 3 hours, or overnight at 16° C. Competent *E. coli* cells (in 40  $\mu$ l of appropriate media) were transformed with 3  $\mu$ l of ligation mixture and cultured in 80  $\mu$ l of SOC medium. (See, e.g., Sambrook, *supra*,  
30 Appendix A, p. 2.) After incubation for one hour at 37° C, the *E. coli* mixture was plated on Luria Bertani (LB) agar (See, e.g., Sambrook, *supra*, Appendix A, p. 1) containing carbenicillin (2x carb). The following day, several colonies were randomly picked from each plate and cultured in 150  $\mu$ l of liquid LB/2x carb medium placed in an individual well of an appropriate commercially-available sterile 96-well microtiter plate. The  
35 following day, 5  $\mu$ l of each overnight culture was transferred into a non-sterile 96-well plate and, after dilution 1:10 with water, 5  $\mu$ l from each sample was transferred into a PCR array.

For PCR amplification, 18  $\mu$ l of concentrated PCR reaction mix (3.3x) containing 4 units of rTth DNA polymerase, a vector primer, and one or both of the gene specific primers used for the extension reaction were added to each well. Amplification was performed using the following conditions:

5	Step 1	94° C for 60 sec
	Step 2	94° C for 20 sec
	Step 3	55° C for 30 sec
	Step 4	72° C for 90 sec
	Step 5	Repeat steps 2 through 4 for an additional 29 cycles
10	Step 6	72° C for 180 sec
	Step 7	4° C (and holding)

Aliquots of the PCR reactions were run on agarose gels together with molecular weight markers. The sizes of the PCR products were compared to the original partial  
15 cDNAs, and appropriate clones were selected, ligated into plasmid, and sequenced.

The full length nucleic acid sequences of SEQ ID NO:230-268 were produced by extension of an appropriate fragment of the full length molecule using oligonucleotide primers designed from this fragment. One primer was synthesized to initiate 5' extension of the known fragment, and the other primer, to initiate 3' extension of the known  
20 fragment. The initial primers were designed using OLIGO 4.06 software (National Biosciences), or another appropriate program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the target sequence at temperatures of about 68°C to about 72°C. Any stretch of nucleotides which would result in hairpin structures and primer-primer dimerizations was avoided.

25 Selected human cDNA libraries were used to extend the sequence. If more than one extension was necessary or desired, additional or nested sets of primers were designed.

High fidelity amplification was obtained by PCR using methods well known in the art. PCR was performed in 96-well plates using the PTC-200 thermal cycler (MJ Research, Inc.). The reaction mix contained DNA template, 200 nmol of each primer,  
30 reaction buffer containing  $Mg^{2+}$ ,  $(NH_4)_2SO_4$ , and  $\beta$ -mercaptoethanol, Taq DNA polymerase (Amersham Pharmacia Biotech), ELONGASE enzyme (Life Technologies), and Pfu DNA polymerase (Stratagene), with the following parameters for primer pair PCI A and PCI B: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 60°C, 1 min; Step 4: 68°C, 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68°C, 5 min; Step 7:  
35 storage at 4°C. In the alternative, the parameters for primer pair T7 and SK+ were as

follows: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 57°C, 1 min; Step 4: 68°C, 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68°C, 5 min; Step 7: storage at 4°C.

The concentration of DNA in each well was determined by dispensing 100 µl  
5 PICOGREEN quantitation reagent (0.25% (v/v) PICOGREEN; Molecular Probes, Eugene  
OR) dissolved in 1X TE and 0.5 µl of undiluted PCR product into each well of an opaque  
fluorimeter plate (Corning Costar, Acton MA), allowing the DNA to bind to the reagent.  
The plate was scanned in a Fluoroskan II (Labsystems Oy, Helsinki, Finland) to measure  
the fluorescence of the sample and to quantify the concentration of DNA. A 5 µl to 10 µl  
10 aliquot of the reaction mixture was analyzed by electrophoresis on a 1 % agarose mini-gel  
to determine which reactions were successful in extending the sequence.

The extended nucleotides were desalted and concentrated, transferred to 384-well  
plates, digested with CviJI cholera virus endonuclease (Molecular Biology Research,  
Madison WI), and sonicated or sheared prior to religation into pUC 18 vector (Amersham  
15 Pharmacia Biotech). For shotgun sequencing, the digested nucleotides were separated on  
low concentration (0.6 to 0.8%) agarose gels, fragments were excised, and agar digested  
with Agar ACE (Promega). Extended clones were religated using T4 ligase (New England  
Biolabs, Beverly MA) into pUC 18 vector (Amersham Pharmacia Biotech), treated with  
Pfu DNA polymerase (Stratagene) to fill-in restriction site overhangs, and transfected into  
20 competent *E. coli* cells. Transformed cells were selected on antibiotic-containing media,  
individual colonies were picked and cultured overnight at 37°C in 384-well plates in  
LB/2x carb liquid media.

The cells were lysed, and DNA was amplified by PCR using Taq DNA  
polymerase (Amersham Pharmacia Biotech) and Pfu DNA polymerase (Stratagene) with  
25 the following parameters: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 60°C, 1 min;  
Step 4: 72°C, 2 min; Step 5: steps 2, 3, and 4 repeated 29 times; Step 6: 72°C, 5 min; Step  
7: storage at 4°C. DNA was quantified by PICOGREEN reagent (Molecular Probes) as  
described above. Samples with low DNA recoveries were reamplified using the same  
conditions as described above. Samples were diluted with 20% dimethylsulphoxide (1:2,  
30 v/v), and sequenced using DYENAMIC energy transfer sequencing primers and the  
DYENAMIC DIRECT kit (Amersham Pharmacia Biotech) or the ABI PRISM BIGDYE  
Terminator cycle sequencing ready reaction kit (Perkin-Elmer).

In like manner, the nucleotide sequences of SEQ ID NO:135-268 are used to obtain 5' regulatory sequences using the procedure above, oligonucleotides designed for such extension, and an appropriate genomic library.

5 **VI. Labeling and Use of Individual Hybridization Probes**

Hybridization probes derived from SEQ ID NO:135-268 are employed to screen cDNAs, genomic DNAs, or mRNAs. Although the labeling of oligonucleotides, consisting of about 20 base pairs, is specifically described, essentially the same procedure is used with larger nucleotide fragments. Oligonucleotides are designed using state-of-the-  
10 art software such as OLIGO 4.06 software (National Biosciences) and labeled by combining 50 pmol of each oligomer, 250  $\mu$ Ci of [ $\gamma$ - $^{32}$ P] adenosine triphosphate (Amersham Pharmacia Biotech), and T4 polynucleotide kinase (DuPont NEN, Boston MA). The labeled oligonucleotides are substantially purified using a SEPHADEX G-25 superfine size exclusion dextran bead column (Amersham Pharmacia Biotech). An aliquot  
15 containing  $10^7$  counts per minute of the labeled probe is used in a typical membrane-based hybridization analysis of human genomic DNA digested with one of the following endonucleases: Ase I, Bgl II, Eco RI, Pst I, Xba I, or Pvu II (DuPont NEN).

The DNA from each digest is fractionated on a 0.7% agarose gel and transferred to nylon membranes (Nytran Plus, Schleicher & Schuell, Durham NH). Hybridization is  
20 carried out for 16 hours at 40°C. To remove nonspecific signals, blots are sequentially washed at room temperature under increasingly stringent conditions up to 0.1 x saline sodium citrate and 0.5% sodium dodecyl sulfate. After XOMAT-AR film (Eastman Kodak, Rochester NY) is exposed to the blots to film for several hours, hybridization patterns are compared visually.

25 **VII. Microarrays**

A chemical coupling procedure and an ink jet device can be used to synthesize array elements on the surface of a substrate. (See, e.g., Baldeschweiler, supra.) An array analogous to a dot or slot blot may also be used to arrange and link elements to the surface of a substrate using thermal, UV, chemical, or mechanical bonding procedures. A typical  
30 array may be produced by hand or using available methods and machines and contain any appropriate number of elements. After hybridization, nonhybridized probes are removed and a scanner used to determine the levels and patterns of fluorescence. The degree of



complementarity and the relative abundance of each probe which hybridizes to an element on the microarray may be assessed through analysis of the scanned images.

Full-length cDNAs, Expressed Sequence Tags (ESTs), or fragments thereof may comprise the elements of the microarray. Fragments suitable for hybridization can be  
5 selected using software well known in the art such as LASERGENE software (DNASTAR). Full-length cDNAs, ESTs, or fragments thereof corresponding to one of the nucleotide sequences of the present invention, or selected at random from a cDNA library relevant to the present invention, are arranged on an appropriate substrate, e.g., a glass slide. The cDNA is fixed to the slide using, e.g., UV cross-linking followed by thermal  
10 and chemical treatments and subsequent drying. (See, e.g., Schena, M. et al. (1995) Science 270:467-470; Shalon, D. et al. (1996) Genome Res. 6:639-645.) Fluorescent probes are prepared and used for hybridization to the elements on the substrate. The substrate is analyzed by procedures described above.

#### VIII. Complementary Polynucleotides

15 Sequences complementary to the HSPP-encoding sequences, or any parts thereof, are used to detect, decrease, or inhibit expression of naturally occurring HSPP. Although use of oligonucleotides comprising from about 15 to 30 base pairs is described, essentially the same procedure is used with smaller or with larger sequence fragments. Appropriate oligonucleotides are designed using OLIGO 4.06 software (National Biosciences) and the  
20 coding sequence of HSPP. To inhibit transcription, a complementary oligonucleotide is designed from the most unique 5' sequence and used to prevent promoter binding to the coding sequence. To inhibit translation, a complementary oligonucleotide is designed to prevent ribosomal binding to the HSPP-encoding transcript.

#### 25 IX. Expression of HSPP

Expression and purification of HSPP is achieved using bacterial or virus-based expression systems. For expression of HSPP in bacteria, cDNA is subcloned into an appropriate vector containing an antibiotic resistance gene and an inducible promoter that directs high levels of cDNA transcription. Examples of such promoters include, but are  
30 not limited to, the *trp-lac* (*tac*) hybrid promoter and the T5 or T7 bacteriophage promoter in conjunction with the *lac* operator regulatory element. Recombinant vectors are transformed into suitable bacterial hosts, e.g., BL21(DE3). Antibiotic resistant bacteria

express HSPP upon induction with isopropyl beta-D-thiogalactopyranoside (IPTG). Expression of HSPP in eukaryotic cells is achieved by infecting insect or mammalian cell lines with recombinant Autographica californica nuclear polyhedrosis virus (AcMNPV), commonly known as baculovirus. The nonessential polyhedrin gene of baculovirus is replaced with cDNA encoding HSPP by either homologous recombination or bacterial-mediated transposition involving transfer plasmid intermediates. Viral infectivity is maintained and the strong polyhedrin promoter drives high levels of cDNA transcription. Recombinant baculovirus is used to infect Spodoptera frugiperda (Sf9) insect cells in most cases, or human hepatocytes, in some cases. Infection of the latter requires additional genetic modifications to baculovirus. (See Engelhard, E. K. et al. (1994) Proc. Natl. Acad. Sci. USA 91:3224-3227; Sandig, V. et al. (1996) Hum. Gene Ther. 7:1937-1945.)

In most expression systems, HSPP is synthesized as a fusion protein with, e.g., glutathione S-transferase (GST) or a peptide epitope tag, such as FLAG or 6-His, permitting rapid, single-step, affinity-based purification of recombinant fusion protein from crude cell lysates. GST, a 26-kilodalton enzyme from Schistosoma japonicum, enables the purification of fusion proteins on immobilized glutathione under conditions that maintain protein activity and antigenicity (Amersham Pharmacia Biotech). Following purification, the GST moiety can be proteolytically cleaved from HSPP at specifically engineered sites. FLAG, an 8-amino acid peptide, enables immunoaffinity purification using commercially available monoclonal and polyclonal anti-FLAG antibodies (Eastman Kodak). 6-His, a stretch of six consecutive histidine residues, enables purification on metal-chelate resins (QIAGEN). Methods for protein expression and purification are discussed in Ausubel (1995, supra, ch 10 and 16). Purified HSPP obtained by these methods can be used directly in the following activity assay.

25

## X. Demonstration of HSPP Activity

### HSPP-68

HSPP-68 activity is measured by determining the potassium current using voltage clamp analysis on single Xenopus laevis oocytes injected with HSPP-68 cRNA. HSPP-68 cRNA is synthesized in vitro from linearized HSPP-68 encoding plasmids using the T7

RNA polymerase and injected into oocytes.. Injected oocytes are used two to four days after injection. In a 0.3 ml perfusion chamber, a single oocyte is impaled with two standard microelectrodes (1-2.5 M $\Omega$ ) filled with 3 M KCl. The oocyte is maintained under voltage clamp by using a Dagan TEV 200 amplifier, in buffer containing 96 mM NaCl, 2 mM KCl, 1.8 mM CaCl<sub>2</sub>, 2 mM MgCl<sub>2</sub>, 5 mM HEPES, pH 7.4 with NaOH. Stimulation of the preparation, data acquisition, and analysis is performed using a computer. All experiments are performed at room temperature (21-22 °C). Following a depolarizing pulse, the characteristics of the resulting potassium current are measured via the recording electrode. The amount of potassium current that flows in response to a unit depolarization is proportional to the activity of HSPP-68 in the cell. (Duprat, F. et al. (1997) EMBO J. 16:5464-5471.)

#### HSPP-92

HSPP-92 protein phosphatase activity is measured by the hydrolysis of P-nitrophenyl phosphate (PNPP). HSPP-92 is incubated together with PNPP in HEPES buffer pH 7.5, in the presence of 0.1% b-mercaptoethanol at 37°C for 60 min. The reaction is stopped by the addition of 6 ml of 10 N NaOH and the increase in light absorbance at 410 nm resulting from the hydrolysis of PNPP is measured using a spectrophotometer. The increase in light absorbance is proportional to the activity of PP in the assay. (Diamond R.H. et al (1994) Mol Cell Biol 14:3752-62.)

Alternatively, HSPP, or biologically active fragments thereof, are labeled with <sup>125</sup>I Bolton-Hunter reagent. (See, e.g., Bolton et al. (1973) Biochem. J. 133:529.) Candidate molecules previously arrayed in the wells of a multi-well plate are incubated with the labeled HSPP, washed, and any wells with labeled HSPP complex are assayed. Data obtained using different concentrations of HSPP are used to calculate values for the number, affinity, and association of HSPP with the candidate molecules.

Alternatively, an assay for HSPP activity measures the expression of HSPP on the cell surface. cDNA encoding HSPP is subcloned into an appropriate mammalian expression vector suitable for high levels of cDNA expression. The resulting construct is transfected into a nonhuman cell line such as NIH3T3. Cell surface proteins are labeled with biotin using methods known in the art. Immunoprecipitations are performed using HSPP-specific antibodies, and immunoprecipitated samples are analyzed using SDS-PAGE and immunoblotting techniques. The ratio of labeled immunoprecipitant to

unlabeled immunoprecipitant is proportional to the amount of HSPP expressed on the cell surface.

Alternatively, an assay for HSPP activity measures the amount of HSPP in secretory, membrane-bound organelles. Transfected cells as described above are harvested and lysed. The lysate is fractionated using methods known to those of skill in the art, for example, sucrose gradient ultracentrifugation. Such methods allow the isolation of subcellular components such as the Golgi apparatus, ER, small membrane-bound vesicles, and other secretory organelles. Immunoprecipitations from fractionated and total cell lysates are performed using HSPP-specific antibodies, and immunoprecipitated samples are analyzed using SDS-PAGE and immunoblotting techniques. The concentration of HSPP in secretory organelles relative to HSPP in total cell lysate is proportional to the amount of HSPP in transit through the secretory pathway.

#### **XI. Functional Assays**

HSPP function is assessed by expressing the sequences encoding HSPP at physiologically elevated levels in mammalian cell culture systems. cDNA is subcloned into a mammalian expression vector containing a strong promoter that drives high levels of cDNA expression. Vectors of choice include pCMV SPORT (Life Technologies) and pCR3.1 (Invitrogen, Carlsbad CA), both of which contain the cytomegalovirus promoter. 5-10  $\mu$ g of recombinant vector are transiently transfected into a human cell line, preferably of endothelial or hematopoietic origin, using either liposome formulations or electroporation. 1-2  $\mu$ g of an additional plasmid containing sequences encoding a marker protein are co-transfected. Expression of a marker protein provides a means to distinguish transfected cells from nontransfected cells and is a reliable predictor of cDNA expression from the recombinant vector. Marker proteins of choice include, e.g., Green Fluorescent Protein (GFP; Clontech), CD64, or a CD64-GFP fusion protein. Flow cytometry (FCM), an automated, laser optics-based technique, is used to identify transfected cells expressing GFP or CD64-GFP, and to evaluate properties, for example, their apoptotic state. FCM detects and quantifies the uptake of fluorescent molecules that diagnose events preceding or coincident with cell death. These events include changes in nuclear DNA content as measured by staining of DNA with propidium iodide; changes in cell size and granularity as measured by forward light scatter and 90 degree side light scatter; down-regulation of DNA synthesis as measured by decrease in bromodeoxyuridine uptake; alterations in

expression of cell surface and intracellular proteins as measured by reactivity with specific antibodies; and alterations in plasma membrane composition as measured by the binding of fluorescein-conjugated Annexin V protein to the cell surface. Methods in flow cytometry are discussed in Ormerod, M. G. (1994) Flow Cytometry, Oxford, New York  
5 NY.

The influence of HSPP on gene expression can be assessed using highly purified populations of cells transfected with sequences encoding HSPP and either CD64 or CD64-GFP. CD64 and CD64-GFP are expressed on the surface of transfected cells and bind to conserved regions of human immunoglobulin G (IgG). Transfected cells are efficiently  
10 separated from nontransfected cells using magnetic beads coated with either human IgG or antibody against CD64 (DYNAL, Lake Success NY). mRNA can be purified from the cells using methods well known by those of skill in the art. Expression of mRNA encoding HSPP and other genes of interest can be analyzed by northern analysis or microarray techniques.

## 15 XII. Production of HSPP Specific Antibodies

HSPP substantially purified using polyacrylamide gel electrophoresis (PAGE; see, e.g., Harrington, M.G. (1990) *Methods Enzymol.* 182:488-495), or other purification techniques, is used to immunize rabbits and to produce antibodies using standard protocols.

20 Alternatively, the HSPP amino acid sequence is analyzed using LASERGENE software (DNASTAR) to determine regions of high immunogenicity, and a corresponding oligopeptide is synthesized and used to raise antibodies by means known to those of skill in the art. Methods for selection of appropriate epitopes, such as those near the C-terminus or in hydrophilic regions are well described in the art. (See, e.g., Ausubel,  
25 1995, supra, ch. 11.)

Typically, oligopeptides 15 residues in length are synthesized using an ABI 431A Peptide Synthesizer (Perkin-Elmer) using fmoc-chemistry and coupled to KLH (Sigma-Aldrich, St. Louis MO) by reaction with N-maleimidobenzoyl-N-hydroxysuccinimide ester (MBS) to increase immunogenicity. (See, e.g., Ausubel, 1995, supra.) Rabbits are  
30 immunized with the oligopeptide-KLH complex in complete Freund's adjuvant. Resulting antisera are tested for antipeptide activity by, for example, binding the peptide to plastic,



blocking with 1% BSA, reacting with rabbit antisera, washing, and reacting with radio-iodinated goat anti-rabbit IgG.

### **XIII. Purification of Naturally Occurring HSPP Using Specific Antibodies**

Naturally occurring or recombinant HSPP is substantially purified by  
5 immunoaffinity chromatography using antibodies specific for HSPP. An immunoaffinity column is constructed by covalently coupling anti-HSPP antibody to an activated chromatographic resin, such as CNBr-activated SEPHAROSE (Amersham Pharmacia Biotech). After the coupling, the resin is blocked and washed according to the manufacturer's instructions.

10 Media containing HSPP are passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of HSPP (e.g., high ionic strength buffers in the presence of detergent). The column is eluted under conditions that disrupt antibody/HSPP binding (e.g., a buffer of pH 2 to pH 3, or a high concentration of a chaotrope, such as urea or thiocyanate ion), and HSPP is collected.

### **15 XIV. Identification of Molecules Which Interact with HSPP**

HSPP, or biologically active fragments thereof, are labeled with <sup>125</sup>I Bolton-Hunter reagent. (See, e.g., Bolton et al. (1973) Biochem. J. 133:529.) Candidate molecules previously arrayed in the wells of a multi-well plate are incubated with the labeled HSPP, washed, and any wells with labeled HSPP complex are assayed. Data  
20 obtained using different concentrations of HSPP are used to calculate values for the number, affinity, and association of HSPP with the candidate molecules.

Various modifications and variations of the described methods and systems of the invention will be apparent to those skilled in the art without departing from the scope and spirit of the invention. Although the invention has been described in connection with  
25 specific preferred embodiments, it should be understood that the invention as claimed should not be unduly limited to such specific embodiments. Indeed, various modifications of the described modes for carrying out the invention which are obvious to those skilled in molecular biology or related fields are intended to be within the scope of the following claims.

TABLE 1

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
1	135	443531	MPHGNOT03	443531H1 (MPHGNOT03), 1406807F6 (LATRTUT02), 443531T6 (MPHGNOT03), SBBA00451F1, SBBA00676F1
2	136	632860	NEUTGMT01	632860H1 (NEUTGMT01), 784715R3 (PROSNOT05), 509590H1 (MPHGNOT03)
3	137	670010	CRBLNOT01	670010H1 (CRBLNOT01), 669971R1 (CRBLNOT01), 1553045F1 (BLADTUT04)
4	138	726498	SYNOOAT01	726498H1 (SYNOOAT01), 726498R6 (SYNOOAT01), 866599R3 (BRAITUT03)
5	139	795064	OVARNOT03	795064H1 (OVARNOT03), 4339458H1 (BRAUNOT02), 937605R3 (CERVNOT01), 2381151F6 (ISLTNOT01), 1466346F6 (PANCNOT02)
6	140	924925	BRAINOT04	924925H1 (BRAINOT04), 3268330H1 (BRAINOT20), 759120R3 (BRAITUT02)
7	141	962390	BRSTTUT03	962390H1 (BRSTTUT03), 1907958F6 (CONNTUT01), 023569F1 (ADENINB01), 167282F1 (LJVRNOT01), 1309211F1 (COLNFET02), SAUA00696F1, SAUA02860F1
8	142	1259405	MENITUT03	1259405H1 (MENITUT03), 2472425H1 (THPINOT03), 774303R1 (COLNNOT05), 1520779F1 (BLADTUT04), 1693833F6 (COLNNOT23), 1831858T6.comp (THPIAZT01), 1527737T6.comp (UCMCL5T01)
9	143	1297384	BRSTNOT07	1297384H1 (BRSTNOT07), 1269310F6 (BRAINOT09), 1457367F1 (COLNFET02), 415587R1 (BRSTNOT01), SANA02967F1
10	144	1299627	BRSTNOT07	1299627H1 (BRSTNOT07), 1359140F6 (LUNGNOT09), 1349224F1 (LATRTUT02), SBAA01431F1, SBAA02909F1, SBAA01156F1
11	145	1306026	PLACNOT02	1306026H1 (PLACNOT02), 1464088R6 (PANCNOT04), SBAA02496F1, SBAA04305F1
12	146	1316219	BLADTUT02	1316219H1 (BLADTUT02), 2458603F6 (ENDANOT01), 2504756T6 (CONUTUT01)
13	147	1329031	PANCNOT07	1329031H1 (PANCNOT07), 1329031T6 (PANCNOT07), 1329031F6 (PANCNOT07)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
14	148	1483050	CORPNOT02	1483050H1 (CORPNOT02), 855049H1 (NGANNT01), 077017F1 (SYNORAB01), 1483050F6 (CORPNOT02), 1480024T6 (CORPNOT02), 1483050T6 (CORPNOT02), 759486R1 (BRAITUT02)
15	149	1514160	PANCTUT01	1514160H1 (PANCTUT01), 1866765T7 (SKINBIT01), 782676R1 (MYOMNOT01), 008055X4 (HMCINOT01), 008055X5 (HMCINOT01), 1866765F6 (SKINBIT01), SAOA03127F1
16	150	1603403	LUNGNOT15	1603403H1 (LUNGNOT15), 372910F1 (LUNGNOT02), 733299R7 (LUNGNOT03)
17	151	1652303	PROSTUT08	1652303H1 (PROSTUT08), 1671806H1 (BLADNOT05), 1341743T1 (COLNTUT03), 3803812H1 (BLADTUT03), 1878546F6 (LEUKNOT03), 1428640F1 (SINTBST01), 2058609R6 (OVARNOT03), 1331621F1 (PANCNOT07), 1306331T1 (PLACNOT02)
18	152	1693358	COLNNOT23	1693358H1 (COLNNOT23), 2498265H1 (ADRETUT05), 1867125F6 (SKINBIT01), 1693358T6 (COLNNOT23), 2245848R6 (HIPONON02)
19	153	1707711	DUODNOT02	1707711H1 (DUODNOT02), 1484609T1 (CORPNOT02), 1707711F6 (DUODNOT02), 1267959F1 (BRAINOT09), 1484609F1 (CORPNOT02), SAJA00930F1, SAJA01300R1, SAJA00999R1
20	154	1738735	COLNNOT22	1738735H1 (COLNNOT22), SAJA00944R1, SAJA00137F1, SAJA03629F1
21	155	1749147	STOMTUT02	1749147H1 (STOMTUT02), 1749147F6 (STOMTUT02), 1749147T6 (STOMTUT02)
22	156	1817722	PROSNOT20	1817722H1 (PROSNOT20), 2011085H1 (TESTNOT03)
23	157	1831290	THPIAZT01	1831290H1 (THPIAZT01), 3473958H1 (LUNGNOT27), 1972268F6 (UCMCL5T01), 1301277F1 (BRSTNOT07), 1521574F1 (BLADTUT04), 1561690T6 (SPLNNOT04), 891461R1 (STOMTUT01)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
24	158	1831477	THP1AZT01	1831477H1 (THP1AZT01), 1582867H1 (DUODNOT01), 1336769T1 (COLNNOT13), 1933092H1 (COLNNOT16), 1519909F1 (BLADTUT04), 1220946H1 (NEUTGMT01), 809556T1 (LUNGNOT04), 1217559T1 (NEUTGMT01), 1309225F1 (COLNFET02)
25	159	1841607	COLNNOT07	1841607H1 (COLNNOT07), SBHA03588F1
26	160	1852391	LUNGFET03	1852391H1 (LUNGFET03), 734140H1 (TONSNOT01), 1852391F6 (LUNGFET03)
27	161	1854555	HNT3AZT01	1854555H1 (HNT3AZT01), 2511711H1 (CONUTUT01), 782453R1 (MYOMNOT01), 1854555F6 (HNT3AZT01), 1840675T6 (COLNNOT07), 2109736H1 (BRAITUT03)
28	162	1855755	PROSNOT18	1855755H1 (PROSNOT18), 3040236H1 (BRSTNOT16), 1283207F1 (COLNNOT16), 833763T1 (PROSNOT07), 1920926R6 (BRSTTUT01)
29	163	1861434	PROSNOT19	1861434H1 (PROSNOT19), 980291R1 (TONGTUT01), 1861434T6 (PROSNOT19), SARA01525F1, SARA02548F1
30	164	1872334	LEUKNOT02	1872334H1 (LEUKNOT02), 1872334F6 (LEUKNOT02), SBGA03684F1
31	165	1877230	LEUKNOT03	1877230H1 (LEUKNOT03), 2519841H1 (BRAITUT21), 1877230T6 (LEUKNOT03), 1254693F1 (LUNGFET03), 077020R1 (SYNORAB01), 1232336F1 (LUNGFET03), 1004952R6 (BRSTNOT03), SARA01879F1, SARA02654F1
32	166	1877885	LEUKNOT03	1877885H1 (LEUKNOT03), 508020F1 (TMLR3DT01), 2751126R6 (THP1AZS08), SARA02571F1
33	167	1889269	BLADTUT07	1889269H1 (BLADTUT07), 1915551H1 (PROSTUT04), 629493X12 (KIDNNOT05), 1441289F1 (THYRNOT03), 1215274X34F1 (BRSTTUT01), 1818447F6 (PROSNOT20), 1208463R1 (BRSTNOT02)
34	168	1890243	BLADTUT07	1890243H1 (BLADTUT07), SARA01884F1, SATA00046F1, SARA03294F1, SARA02790F1

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
35	169	1900433	BLADTUT06	1900433H1 (BLADTUT06), SATA00396F1, SATA02742F1
36	170	1909441	CONNTUT01	1909441H1 (CONNTUT01), 1398811F1 (BRAITUT08), 3039939H1 (BRSTNOT16), 3324740H1 (PTHYNOT03), 1442131F6 (THYRNOT03), 2254056H1 (OVRTUT01), 2199453T6 (SPLNFET02), 1692610F6 (COLNNOT23), 1698531H1 (BLADTUT05)
37	171	1932226	COLNNOT16	1932226H1 (COLNNOT16), 2320569H1 (OVARNOT02), 1932226F6 (COLNNOT16), 2469455T6 (THPINOT03), 2469455F6 (THPINOT03), 1907140F6 (OVARNOT07), SATA02592F1
38	172	1932647	COLNNOT16	1932647H1 (COLNNOT16), 1492745T1 (PROSNON01), 1492745H1 (PROSNON01), SASA02355F1, SASA00117F1, SASA00192F1
39	173	2124245	BRSTNOT07	2124245H1 (BRSTNOT07), 1235393F1 (LUNGFET03), 1402264F6 (LATRTUT02), 1303990F1 (PLACNOT02), 1402264T6 (LATRTUT02)
40	174	2132626	OVARNOT03	2132626H1 (OVARNOT03), 1723432T6 (BLADNOT06), 2132626R6 (OVARNOT03), 1736723T6 (COLNNOT22), 1504738F1 (BRAITUT07)
41	175	2280639	PROSNON01	2280639H1 (PROSNON01), 1435330H1 (PANCNOT08), 1377560F6 (LUNGNOT10)
42	176	2292356	BRAINON01	2292356H1 (BRAINON01), 4086827H1 (LIVRNOT06), 1754442F6 (LIVRTUT01), 3571126H1 (HEAPNOT01), 1601305F6 (BLADNOT03)
43	177	2349310	COLSUCT01	2349310H1 (COLSUCT01), 2349310T6 (COLSUCT01)
44	178	2373227	ADRENOT07	2373227H1 (ADRENOT07), 3316444H1 (PROSBPT03), 302685R6 (TESTNOT04), SASA02181F1, SASA01923F1, SASA03516F1
45	179	2457682	ENDANOT01	2457682H1 (ENDANOT01), 2457682F6 (ENDANOT01)
46	180	2480426	SMCANOT01	2480426H1 (SMCANOT01), 2480426F6 (SMCANOT01)



TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
47	181	2503743	CONUTUT01	2503743H1 (CONUTUT01), 1853909H1 (HNT3AZT01), 1517619F1 (PANCUTUT01), 1467896F6 (PANCUTUT02), 490031F1 (HNT2AGT01), 1208654R1 (BRSTNOT02), 880544R1 (THYRNOT02)
48	182	2537684	BONRTUT01	2537684H1 (BONRTUT01), 2005493H1 (TESTNOT03), 730969H1 (LUNGNOT03), 2537601F6 (BONRTUT01), 916487H1 (BRSTNOT04), 996135R1 (KIDNTUT01), 1920738R6 (BRSTTUT01), 1957710F6 (CONNNOT01)
49	183	2593853	OVRTUT02	2593853H1 (OVRTUT02), 807497H1 (STOMNOT02), 914020R6 (STOMNOT02), 889992R1 (STOMTUT01)
50	184	2622354	KERANOT02	2622354H1 (KERANOT02), 2623992H1 (KERANOT02), 1556510F6 (BLADTUT04)
51	185	2641377	LUNGTUT08	2641377H1 (LUNGTUT08), 4341415H2 (BRAUNOT02), SBDA07049F3
52	186	2674857	KIDNNOT19	2674857H1 (KIDNNOT19), 1872373H1 (LEUKNOT02), 470512R6 (MMLRIDT01), 1728547H1 (PROSNOT14), 3013651F6 (MUSCNOT07), SBDA01366F1, SBDA00694F1
53	187	2758485	THP1AZS08	2758485H1 (THP1AZS08), 3097533H1 (CERVNOT03), 1578959F6 (DUODNOT01)
54	188	2763296	BRSTNOT12	2763296H1 (BRSTNOT12), 3486025F6 (KIDNNOT31), SBDA07002F3
55	189	2779436	OVRTUT03	2779436H1 (OVRTUT03), 2779436F6 (OVRTUT03), SBDA07009F3
56	190	2808528	BLADTUT08	2808528H1 (BLADTUT08), 2611513F6 (THYMNOT04), SBDA07021T3
57	191	2809230	BLADTUT08	2809230H1 (BLADTUT08), 2213849H1 (SINTFET03), 711706R6 (SYNORAT04), 958323R1 (KIDNNOT05), 030732F1 (THPINOB01)
58	192	2816821	BRSTNOT14	2816821H1 (BRSTNOT14), 3746964H1 (THYMNOT08), 2816821F6 (BRSTNOT14), 948722T6 (PANCNOT05), 807947R6 (STOMNOT02)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
59	193	2817268	BRSTNOT14	2817268H1 (BRSTNOT14), 3591308H1 (293TF5T01), 419522R1 (BRSTNOT01), 2073028F6 (ISLTNOT01), 1308781F6 (COLNFET02)
60	194	2923165	SININOT04	2923165H1 (SININOT04), 2011630H1 (TESTNOT03), 1457250F1 (COLNFET02), 754668R1 (BRAITUT02), 1406510F6 (LATRTUT02)
61	195	2949822	KIDNFET01	2949822H1 (KIDNFET01), SBDA07078F3
62	196	2992192	KIDNFET02	2992192H1 (KIDNFET02), 2534324H2 (BRAINOT18), 2815255T6 (OVARNOT10), 1551107T6 (PROSNOT06), 1551107R6 (PROSNOT06)
63	197	2992458	KIDNFET02	2992458H1 (KIDNFET02), 2618951H1 (GBLANOT01), 1479252F1 (CORPNOT02), 1879054H1 (LEUKNOT03), 1879054F6 (LEUKNOT03), 2215240H1 (SINTFET03), 1535968T1 (SPLNNOT04)
64	198	3044710	HEAANOT01	3044710H1 (HEAANOT01), 3741773H1 (MENTNOT01), 859906X42C1 (BRAITUT03), 1534347F1 (SPLNNOT04), 1421122F1 (KIDNNOT09), 1303865F1 (PLACNOT02), 1704452F6 (DUODNOT02), 1251642F1 (LUNGFET03), 1781694R6 (PGANNON02)
65	199	3120415	LUNGTUT13	3120415H1 (LUNGTUT13), 1360123T1 (LUNGNOT12), 1375015H1 (LUNGNOT10)
66	200	126758	LUNGNOT01	126758H1 (LUNGNOT01), 126758X11 (LUNGNOT01), 811864T1 (LUNGNOT04)
67	201	674760	CRBLNOT01	674760H1 (CRBLNOT01), 3253976H1 (OVRTUN01), SAUA03387F1
68	202	1229438	BRAITUT01	1229438H1 (BRAITUT01), 1230616H1 (BRAITUT01), 1461187R1 (PANCNOT04), 2493039H1 (ADRETUT05), 2891628H1 (LUNGFET04)
69	203	1236935	LUNGFET03	1236935H1 (LUNGFET03), SBAA00983F1, SBAA02057F1, SBAA00170F1
70	204	1359283	LUNGNOT12	1359283H1 (LUNGNOT12), SBAA01213F1, SBAA03934F1
71	205	1450703	PENITUT01	551298F1 (BEPINOT01), 551298R1 (BEPINOT01), 1450703H1 (PENITUT01), 2748715H1 (LUNGTUT11)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
72	206	1910668	CONNTUT01	1269346H1 (BRAINTUT09), 1380872F1 (BRAITUT08), 1910668F6 (CONNTUT01), 1910668H1 (CONNTUT01), SATA02800F1, SATA03799F1, SARA02035F1
73	207	1955143	CONNNOT01	1955143F6 (CONNNOT01), 1955143H1 (CONNNOT01)
74	208	1961637	BRSTNOT04	867025H1 (BRAITUT03), 1961637H1 (BRSTNOT04), 2809064T6 (BLADTUT08), 2938714H1 (THYMFET02), 2956402H1 (KIDNFET01), 3808735T6 (CONTTUT01)
75	209	1990762	CORPNOT02	1990762H1 (CORPNOT02), 1990762T3 (CORPNOT02), SBGA04911F1, SBGA01201F1, SBGA02205F1
76	210	1994131	CORPNOT02	1994131H1 (CORPNOT02), 2645984F6 (OVARUTUT04)
77	211	1997745	BRSTTUT03	1752307F6 (LIVRTUT01), 1853730H1 (HNT3AZT01), 1997745H1 (BRSTTUT03), SAZA00953F1
78	212	2009035	TESTNOT03	2009035H1 (TESTNOT03), 2009035R6 (TESTNOT03)
79	213	2009152	TESTNOT03	2009152H1 (TESTNOT03), 2009152R6 (TESTNOT03), 2783263H1 (BRSTNOT13)
80	214	2061752	OVARNOT03	2061752H1 (OVARNOT03), 2061752T6 (OVARNOT03), 2732805H1 (OVARUTUT04), SAZA01310F1, SAZA00830F1
81	215	2061933	OVARNOT03	046580R1 (CORNNOT01), 746061R1 (BRAITUT01), 826996R1 (PROSNOT06), 2061933H1 (OVARNOT03)
82	216	2081422	UTRSNOT08	2081422F6 (UTRSNOT08), 2081422H1 (UTRSNOT08), SBGA04793F1, SBGA05657F1, SBDA00065F1
83	217	2101278	BRAITUT02	2101278H1 (BRAITUT02), SAZA00399F1, SAZA01284F1, SAZA01227F1
84	218	2121353	BRSTNOT07	341437H1 (NEUTFMTO1), 687136H1 (UTRSNOT02), 2121353H1 (BRSTNOT07), SAZA01311F1

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
85	219	2241736	PANCTUT02	833263H1 (PROSTUT04), 2241736H1 (PANCTUT02), SAZA01148F1, SASA03299F1, SASA01349F1
86	220	2271935	PROSNON01	2271935H1 (PROSNON01), 2276774H1 (PROSNON01), 2760171T6 (THPIAZS08)
87	221	2295344	BRSTNOT05	2295344H1 (BRSTNOT05), 3288561F6 (BONRFET01), SBGA01801F1
88	222	2303994	BRSTNOT05	905482T1 (COLNNOT08), 1858636F6 (PROSNOT18), 2303994H1 (BRSTNOT05)
89	223	2497805	ADRETUT05	2497805F6 (ADRETUT05), 2497805H1 (ADRETUT05)
90	224	2646362	LUNGTUT11	1754702H1 (LIVRTUT01), 2640776T6 (LUNGTUT08), 2646362H1 (LUNGTUT11), 3356773H1 (PROSTUT16)
91	225	2657146	LUNGTUT09	2657146F6 (LUNGTUT09), 2657146H1 (LUNGTUT09)
92	226	2755786	THPIAZS08	288436R1 (EOSIHET02), 1252824F6 (LUNGFET03), 1305549H1 (PLACNOT02), 1364975R1 (SCORNON02), 2018293H1 (THPINOT01), 2047320H1 (THPI77T01), 2184537F6 (SININOT01), 2755786H1 (THPIAZS08), 4111022H1 (PROSBPT07)
93	227	2831245	TLYMNOT03	2831245H1 (TLYMNOT03), SBMA01396F1
94	228	3116250	LUNGTUT13	126263F1 (LUNGNOT01), 2729942H1 (OVARUT04), 3116250H1 (LUNGTUT13)
95	229	3129630	LUNGTUT12	3129630F6 (LUNGTUT12), 3129630H1 (LUNGTUT12), SBDA06436F1
96	230	007632	HMCINOT01	007632H1 (HMCINOT01), 007632R6 (HMCINOT01), 007632T6 (HMCINOT01)
97	231	1236968	LUNGFET03	1236968H1 (LUNGFET03), SBAA02713F1, SBAA03203F1, SBAA04196F1
98	232	1334153	COLNNOT13	776410R1 (COLNNOT05), 1334153H1 (COLNNOT13), 1334153T1 (COLNNOT13), 180085F6 (COLNNOT27), 2701948H1 (OVARUTUT10)



TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
99	233	1396975	BRAITUT08	864113H1 (BRAITUT03), 876139R1 (LUNGAST01), 1268313F1 (BRAINOT09), 1351348T1 (LATRUT02), 1396975H1 (BRAITUT08), 1485768F6 (CORPNOT02), 1815364F6 (PROSNOT20)
100	234	1501749	SINTBST01	079080R1 (SYNORAB01), 1501749H1 (SINTBST01), 1724970H1 (PROSNOT14)
101	235	1575240	LNODNOT03	081858R1 (SYNORAB01), 1575240H1 (LNODNOT03), 3451462R6 (UTRSNON03)
102	236	1647884	PROSTUT09	1647884H1 (PROSTUT09), 1647884T6 (PROSTUT09), 3998922R6 (HNT2AZS07)
103	237	1661144	BRSTNOT09	720941X17 (SYNOOAT01), 1661144H1 (BRSTNOT09), 2181782H1 (SININOT01)
104	238	1685409	PROSNOT15	755203R1 (BRAITUT02), 1226185T1 (COLNNOT01), 1300837F1 (BRSTNOT07), 1685409H1 (PROSNOT15), 1705256H1 (DUODNOT02)
105	239	1731419	BRSTTUT08	1731419H1 (BRSTTUT08), 1731419X319T3 (BRSTTUT08), 1731419X322F1 (BRSTTUT08), 1731419X326F1 (BRSTTUT08), 1731419X329F1 (BRSTTUT08), 1733786F6 (BRSTTUT08), SZAH01494F1
106	240	2650265	BRSTNOT14	1680316T6 (STOMFET01), 2650265H1 (BRSTNOT14), 2650265T6 (BRSTNOT14), 2760588R6 (BRAINOS12)
107	241	2677129	KIDNNOT19	1592129H1 (CARGNOT01), 2645962H1 (OVARUT04), 2677129F6 (KIDNNOT19), 2677129H1 (KIDNNOT19), 2910973H1 (KIDNTUT15), 4571722H1 (PROSTMT02), 4906791H2 (TLYMNOT08)
108	242	3151073	ADRENON04	3150857T6 (ADRENON04), 3151073H1 (ADRENON04), 3151073R6 (ADRENON04)
109	243	3170095	BRSTNOT18	3170095F6 (BRSTNOT18), 3170095H1 (BRSTNOT18)



TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
110	244	3475168	LUNGNOT27	079680F1 (SYNORAB01), 443811T6 (MPHGNOT03), 1509356T6 (LUNGNOT14), 1873596F6 (LEUKNOT02), 2440867H1 (EOSITXT01), 3475168H1 (LUNGNOT27)
111	245	3836893	DENDTNT01	446637H1 (MPHGNOT03), 1219376R6 (NEUTGMT01), 3735467F6 (SMCCNOS01), 3735467T6 (SMCCNOS01), 3836893H1 (DENDTNT01)
112	246	4072159	KIDNNOT26	2129415T6 (KIDNNOT05), 4072159F6 (KIDNNOT26), 4072159H1 (KIDNNOT26)
113	247	1003916	BRSTNOT03	620937R6 (PGANNT01), 1003916H1 and 1003916R6 (BRSTNOT03), 1413623H1 (BRAINOT12), 1435945F1 (PANCNOT08), 1479127F1 (CORPNOT02), 1969146R6 (BRSTNOT04), 2517587F6 (BRAITUT21), 2967848H1 (SCORNOT04)
114	248	2093492	PANCNOT04	489651H1 (HNT2AGT01), 1265353T1 (SYNORAT05), 1431505R6 (BEPINOT01), 1605237F6 (LUNGNOT15), 2093492H1 and 2093492T6 (PANCNOT04), 4195560H1 (COLITUT02)
115	249	2108789	BRAITUT03	2108789H1 and 2108789R6 (BRAITUT03), 2182008T6 (SININOT01), 3255751R6 and 3255751T6 (OVRTUT01)
116	250	2171401	ENDCNOT03	037241F1 (HUVENOB01), 1821492F6 (GBLATUT01), 2055814T6 (BEPINOT01), 2171401F6 and 2171401H1 (ENDCNOT03), 2668952F6 (ESOGTUT02), 3140313H1 and 3140313T6 (SMCCNOT02), 5031775H1 (EPIBTXT01)
117	251	2212530	SINTFET03	187596R6 and 187596T6 (CARDNOT01), 919634R6 (RATRNOT02), 1992331H1 (CORPNOT02), 2062034H1 (OVARNOT03), 2212530F6 and 2212530H1 (SINTFET03), 2520479H1 (BRAITUT21), 2878284F6 (THYRNOT10), 2992354H1 (KIDNFET02), 4020719F6 (BRAXNOT02)
118	252	2253036	OVRTUT01	2253036H1 and 2253036R6 (OVRTUT01)

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
119	253	2280161	PROSNON01	482326H1 (HNT2RAT01), 934345H1 (CERVNOT01), 1379358F1 and 1379358T1 (LUNGNOT10), 1438562T1 (PANCNOT08), 1467511F6 (PANCUT02), 1568138F1 (UTRSNOT05), 1636106T6 (UTRSNOT06), 2134534F6 (ENDCNOT01), 2280161H1 and 2280161X19F1 (PROSNON01), 2789845F6 (COLNTUT16), 3096938H1 (CERVNOT03), 3774621F6 (BRSTNOT25), 4222971H1 (PANCNOT07), 5111983H1 (ENDITXT01), 5324177H1 (FIBPFEN06)
120	254	2287485	BRAINON01	1454588F1 (PENITUT01), 1593332F6 (BRAINOT14), 2287485H1 and 2287485R6 (BRAINON01), 3765992H1 (BRSTNOT24), 4374293H1 (CONFNOT03), 4937931H1 (PROSTUS18), SBICA01722F1
121	255	2380344	ISLTNOT01	2380344F6 and 2380344H1 (ISLTNOT01), 2888536T3 (LUNGFET04), SASA03644F1, SASA03689F1
122	256	2383171	ISLTNOT01	956296R1 (KIDNNOT05), 1342250F1 (COLNTUT03), 1468046T1 and 1468046T1 (PANCUT02), 2383171H1 (ISLTNOT01), SBYA05452U1, SBYA01369U1
123	257	2396046	THPIAZT01	2396046F6, 2396046H1 and 2396118T6 (THPIAZT01)
124	258	2456587	ENDANOT01	2456587H1 and 2456587T6 (ENDANOT01), 2872569H1 (THYRNOT10), SBICA03778F1, SBDA00115F1, SBICA02401F1, SBICA03351F1, SBICA05164F1, SBICA04783F1, SBICA00155F1, SBICA04141F1
125	259	2484813	BONRTUT01	1234970T1 (LUNGFET03), 1338090F6 (COLNNOT13), 2484813H1 (BONRTUT01), SBICA00053F1, SBICA02064F1, SBICA02151F1, SBICA03770F1, SBICA04866F1, SBICA03406F1
126	260	2493851	ADRETUT05	2493851H1 (ADRETUT05), 3805916F6 (BLADTUT03), 4500439H1 and 4500748H1 (BRAVXT02), 5120601H1 (SMCBUNT01)
127	261	2495719	ADRETUT05	603447R1 (BRSTTUT01), 2495719H1 (ADRETUT05), 2917493F6 (THYMFET03), 4647103H1 (PROSTUT20), SBRA04984D1

TABLE 1 (cont.)

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
128	262	2614153	GBLANOT01	1833135R6 (BRAINON01), 1966515R6 (BRSTNOT04), 2331103R6 (COLNNOT11), 2614153H1 (GBLANOT01), 2656691F6 (LUNGTTUT09), 3951176H1 (DRGCNOT01)
129	263	2655184	THYMNOT04	2655184H1 (THYMNOT04), SBDA05215F1, SBDA05213F1, SBDA01516F1
130	264	2848362	BRSTTUT13	1297974F1 and 1297974T6 (BRSTNOT07), 2630138F6 (COLNTTUT15), 2848362H1 (BRSTTUT13)
131	265	2849906	BRSTTUT13	1541617R1 and 1541617T1 (SINTTUT01), 2684504F6 and 2684504T6 (LUNGNOT23), 2796805H1 (NPOLNOT01), 2849906H1 (BRSTTUT13)
132	266	2899137	DRGCNOT01	2899137H1 (DRGCNOT01), 3026490F6 and 3026490T6 (HEARFET02), 3483359H1 (KIDNNOT31)
133	267	2986229	CARGDIT01	1740227T6 (HIPONON01), 2986229H1 (CARGDIT01)
134	268	3222081	COLNNON03	1754079F6 (LIVRTUT01), 3222081H1 (COLNNON03), 4053813T6 (SPLNNOT13), 4230282H1 (BRAMDIT01), SBDA07029F3

TABLE 2

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
1	88	T83 S38 T76		M1 - A21		Signal Peptide HMM
2	128	S30 S40 T47 T119 W125		M1 - F28		Signal Peptide HMM
3	111	T70		M1 - T18		Signal Peptide HMM
4	110	S32 T64	N58	M1 - A29		Signal Peptide HMM
5	78	T27 S39 S39 S44 S22 T27 S28 S57		M1 - R24		Signal Peptide HMM
6	88	T55 S30 S40 T55	N34	M1 - N21		Signal Peptide HMM
7	227	S220 S70 S83 T131 S134 S141 T158 Y123	N100	M1 - Q20		Signal Peptide HMM
8	198	S62 T123 S142 S189 S62 T100 Y85	N60	M1 - A28		Signal Peptide HMM
9	65	T48		M1 - A29		Signal Peptide HMM
10	154			M1 - A29		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
11	237	T116 T26 T79 T85 T182 T188 T194 T206 S60 S123 S176 S213	N128	M1 - A19		Signal Peptide HMM
12	225	T158 S128	N166	M1 - G27		Signal Peptide HMM
13	117	S41		M1 - A23		Signal Peptide HMM
14	253	S49 T63 S92 T110 S127 T239	N42 N47 N72 N207	M1 - T20		Signal Peptide HMM
15	171	S43 S94 T114		M88 - R112		Signal Peptide HMM
16	78	S38 S43	N37	M1 - G19		Signal Peptide HMM
17	71	T64 T67		M1 - C19		Signal Peptide HMM
18	188	S36 T58 T133 Y31	N121 N171	M1 - A21		Signal Peptide HMM
19	80	S76		M1 - C19		Signal Peptide HMM
20	80			M1 - G25		Signal Peptide HMM
21	84	S39 S53 S60		M1 - G21		Signal Peptide HMM



TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
22	171	S41 T150		M3 - A21		Signal Peptide HMM
23	243	S3 S44 T75 S86 S183 S223 S36 S92 S205 Y40 Y110	N97	M1 - C25		Signal Peptide HMM
24	311	T5 S76 T82 T93 T109 S121 T137 T170 S184 S11 T53 S75 S84 T132 S223 S274 Y69	N49 N91 N108 N128 N135 N190	M1 - A32		Signal Peptide HMM
25	57			M1 - L29		Signal Peptide HMM
26	82	S46 Y26		M1 - S18		Signal Peptide HMM
27	115			M1 - G34		Signal Peptide HMM
28	327	S93 S50 S167 S233 S89 T105 T214 S302 T318	N138 N206	M1 - E25		Signal Peptide HMM
29	133	S63	N105	M1 - E29		Signal Peptide HMM
30	129	S21 S65 T93		M1 - G20		Signal Peptide HMM

TABLE 2

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
1	88	T83 S38 T76		M1 - A21		Signal Peptide HMM
2	128	S30 S40 T47 T119 W125		M1 - F28		Signal Peptide HMM
3	111	T70		M1 - T18		Signal Peptide HMM
4	110	S32 T64	N58	M1 - A29		Signal Peptide HMM
5	78	T27 S39 S39 S44 S22 T27 S28 S57		M1 - R24		Signal Peptide HMM
6	88	T55 S30 S40 T55	N34	M1 - N21		Signal Peptide HMM
7	227	S220 S70 S83 T131 S134 S141 T158 Y123	N100	M1 - Q20		Signal Peptide HMM
8	198	S62 T123 S142 S189 S62 T100 Y85	N60	M1 - A28		Signal Peptide HMM
9	65	T48		M1 - A29		Signal Peptide HMM
10	154			M1 - A29		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
11	237	T116 T26 T79 T85 T182 T188 T194 T206 S60 S123 S176 S213	N128	M1 - A19		Signal Peptide HMM
12	225	T158 S128	N166	M1 - G27		Signal Peptide HMM
13	117	S41		M1 - A23		Signal Peptide HMM
14	253	S49 T63 S92 T110 S127 T239	N42 N47 N72 N207	M1 - T20		Signal Peptide HMM
15	171	S43 S94 T114		M88 - R112		Signal Peptide HMM
16	78	S38 S43	N37	M1 - G19		Signal Peptide HMM
17	71	T64 T67		M1 - C19		Signal Peptide HMM
18	188	S36 T58 T133 Y31	N121 N171	M1 - A21		Signal Peptide HMM
19	80	S76		M1 - C19		Signal Peptide HMM
20	80			M1 - G25		Signal Peptide HMM
21	84	S39 S53 S60		M1 - G21		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
22	171	S41 T150		M3 - A21		Signal Peptide HMM
23	243	S3 S44 T75 S86 S183 S223 S36 S92 S205 Y40 Y110	N97	M1 - C25		Signal Peptide HMM
24	311	T5 S76 T82 T93 T109 S121 T137 T170 S184 S11 T53 S75 S84 T132 S223 S274 Y69	N49 N91 N108 N128 N135 N190	M1 - A32		Signal Peptide HMM
25	57			M1 - L29		Signal Peptide HMM
26	82	S46 Y26		M1 - S18		Signal Peptide HMM
27	115			M1 - G34		Signal Peptide HMM
28	327	S93 S50 S167 S233 S89 T105 T214 S302 T318	N138 N206	M1 - E25		Signal Peptide HMM
29	133	S63	N105	M1 - E29		Signal Peptide HMM
30	129	S21 S65 T93		M1 - G20		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
31	472	S164 T32 S42 T141 T154 S155 T235 T262 T271 T334 T376 S402 S421 S435 T441 S19 S29 T327 S378	N61 N179 N353 N356 N396	M1 - G20	hematopoietic lineage switch 2 (g3169729)	Signal Peptide HMM BLAST - GenBank
32	93	T21		M1 - A18		Signal Peptide HMM
33	92	S57 S5		M1 - G47		SPScan
34	143	T6 T14 T135		M9 - G40		Signal Peptide HMM
35	89	T15 S58 S66		M1 - A19		Signal Peptide HMM
36	560	T7 T76 S150 T224 S228 S257 S358 S474 S529 S539 T186 S219 S368 Y523	N163 N184 N379	M1 - E34		SPScan
37	197	T80 S163		M1 - G28		Signal Peptide HMM
38	437	T47 T146 S233 S391 S403 T43 S130 S273 S339 S364	N46 N189 N382	M1 - A21		Signal Peptide HMM



TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
39	330	S197 T49 T150 S193 T214 T215 T49 S111 S237	N46 N64 N166 N191	M1 - G28		Signal Peptide HMM
40	148	T73 S141	N29 N58 N71 N103	M1 - R24	receptor-activity-modifying protein (RAMP; g4165368)	Signal Peptide HMM BLAST - GenBank
41	188	S49		M1 - V25		Signal Peptide HMM
42	222	S89 S165 T174 T182 T83 S155		M1 - S24		Signal Peptide HMM
43	111	S54 S29 S98 S50 S57 T104		M1 - T23		Signal Peptide HMM
44	341	T29 S106 T120 S161 S195 S37 S47 T51 S136 S223 S230 S281		M1 - G22		Signal Peptide HMM
45	148	S21 T63 T63 A146	N40	M1 - G23		Signal Peptide HMM
46	87	S65		M1 - P18		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
47	383	T77 S95 S108 S280 S351 S121 S124 S153 T187	N93 N207	M1 - P23		Signal Peptide HMM
48	109	S25 S22		M1 - L18		Signal Peptide HMM
49	185	S62		M1 - A20		Signal Peptide HMM
50	110	T100 T73 S97 Y48	N71	M1 - C21		Signal Peptide HMM
51	126	S17 S110		M1 - G18		Signal Peptide HMM
52	488	S205 T31 S86 T236 S7 T447	N250 N321 N463	M1 - L25	putative involvement in cell wall structure or biosynthesis (g3738170)	Signal Peptide HMM BLAST - GenBank
53	197	T55 S34 S46 S69 T98 S108 T119 T167 S194 S2 S34 T153		M1 - A26		Signal Peptide HMM
54	84	S65 S36 T41 S51 S69 S81	N39	M1 - G25		Signal Peptide HMM
55	97	S56		M1 - A22		Signal Peptide HMM
56	140	S29		M1 - P23		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
57	285	S53 S108 T216 S253 S277	N153	M1 - A25		Signal Peptide HMM
58	262	S62 T166 S62 S71 Y246	N190	M1 - G28	3-acylating enzyme (Q44449)	Signal Peptide HMM BLAST - GENESEQ
59	189	S120 T154 T34 T37 S174		M1 - C22		Signal Peptide HMM
60	257	S98 T136 T67 S112 S234 S237		M55 - E84 $\beta$		SPScan
61	82	T68	N67	M1 - G18		Signal Peptide HMM
62	202	T21 S117 S120		M1 - G27		Signal Peptide HMM
63	450	S107 S97 S146 S339 S440 S245 T303 S304 S399		M1 - G18		Signal Peptide HMM
64	322	T145 T214 T16 S24 S35 S45 T145 T269 S297 T300 T314 Y87	N53 N130 N289	M1 - G23		Signal Peptide HMM
65	104	S38 S25 S75		M1 - A18		Signal Peptide HMM

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
66	93			M1 through about S18 Transmembrane: M1 through about Y17		SPscan HMM
67	71	S23 S64		M1 through about A24		SPscan HMM MOTIFS
68	394	S392 S393 S31 S127 S179 S334 T338 S358 T383 Y323	N53	M1 through about S31 Transmembrane: about M159 through about F178 about F109 through about S127 about F225 through about V243		SPScan HMM MOTIFS
69	72	S59	N69	M1 through about S23 Transmembrane: M1 through about L16		SPscan HMM MOTIFS
70	71	S11 T26		M1 through about Q18		SPscan HMM MOTIFS
71	247	S41 T79		M1 through about S25		SPscan HMM MOTIFS
72	73	S56		M1 through about G27		SPscan HMM MOTIFS

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
73	70			M1 through about G20		SPscan HMM
74	67			M1 through about G30		SPscan HMM
75	91			M1 through about G26		SPScan
76	56	T29 S46 T51		M1 through about S19		SPscan HMM MOTIFS
77	112	S62 S65		M1 through about G27 Transmembrane: about W79 through about H97		SPscan HMM MOTIFS
78	54		N48	M1 through about N34		SPscan HMM MOTIFS
79	57	T33 R55		M1 through about C18		SPscan HMM MOTIFS
80	52	S34		M1 through about S30		SPscan HMM MOTIFS



TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
81	64	T43 Y27		M1 through about S41		SPscan HMM MOTIFS
82	65	S45		M1 through about A31 Transmembrane: about L38 through about F55		SPscan HMM MOTIFS
83	56			M1 through about E23		SPscan HMM
84	120	S69 S109	N89 N95	M1 through about A38 Transmembrane: about L23 through about T41		SPscan HMM MOTIFS
85	67	S28		M1 through about K30 Microbodies C-terminal targeting signal: A65KV		SPscan HMM MOTIFS
86	62	S29 S42 S46	N40	M1 through about S29		SPscan HMM MOTIFS
87	75	S25 S46		M1 through about L19 Transmembrane: about I3 through about G20		SPscan HMM MOTIFS

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
88	80	T28		M1 through about A20		SPscan HMM MOTIFS
89	50	S11		M1 through about C48		SPscan HMM MOTIFS
90	116	S38		M1 through about G22		SPscan HMM MOTIFS
91	67	S43		M1 through about P21		SPscan HMM MOTIFS
92	538	S415 S52 T77 S97 T178 T228 S282 S320 S332 S384 T401 T424 S483 S207 S230 S357 T410 Y263 Y365	N226	M1 through about S18 Tyrosine specific protein phosphatases signature: about V328 through about F340		SPScan BLOCKS PRINTS MOTIFS
93	58			M1 through about S25		SPscan HMM
94	119	S39		M1 through about S22 Transmembrane: about V3 through about S21		SPscan HMM MOTIFS

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
95	128	S91		M1 through about G31 Transmembrane: about F108 through about L126		SPScan HMM MOTIFS
96	124	T115 T43 S91		M1-S20  P116-V124 (urotensin II signature)		SPScan HMM Motifs BLOCKS BLAST
97	182	S28 T70 S172 S25 S32 S48 S108 S131		M1-S23, M1-S25		SPScan HMM Motifs
98	237	S55 S88 S121 S135	N45 N73 N107 N118 N132 N172 N175 N185	M1-A16, M1-S21  C40-C198 (cysteine spacing pattern similar to that of RoBo-I)		SPScan HMM Motifs BLAST
99	160	S36 S59 T143		M1-A27		SPScan HMM Motifs
100	148	T76 S64 Y103		M1-S30, M1-G31		SPScan HMM Motifs
101	170	S78 T4 T30 S130 S25 S29 T122		M1-A23, M1-L28		SPScan HMM Motifs

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
102	150	S50 S78 S91		M1-A26, M1-S28		SPScan HMM Motifs
103	142	T57 T80		M1-A25, M1-G26		SPScan HMM Motifs
104	110	T3		M1-G18, M1-T25		SPScan HMM Motifs
105	120	T29 S40 S72		M1-G22, M1-A20		SPScan HMM Motifs
106	135	T115 S38 T41	N32 N101	M1-G26, M1-C25		SPScan HMM Motifs
107	301	S53 S217 S240 S283 T224		M1-A22		SPScan HMM Motifs
108	103	S88 T73 S84		M1-P19, M1-L22		SPScan HMM Motifs
109	95	T82 S52 S77	N50	M1-T15, M1-P19		SPScan HMM Motifs

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
110	113	T84 S4		M1-P19, M1-A24		SPScan HMM Motifs
111	234	S179 S184 S51 T70 T158 S168 T228 Y29	N146 N191 N194	M1-A20	NK cell activating receptor (g4493702)	SPScan HMM Motifs BLAST- GenBank
112	119	S39 T61		M1-G30, M1-G27		SPScan HMM Motifs
113	200	S51 T46 S191		M1-G26 Signal Peptide	Signal Peptide Containing Protein, Homology with KIAA0206	SPScan Motifs BLAST
114	225			M1-Q29 Signal Peptide	Signal Peptide Containing Protein	SPScan
115	155	S29		M1-A20 Signal Peptide	Signal Peptide Containing Protein	HMM Motifs
116	468	S143 T156 T227 S235 T271 T293 T436 S453 S117 T148 T213 S263 S417 Y73	N280 N384	M1-G23 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
117	403	S19 S320 S69 S151 T171 T97 S393 Y193 Y378	N87	M1-A24 Signal Peptide	Signal Peptide Containing Protein	HMM Motifs



TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
118	131	T131 S24 T79 T118 T123 T127	N116	M1-G25 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
119	556	T176 S192 S196 T220 S344 S369 S476 T501 S529 S541 T548 T553 S48 S115 S121 T386 T424 S500 Y104	N62 N79 N127 N157 N160	M1-P21 Signal Peptide L226-W244, Y402-W422, V375-L392 and Y355-I376 Transmembrane Domains	Signal Peptide Containing Protein, Weakly similar to Purative Transmembrane Protein (PTM1) Precursor	SPScan Motifs HMM BLAST
120	514	T457 T80 S86 T141 T372 T420 S447 S94 T102 S112 T240 S297 S353 S470	N100 N168 N319	M1-G24 Signal Peptide	Signal Peptide Containing Protein,	SPScan Motifs
121	109	T46 S78 T12		M1-S15 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
122	431	S57 T320 S339 S396 S100 S239		M1-L25 Signal Peptide	Signal Peptide Containing Protein, Weakly similar to OXA1L	SPScan Motifs BLAST
123	142			M1-W16 Signal Peptide	Signal Peptide Containing Protein	SPScan

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
124	643	T8 S28 S77 T169 T199 T235 S252 T320 S402 T413 S414 S558 S22 T25 S56 S62 S120 T184 S329 T423 S475 S574 Y226	N251	M1-S28 Signal Peptide, D37-C81, W380-C437, W440- C492 and F526-C583 Thrombospondin Type 1 Domains	Signal Peptide Containing Protein, Thrombospondin Type 1 Protein	SPScan Motifs Pfam BLAST
125	568	S510 T24 T80 S91 T153 T165 S232 S248 S262 T300 T334 S380 S446 S16 T19 T60 S127 S273 T436 T531 S554 T564 Y135 Y489	N322	M1-T19 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
126	125	T62 S27 T36		M1-R32 Signal Peptide, V4-L53 Glycosyl Hydrolase Family 9 Active Site Signature	Signal Peptide Containing Protein, Glycosyl Hydrolase Protein	SPScan Motifs PROFILE- SCAN
127	196	T105 T47 T56 S158		M1-S26 Signal Peptide, H79-H123 Ribosomal Protein S18 Signature	Signal Peptide Containing Protein, Ribosomal Protein S18	SPScan Motifs BLAST Pfam PROFILE- SCAN
128	214	S112 S131	N37 N92	M1-S35 Signal Peptide	Signal Peptide Containing Protein, Homology with GTP Binding Protein	SPScan Motifs BLAST

TABLE 2 (cont.)

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential Glycosylation Sites	Signature Sequences	Identification	Analytical Methods
129	88			M1-S24 Signal Peptide	Signal Peptide Containing Protein	HMM
130	260	S146 S179 S192 S239 S70 T126 T150	N50 N109	M1-A48 Signal Peptide, G59-S142 Immunoglobulin Domain	Signal Peptide Containing Protein, Immunoglobulin Superfamily Protein	SPScan Motifs Pfam
131	295	T176 T56 S72 S179 S256 S87		M1-A30 Signal Peptide	Signal Peptide Containing Protein	SPScan Motifs
132	183	S11 T41 T42 S83		M1-W24 Signal Peptide, E131-K168 and C105-H115 Adrenodoxin Iron-Sulfur Binding Signature, C111-V116 Cytochrome C Heme Binding Signature, N69-A162 Iron-Sulfur Cluster Binding Domain	Signal Peptide Containing Protein, Adrenodoxin Family Iron-Sulfur Binding Protein, and Cytochrome C Family Heme Binding Protein	HMM Motifs BLOCKS PRINTS Pfam
133	113	S93 T89 Y9		M1-G30 Signal Peptide, V28-L74 PF00646 F-Box Domain	Signal Peptide Containing Protein, PF00646 F-Box Protein	SPScan Motifs Pfam
134	160	T46 T55 S65 S124 T125 T46		M1-A27 Signal Peptide	Signal Peptide Containing Protein, F45G2.10 and Yhr122wp Homology	SPScan Motifs BLAST

TABLE 3

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
135	Hematopoietic/Immune (1.000)	Inflammation (1.000)	pBLUESCRIPT
136	Hematopoietic/Immune (0.750) Cardiovascular (0.250)	Inflammation (0.750) Cancer (0.250)	pSPORT1
137	Nervous (1.000)	Trauma (1.000)	pSPORT1
138	Musculoskeletal (1.000)	Inflammation (1.000)	pSPORT1
139	Gastrointestinal (0.714) Cardiovascular (0.143) Reproductive (0.143)	Cancer (0.714) Trauma (0.143)	pSPORT1
140	Nervous (1.000)	Neurological (0.500) Trauma (0.500)	pSPORT1
141	Reproductive (0.293) Gastrointestinal (0.146) Hematopoietic/Immune (0.146)	Cancer (0.524) Inflammation (0.256) Fetal (0.146)	pSPORT1
142	Reproductive (0.266) Gastrointestinal (0.170) Nervous (0.138)	Cancer (0.479) Inflammation (0.277) Fetal (0.181)	pINCY
143	Reproductive (0.417) Nervous (0.292) Developmental (0.125)	Cancer (0.417) Inflammation (0.250) Fetal (0.167)	pINCY
144	Reproductive (0.321) Cardiovascular (0.143) Developmental (0.143)	Cancer (0.464) Fetal (0.214) Inflammation (0.143)	pINCY
145	Reproductive (0.600) Gastrointestinal (0.400)	Cancer (0.400) Trauma (0.400) Inflammation (0.200)	pINCY
146	Cardiovascular (0.400) Dermatologic (0.200) Nervous (0.200)	Cancer (0.600) Fetal (0.600)	pINCY
147	Developmental (0.667) Gastrointestinal (0.333)	Fetal (0.667) Cancer (0.333)	pINCY
148	Reproductive (0.256) Nervous (0.248) Cardiovascular (0.137)	Cancer (0.479) Inflammation (0.214) Fetal (0.145)	pINCY
149	Reproductive (0.244) Nervous (0.178) Hematopoietic/Immune (0.167)	Cancer (0.433) Inflammation (0.322) Fetal (0.156)	pINCY

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
150	Cardiovascular (0.923) Developmental (0.077)	Cancer (0.692) Fetal (0.154) Inflammation (0.154)	pINCY
151	Reproductive (0.215) Nervous (0.190) Gastrointestinal (0.177)	Cancer (0.494) Inflammation (0.278) Trauma (0.152)	pINCY
152	Reproductive (0.200) Nervous (0.171) Hematopoietic/Immune (0.143)	Inflammation (0.371) Cancer (0.229) Fetal (0.200)	pINCY
153	Reproductive (0.333) Nervous (0.157) Hematopoietic/Immune (0.137)	Cancer (0.549) Inflammation (0.176) Fetal (0.137)	pINCY
154	Gastrointestinal (0.500) Urologic (0.167)	Inflammation (0.667) Cancer (0.167) Trauma (0.167)	pINCY
155	Gastrointestinal (0.429) Reproductive (0.286) Nervous (0.143)	Inflammation (0.429) Cancer (0.286) Trauma (0.143)	pINCY
156	Reproductive (1.000)	Cancer (0.500) Inflammation (0.500)	pINCY
157	Hematopoietic/Immune (0.346) Reproductive (0.154) Gastrointestinal (0.115)	Cancer (0.404) Inflammation (0.404) Fetal (0.212)	pINCY
158	Reproductive (0.236) Hematopoietic/Immune (0.217) Gastrointestinal (0.132)	Cancer (0.415) Inflammation (0.358) Fetal (0.142)	pINCY
159	Gastrointestinal (1.000)	Cancer (1.000)	pSPORT1
160	Developmental (0.500) Hematopoietic/Immune (0.250) Nervous (0.250)	Fetal (0.500) Inflammation (0.250) Trauma (0.250)	pINCY
161	Hematopoietic/Immune (0.250) Reproductive (0.250) Nervous (0.208)	Cancer (0.583) Fetal (0.292) Inflammation (0.250)	pINCY
162	Gastrointestinal (0.412) Reproductive (0.412) Cardiovascular (0.088)	Cancer (0.735) Inflammation (0.176) Fetal (0.029)	pINCY



TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
163	Reproductive (0.298) Cardiovascular (0.170) Nervous (0.149)	Cancer (0.532) Inflammation (0.213) Fetal (0.191)	pINCY
164	Gastrointestinal (0.333) Hematopoietic/Immune (0.333) Reproductive (0.333)	Cancer (0.667) Inflammation (0.333)	pINCY
165	Reproductive (0.295) Gastrointestinal (0.159) Nervous (0.148)	Cancer (0.534) Inflammation (0.284) Fetal (0.091)	pINCY
166	Hematopoietic/Immune (0.538) Cardiovascular (0.077) Reproductive (0.077)	Inflammation (0.731) Cancer (0.154) Fetal (0.154)	pINCY
167	Reproductive (0.483) Gastrointestinal (0.121) Nervous (0.103)	Cancer (0.672) Inflammation (0.155)	pINCY
168	Gastrointestinal (0.222) Hematopoietic/Immune (0.222) Nervous (0.148)	Cancer (0.519) Inflammation (0.370) Fetal (0.259)	pINCY
169	Urologic (1.000)	Cancer (0.333) Fetal (0.333) Inflammation (0.333)	pINCY
170	Reproductive (0.214) Gastrointestinal (0.179) Nervous (0.143)	Cancer (0.643) Inflammation (0.143) Fetal (0.107)	pINCY
171	Reproductive (0.261) Developmental (0.174) Nervous (0.174)	Cancer (0.391) Fetal (0.304) Inflammation (0.217)	pINCY
172	Reproductive (0.357) Gastrointestinal (0.321) Cardiovascular (0.071)	Cancer (0.571) Inflammation (0.286) Fetal (0.107)	pINCY
173	Reproductive (0.306) Nervous (0.161) Cardiovascular (0.129)	Cancer (0.387) Inflammation (0.323) Fetal (0.226)	pINCY
174	Reproductive (0.229) Nervous (0.188) Cardiovascular (0.167)	Cancer (0.521) Inflammation (0.312) Trauma (0.146)	pSPORT1

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
175	Reproductive (0.444) Developmental (0.167) Cardiovascular (0.111)	Cancer (0.556) Fetal (0.278) Trauma (0.111)	pSPORT1
176	Reproductive (0.294) Gastrointestinal (0.176) Cardiovascular (0.118)	Cancer (0.765) Fetal (0.118) Inflammation (0.118)	pSPORT1
177	Gastrointestinal (1.000)	Cancer (0.667) Inflammation (0.333)	pINCY
178	Reproductive (0.385) Nervous (0.231) Gastrointestinal (0.154)	Cancer (0.385) Inflammation (0.385)	pINCY
179	Reproductive (0.500) Cardiovascular (0.167) Gastrointestinal (0.167)	Cancer (0.667) Fetal (0.167) Inflammation (0.167)	pBLUESCRIPT
180	Cardiovascular (0.231) Reproductive (0.231) Gastrointestinal (0.154)	Cancer (0.615) Inflammation (0.308) Fetal (0.154)	pINCY
181	Reproductive (0.324) Gastrointestinal (0.176) Cardiovascular (0.130)	Cancer (0.519) Inflammation (0.222) Fetal (0.157)	pINCY
182	Reproductive (0.320) Nervous (0.180) Gastrointestinal (0.120)	Cancer (0.580) Inflammation (0.160) Fetal (0.100)	pINCY
183	Gastrointestinal (0.667) Reproductive (0.333)	Cancer (1.000)	pINCY
184	Urologic (0.667) Dermatologic (0.333)	Cancer (0.667) Fetal (0.333)	pSPORT1
185	Cardiovascular (0.500) Reproductive (0.500)	Cancer (1.000)	pINCY
186	Reproductive (0.393) Developmental (0.107) Urologic (0.107)	Cancer (0.607) Fetal (0.179) Inflammation (0.107)	pINCY
187	Cardiovascular (0.400) Reproductive (0.333) Gastrointestinal (0.133)	Inflammation (0.467) Cancer (0.267) Fetal (0.267)	pSPORT1
188	Nervous (0.318) Reproductive (0.227) Urologic (0.136)	Cancer (0.636) Inflammation (0.136) Trauma (0.091)	pINCY

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
189	Cardiovascular (0.500) Reproductive (0.500)	Cancer (1.000)	pINCY
190	Reproductive (0.318) Nervous (0.227) Hematopoietic/Immune (0.136)	Cancer (0.500) Fetal (0.227) Inflammation (0.227)	pINCY
191	Reproductive (0.253) Cardiovascular (0.158) Gastrointestinal (0.147)	Cancer (0.463) Inflammation (0.232) Fetal (0.200)	pINCY
192	Reproductive (0.333) Gastrointestinal (0.286) Cardiovascular (0.095)	Cancer (0.571) Inflammation (0.333) Fetal (0.095)	pINCY
193	Reproductive (0.304) Cardiovascular (0.217) Gastrointestinal (0.130)	Cancer (0.435) Inflammation (0.391) Fetal (0.174)	pINCY
194	Reproductive (0.312) Nervous (0.188) Cardiovascular (0.125)	Cancer (0.438) Inflammation (0.250) Fetal (0.188)	pINCY
195	Developmental (1.000)	Fetal (1.000)	pINCY
196	Reproductive (0.233) Cardiovascular (0.209) Nervous (0.140)	Cancer (0.605) Fetal (0.186) Inflammation (0.116)	pINCY
197	Reproductive (0.182) Gastrointestinal (0.136) Hematopoietic/Immune (0.136)	Cancer (0.477) Inflammation (0.341) Fetal (0.182)	pINCY
198	Gastrointestinal (0.205) Reproductive (0.205) Cardiovascular (0.114)	Inflammation (0.341) Cancer (0.250) Fetal (0.227)	pINCY
199	Cardiovascular (0.520) Reproductive (0.280) Developmental (0.160)	Cancer (0.720) Fetal (0.200) Inflammation (0.080)	pINCY
200	Lung (0.958) Developmental (0.25) Musculoskeletal (0.042)	Cancer (0.583) Fetal or Proliferating (0.292) Inflammation (0.167)	pBLUESCRIPT
201	Reproductive (0.571) Musculoskeletal (0.143) Nervous (0.143) Urologic (0.143)	Cancer (0.429) Inflammation (0.571)	pSPORT1

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
202	Endocrine (0.250) Nervous (0.250) Cardiovascular (0.125) Developmental (0.125) Gastrointestinal (0.125) Reproductive (0.125)	Cancer (0.375) Inflammation (0.625) Fetal or Proliferating (0.125)	pSPORT1
203	Lung (1.000)	Fetal or Proliferating (1.000)	pINCY
204	Lung (0.500) Penis (0.500)	Cancer (0.500)	pINCY
205	Cardiovascular (0.231) Dermatologic (0.231) Reproductive (0.231)	Fetal or Proliferating (0.385) Cancer (0.308)	pINCY
206	Nervous (0.596) Reproductive (0.154) Gastrointestinal (0.077)	Cancer (0.442) Neurological (0.192) Inflammation (0.231)	pINCY
207	Gastrointestinal (1.000)	Inflammation (1.000)	pINCY
208	Reproductive (0.300) Hematopoietic/Immune (0.200) Nervous (0.150)	Cancer (0.450) Inflammation (0.400) Fetal or Proliferating (0.250)	pSPORT1
209	Heart (0.500) Brain (0.500)	Neurological (0.500) Inflammation (0.500)	pINCY
210	Nervous (0.625) Reproductive (0.250) Musculoskeletal (0.125)	Cancer (0.750) Fetal or Proliferating (0.250) Neurological (0.125)	pINCY
211	Nervous (0.261) Reproductive (0.304) Gastrointestinal (0.174)	Cancer (0.522) Fetal or Proliferating (0.174) Inflammation (0.130)	pSPORT1
212	Testis (1.000)	Inflammation (1.000)	pBLUESCRIPT
213	Nervous (0.400) Reproductive (0.400) Gastrointestinal (0.200)	Cancer (0.400) Inflammation (0.400) Neurological (0.200)	pBLUESCRIPT
214	Reproductive (0.476) Gastrointestinal (0.286) Cardiovascular (0.095)	Cancer (0.714) Inflammation (0.286) Neurological (0.048)	pSPORT1

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
215	Reproductive (0.284) Gastrointestinal (0.216) Nervous (0.176) Hematopoietic/Immune (0.108) Cardiovascular (0.108)	Cancer (0.486) Inflammation (0.351) Fetal or Proliferating (0.122)	pSPORT1
216	Uterus (0.500) Prostate (0.500)	Cancer (0.500) Inflammation (0.500)	pINCY
217	Nervous (0.429) Cardiovascular (0.143) Gastrointestinal (0.143) Hematopoietic/Immune (0.143) Reproductive (0.143)	Cancer (0.571) Inflammation (0.429) Fetal or Proliferating (0.285)	pSPORT1
218	Reproductive (0.450) Hematopoietic/Immune (0.200) Nervous (0.100) Gastrointestinal (0.100)	Cancer (0.650) Inflammation (0.200) Fetal or Proliferating (0.050)	pINCY
219	Reproductive (0.364) Cardiovascular (0.182) Nervous (0.182)	Cancer (0.636) Fetal or Proliferating (0.182) Inflammation (0.273)	pINCY
220	Prostate (1.000)	Inflammation (1.000)	pSPORT1
221	Developmental (0.333) Nervous (0.333) Reproductive (0.333)	Cancer (0.667) Fetal or Proliferating (0.667)	pSPORT1
222	Reproductive (0.393) Hematopoietic/Immune (0.180) Nervous (0.098) Cardiovascular (0.098)	Cancer (0.508) Inflammation (0.344) Fetal or Proliferating (0.066)	pSPORT1
223	Endocrine (0.333) Gastrointestinal (0.333) Reproductive (0.333)	Cancer (1.000)	pINCY
224	Cardiovascular (0.200) Developmental (0.200) Gastrointestinal (0.200) Reproductive (0.200) Urologic (0.200)	Cancer (0.800) Fetal or Proliferating (0.200)	pINCY
225	Lung (1.000)	Cancer (1.000)	pINCY
226	Reproductive (0.302) Hematopoietic/Immune (0.254) Cardiovascular (0.111)	Cancer (0.381) Inflammation (0.381) Fetal or Proliferating (0.286)	pSPORT1



TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
227	Lymphocytes (1.000)	Inflammation (1.000)	pINCY
228	Cardiovascular (0.531) Reproductive (0.250) Urologic (0.094)	Cancer (0.656) Inflammation (0.250) Fetal or Proliferating (0.094)	pINCY
229	Reproductive (0.333) Cardiovascular (0.167) Gastrointestinal (0.167) Endocrine (0.167) Hematopoietic/Immune (0.167)	Cancer (0.500) Fetal or Proliferating (0.167) Inflammation (0.333)	pINCY
230	Hematopoietic/Immune (0.500) Reproductive (0.500)	Cell Proliferation (0.500) Inflammation (0.500)	pBLUESCRIPT
231	Cardiovascular (0.333) Nervous (0.333) Developmental (0.167)	Cancer (0.500) Cell Proliferation (0.333) Inflammation (0.167)	pINCY
232	Gastrointestinal (0.938) Reproductive (0.062)	Cancer (0.500) Inflammation (0.500)	pINCY
233	Nervous (0.324) Reproductive (0.235) Hematopoietic/Immune (0.118)	Cancer (0.456) Inflammation (0.235) Trauma (0.147)	pINCY
234	Nervous (0.255) Reproductive (0.255) Musculoskeletal (0.182)	Cancer (0.545) Inflammation (0.255) Trauma (0.109)	pINCY
235	Musculoskeletal (0.308) Reproductive (0.231) Gastrointestinal (0.154)	Cancer (0.538) Inflammation (0.231) Trauma (0.154)	pINCY
236	Nervous (1.000)	Cancer (1.000)	pINCY
237	Gastrointestinal (0.429) Hematopoietic/Immune (0.143) Nervous (0.143)	Cancer (0.571) Cell Proliferation (0.143) Trauma (0.143)	pINCY
238	Reproductive (0.254) Gastrointestinal (0.160) Nervous (0.128)	Cancer (0.453) Inflammation (0.241) Cell Proliferation (0.175)	pINCY
239	Nervous (0.333) Dermatologic (0.167) Endocrine (0.167)	Trauma (0.333) Cancer (0.167) Cell Proliferation (0.167)	pINCY

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
240	Nervous (0.273) Reproductive (0.227) Endocrine (0.136)	Cancer (0.545) Cell Proliferation (0.182) Inflammation (0.182)	pINCY
241	Reproductive (0.273) Hematopoietic/Immune (0.182) Urologic (0.182)	Cancer (0.455) Cell Proliferation (0.273) Inflammation (0.273)	pINCY
242	Endocrine (1.000)	Trauma (1.000)	pSPORT1
243	Reproductive (1.000)	Cancer (1.000)	pINCY
244	Hematopoietic/Immune (0.545) Musculoskeletal (0.182) Cardiovascular (0.091)	Inflammation (0.636) Trauma (0.182) Cancer (0.091)	pINCY
245	Hematopoietic/Immune (0.400) Musculoskeletal (0.300) Cardiovascular (0.150)	Inflammation (0.650) Cancer (0.300)	pINCY
246	Urologic (1.000)	Cancer (0.500) Cell Proliferation (0.500)	pINCY
247	Nervous (0.292) Reproductive (0.222) Musculoskeletal (0.125)	Cell Proliferation (0.625) Inflammation/Trauma (0.181)	pSPORT1
248	Reproductive (0.211) Developmental (0.132) Nervous (0.132)	Cell Proliferation (0.658) Inflammation/Trauma (0.184)	pSPORT1
249	Nervous (0.500) Gastrointestinal (0.300) Hematopoietic/Immune (0.100)	Cell Proliferation (0.900) Inflammation/Trauma (0.300)	pSPORT1
250	Cardiovascular (0.209) Gastrointestinal (0.140) Hematopoietic/Immune (0.140)	Cell Proliferation (0.605) Inflammation/Trauma (0.256)	pINCY
251	Nervous (0.308) Cardiovascular (0.154) Gastrointestinal (0.154)	Cell Proliferation (0.616) Inflammation/Trauma (0.269)	pINCY
252	Reproductive (1.000)	Cell Proliferation (1.000)	pSPORT1

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
253	Reproductive (0.324) Nervous (0.162) Gastrointestinal (0.113)	Cell Proliferation (0.641) Inflammation/Trauma (0.197)	pSPORT1
254	Reproductive (0.315) Nervous (0.296) Developmental (0.093)	Cell Proliferation (0.630) Inflammation/Trauma (0.278)	pSPORT1
255	Nervous (0.211) Reproductive (0.211) Gastrointestinal (0.158)	Cell Proliferation (0.579) Inflammation/Trauma (0.298)	pINCY
256	Reproductive (0.250) Gastrointestinal (0.148) Hematopoietic/Immune (0.148)	Cell Proliferation (0.705) Inflammation/Trauma (0.193)	pINCY
257	Hematopoietic/Immune (1.000)	Cell Proliferation (0.400) Inflammation/Trauma (0.600)	pINCY
258	Cardiovascular (0.333) Reproductive (0.333) Developmental (0.167)	Cell Proliferation (0.833) Inflammation/Trauma (0.333)	pBLUESCRIPT
259	Cardiovascular (0.333) Reproductive (0.250) Developmental (0.167)	Cell Proliferation (0.625) Inflammation/Trauma (0.208)	pINCY
260	Endocrine (0.500) Cardiovascular (0.250) Nervous (0.250)	Cell Proliferation (0.750) Inflammation/Trauma (0.500)	pINCY
261	Reproductive (0.252) Cardiovascular (0.155) Hematopoietic/Immune (0.136)	Cell Proliferation (0.728) Inflammation/Trauma (0.194)	pINCY
262	Reproductive (0.274) Cardiovascular (0.177) Nervous (0.145)	Cell Proliferation (0.742) Inflammation/Trauma (0.210)	pINCY
263	Reproductive (0.267) Cardiovascular (0.160) Hematopoietic/Immune (0.127)	Cell Proliferation (0.654) Inflammation/Trauma (0.193)	pINCY
264	Nervous (0.229) Hematopoietic/Immune (0.200) Reproductive (0.200)	Cell Proliferation (0.743) Inflammation/Trauma (0.286)	pINCY
265	Hematopoietic/Immune (0.333) Gastrointestinal (0.167) Nervous (0.133)	Cell Proliferation (0.600) Inflammation/Trauma (0.333)	pINCY

TABLE 3 (cont.)

Nucleotide SEQ ID NO:	Tissue Expression (Fraction of Total)	Disease/Condition-Specific Expression (Total of Fraction)	Vector
266	Nervous (0.290) Reproductive (0.258) Cardiovascular (0.129)	Cell Proliferation (0.677) Inflammation/Trauma (0.194)	pINCY
267	Reproductive (0.261) Hematopoietic/Immune (0.217) Cardiovascular (0.087)	Cell Proliferation (0.652) Inflammation/Trauma (0.391)	pINCY
268	Gastrointestinal (0.227) Reproductive (0.193) Hematopoietic/Immune (0.168)	Cell Proliferation (0.731) Inflammation/Trauma (0.227)	pSPORT1

TABLE 4

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
135	443531	MPHGNOT03	The library was constructed using RNA isolated from plastic adherent mononuclear cells isolated from buffy coat units obtained from unrelated male and female donors.
136	632860	NEUTGMT01	The library was constructed using RNA isolated from peripheral blood granulocytes collected by density gradient centrifugation through Ficoll-Hypaque. The cells were isolated from buffy coat units obtained from 20 unrelated male and female donors. Cells were cultured in 10 nM GM-CSF for 1 hour before washing and harvesting for RNA preparation.
137	670010	CRBLNOT01	The library was constructed using RNA isolated from the cerebellum tissue of a 69-year-old Caucasian male who died from chronic obstructive pulmonary disease. Patient history included myocardial infarction, hypertension, and osteoarthritis.
138	726498	SYNOOAT01	The library was constructed using RNA isolated from the knee synovial membrane tissue of an 82-year-old female with osteoarthritis.
139	795064	OVARNOT03	The library was constructed using RNA isolated from ovarian tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology for the associated tumor tissue indicated grade 2 mucinous cystadenocarcinoma. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, cerebrovascular disease, breast cancer, and uterine cancer.
140	924925	BRAINOT04	The library was constructed using RNA isolated from the brain tissue of a 44-year-old Caucasian male with a cerebral hemorrhage. The tissue, which contained coagulated blood, came from the choroid plexus of the right anterior temporal lobe. Family history included coronary artery disease and myocardial infarction.



TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
141	962390	BRSTTUT03	The library was constructed using RNA isolated from breast tumor tissue removed from a 58-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated multicentric invasive grade 4 lobular carcinoma. The mass was identified in the upper outer quadrant, and three separate nodules were found in the lower outer quadrant of the left breast. Patient history included skin cancer, rheumatic heart disease, osteoarthritis, and tuberculosis. Family history included cerebrovascular disease, coronary artery aneurysm, breast cancer, prostate cancer, atherosclerotic coronary artery disease, and type I diabetes.
142	1259405	MENITUT03	The library was constructed using RNA isolated from brain meningioma tissue removed from a 35-year-old Caucasian female during excision of a cerebral meningeal lesion. Pathology indicated a benign neoplasm in the right cerebellopontine angle of the brain. Patient history included hypothyroidism. Family history included myocardial infarction and breast cancer.
143	1297384	BRSTNOT07	The library was constructed using RNA isolated from diseased breast tissue removed from a 43-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated mildly proliferative fibrocystic changes with epithelial hyperplasia, papillomatosis, and duct ectasia. Pathology for the associated tumor tissue indicated invasive grade 4, nuclear grade 3 mammary adenocarcinoma with extensive comedo necrosis. Family history included epilepsy, atherosclerotic coronary artery disease, and type II diabetes.
144	1299627	BRSTNOT07	The library was constructed using RNA isolated from diseased breast tissue removed from a 43-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated mildly proliferative fibrocystic changes with epithelial hyperplasia, papillomatosis, and duct ectasia. Pathology for the associated tumor tissue indicated invasive grade 4, nuclear grade 3 mammary adenocarcinoma with extensive comedo necrosis. Family history included epilepsy, atherosclerotic coronary artery disease, and type II diabetes.
145	1306026	PLACNOT02	The library was constructed using RNA isolated from the placental tissue of a Hispanic female fetus, who was prematurely delivered at 21 weeks' gestation. Serologies of the mother's blood were positive for CMV (cytomegalovirus).

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
146	1316219	BLADTUT02	The library was constructed using RNA isolated from bladder tumor tissue removed from an 80-year-old Caucasian female during a radical cystectomy and lymph node excision. Pathology indicated grade 3 invasive transitional cell carcinoma. Family history included osteoarthritis and atherosclerosis.
147	1329031	PANCNOT07	The library was constructed using RNA isolated from the pancreatic tissue of a Caucasian male fetus, who died at 23 weeks' gestation.
148	1483050	CORPNOT02	The library was constructed using RNA isolated from diseased corpus callosum tissue removed from the brain of a 74-year-old Caucasian male who died from Alzheimer's disease.
149	1514160	PANCTUT01	The library was constructed using RNA isolated from pancreatic tumor tissue removed from a 65-year-old Caucasian female during radical subtotal pancreatectomy. Pathology indicated an invasive grade 2 adenocarcinoma. Patient history included type II diabetes, osteoarthritis, cardiovascular disease, benign neoplasm in the large bowel, and a cataract. Family history included cardiovascular disease, type II diabetes, and stomach cancer.
150	1603403	LUNGNOT15	The library was constructed using RNA isolated from lung tissue removed from a 69-year-old Caucasian male during a segmental lung resection. Pathology for the associated tumor tissue indicated residual grade 3 invasive squamous cell carcinoma. Patient history included acute myocardial infarction, prostatic hyperplasia, and malignant skin neoplasm. Family history included cerebrovascular disease, type I diabetes, acute myocardial infarction, and arteriosclerotic coronary disease.
151	1652303	PROSTUT08	The library was constructed using RNA isolated from prostate tumor tissue removed from a 60-year-old Caucasian male during radical prostatectomy and regional lymph node excision. Pathology indicated an adenocarcinoma (Gleason grade 3+4). Adenofibromatous hyperplasia was also present. The patient presented with elevated prostate specific antigen (PSA). Patient history included a kidney cyst. Family history included tuberculosis, cerebrovascular disease, and arteriosclerotic coronary artery disease.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
152	1693358	COLNNOT23	The library was constructed using RNA isolated from diseased colon tissue removed from a 16-year-old Caucasian male during a total colectomy with abdominal/perineal resection. Pathology indicated gastritis and pancolitis consistent with the acute phase of ulcerative colitis. There was only mild involvement of the ascending and sigmoid colon, and no significant involvement of the cecum, rectum, or terminal ileum. Family history included irritable bowel syndrome.
153	1707711	DUODNOT02	The library was constructed using RNA isolated from duodenal tissue of a 8-year-old Caucasian female, who died from head trauma. Serology was positive for cytomegalovirus (CMV).
154	1738735	COLNNOT22	The library was constructed using RNA isolated from colon tissue removed from a 56-year-old Caucasian female with Crohn's disease during a partial resection of the small intestine. Pathology indicated Crohn's disease of the ileum and ileal-colonic anastomosis, causing a fistula at the anastomotic site that extended into pericolonic fat. The ileal mucosa showed linear and punctate ulcers with intervening normal tissue. Previous surgeries included a partial ileal resection and permanent ileostomy. Family history included irritable bowel syndrome.
155	1749147	STOMTUT02	The library was constructed using RNA isolated from stomach tumor tissue obtained from a 68-year-old Caucasian female during a partial gastrectomy. Pathology indicated a malignant lymphoma of diffuse large-cell type. Patient history included thalassemia. Family history included acute leukemia, malignant neoplasm of the esophagus, malignant stomach neoplasm, and atherosclerotic coronary artery disease.
156	1817722	PROSNOT20	The library was constructed using RNA isolated from diseased prostate tissue removed from a 65-year-old Caucasian male during a radical prostatectomy. Pathology indicated adenofibromatous hyperplasia. Pathology for the associated tumor tissue indicated an adenocarcinoma.
157	1831290	THP1AZT01	The library was constructed using 1 microgram of polyA RNA isolated from THP-1 promonocyte cells treated for three days with 0.8 micromolar 5-aza-2'-deoxycytidine. THP-1 (ATCC TIB 202) is a human promonocyte line derived from peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
158	1831477	THP1AZT01	The library was constructed using 1 microgram of polyA RNA isolated from THP-1 promonocyte cells treated for three days with 0.8 micromolar 5-aza-2'-deoxycytidine. THP-1 (ATCC TIB 202) is a human promonocyte line derived from peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.
159	1841607	COLNNOT07	The library was constructed using RNA isolated from colon tissue removed from a 60-year-old Caucasian male during a left hemicolectomy.
160	1852391	LUNGFET03	The library was constructed using RNA isolated from lung tissue removed from a Caucasian female fetus, who died at 20 weeks' gestation.
161	1854555	HNT3AZT01	Library was constructed using RNA isolated from the hNT2 cell line (derived from a human teratocarcinoma that exhibited properties characteristic of a committed neuronal precursor). Cells were treated for three days with 0.35 micromolar 5-aza-2'-deoxycytidine (AZT).
162	1855755	PROSNOT18	The library was constructed using RNA isolated from diseased prostate tissue removed from a 58-year-old Caucasian male during a radical cystectomy, radical prostatectomy, and gastrectomy. Pathology indicated adenofibromatous hyperplasia. This tissue was associated with a grade 3 transitional cell carcinoma. Patient history included angina and emphysema. Family history included acute myocardial infarction, atherosclerotic coronary artery disease, and type II diabetes.
163	1861434	PROSNOT19	The library was constructed using RNA isolated from diseased prostate tissue removed from a 59-year-old Caucasian male during a radical prostatectomy with regional lymph node excision. Pathology indicated adenofibromatous hyperplasia. Pathology for the associated tumor tissue indicated an adenocarcinoma (Gleason grade 3+3). The patient presented with elevated prostate-specific antigen (PSA). Patient history included colon diverticuli and thrombophlebitis. Family history included benign hypertension, multiple myeloma, hyperlipidemia and rheumatoid arthritis.
164	1872334	LEUKNOT02	The library was constructed using RNA isolated from white blood cells of a 45-year-old female with blood type O+. The donor tested positive for cytomegalovirus (CMV).
165	1877230	LEUKNOT03	The library was constructed using RNA isolated from white blood cells of a 27-year-old female with blood type A+. The donor tested negative for cytomegalovirus (CMV).

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
166	1877885	LEUKNOT03	The library was constructed using RNA isolated from white blood cells of a 27-year-old female with blood type A+. The donor tested negative for cytomegalovirus (CMV).
167	1889269	BLADTUT07	The library was constructed using RNA isolated from bladder tumor tissue removed from the anterior bladder wall of a 58-year-old Caucasian male during a radical cystectomy, radical prostatectomy, and gastrectomy. Pathology indicated a grade 3 transitional cell carcinoma in the left lateral bladder. Patient history included angina and emphysema. Family history included acute myocardial infarction, atherosclerotic coronary artery disease, and type II diabetes.
168	1890243	BLADTUT07	The library was constructed using RNA isolated from bladder tumor tissue removed from the anterior bladder wall of a 58-year-old Caucasian male during a radical cystectomy, radical prostatectomy, and gastrectomy. Pathology indicated a grade 3 transitional cell carcinoma in the left lateral bladder. Patient history included angina and emphysema. Family history included acute myocardial infarction, atherosclerotic coronary artery disease, and type II diabetes.
169	1900433	BLADTUT06	The library was constructed using RNA isolated from bladder tumor tissue removed from the posterior bladder wall of a 58-year-old Caucasian male during a radical cystectomy, radical prostatectomy, and gastrectomy. Pathology indicated grade 3 transitional cell carcinoma in the left lateral bladder wall. Patient history included angina and emphysema. Family history included acute myocardial infarction, atherosclerotic coronary artery disease, and type II diabetes.
170	1909441	CONNTUT01	The library was constructed using RNA isolated from a soft tissue tumor removed from the clival area of the skull of a 30-year-old Caucasian female. Pathology indicated chondroid chordoma with neoplastic cells reactive for keratin.
171	1932226	COLNNOT16	The library was constructed using RNA isolated from sigmoid colon tissue removed from a 62-year-old Caucasian male during a sigmoidectomy and permanent colostomy.
172	1932647	COLNNOT16	The library was constructed using RNA isolated from sigmoid colon tissue removed from a 62-year-old Caucasian male during a sigmoidectomy and permanent colostomy.



TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
173	2124245	BRSTNOT07	The library was constructed using RNA isolated from diseased breast tissue removed from a 43-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated mildly proliferative fibrocystic changes with epithelial hyperplasia, papillomatosis, and duct ectasia. Pathology for the associated tumor tissue indicated invasive grade 4, nuclear grade 3 mammary adenocarcinoma with extensive comedo necrosis. Family history included epilepsy, atherosclerotic coronary artery disease, and type II diabetes.
174	2132626	OVARNOT03	The library was constructed using RNA isolated from ovarian tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology for the associated tumor tissue indicated grade 2 mucinous cystadenocarcinoma. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, cerebrovascular disease, breast cancer, and uterine cancer.
175	2280639	PROSNON01	The library was constructed and normalized from 4.4 million independent clones from the PROSNOT11 library. Starting RNA was made from prostate tissue removed from a 28-year-old Caucasian male who died from a gunshot wound. The normalization and hybridization conditions were adapted from Soares, M.B. et al. (1994) Proc. Natl. Acad. Sci. USA 91:9228-9232, using a longer (19 hour) reannealing hybridization period.
176	2292356	BRAINON01	The library was constructed and normalized from 4.88 million independent clones from the BRAINOT03 library. Starting RNA was made from brain tissue removed from a 26-year-old Caucasian male during cranioplasty and excision of a cerebral meningeal lesion. Pathology for the associated tumor tissue indicated a grade 4 oligoastrocytoma in the right fronto-parietal part of the brain.
177	2349310	COLSUCT01	The library was constructed using RNA isolated from diseased sigmoid colon tissue obtained from a 70-year-old Caucasian male during colectomy with permanent ileostomy. Pathology indicated chronic ulcerative colitis. Patient history included benign neoplasm of the colon. Family history included atherosclerotic coronary artery disease and myocardial infarctions.
178	2373227	ADRENOT07	The library was constructed using RNA isolated from adrenal tissue removed from a 61-year-old female during a bilateral adrenalectomy. Patient history included an unspecified disorder of the adrenal glands.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
179	2457682	ENDANOT01	The library was constructed using RNA isolated from aortic endothelial cell tissue from an explanted heart removed from a male during a heart transplant.
180	2480426	SMCANOT01	The library was constructed using RNA isolated from an aortic smooth muscle cell line derived from the explanted heart of a male during a heart transplant.
181	2503743	CONUTUT01	The library was constructed using RNA isolated from sigmoid mesentery tumor tissue obtained from a 61-year-old female during a total abdominal hysterectomy and bilateral salpingo-oophorectomy with regional lymph node excision. Pathology indicated a metastatic grade 4 malignant mixed müllerian tumor present in the sigmoid mesentery at two sites.
182	2537684	BONRTUT01	The library was constructed using RNA isolated from rib tumor tissue removed from a 16-year-old Caucasian male during a rib osteotomy and a wedge resection of the lung. Pathology indicated a metastatic grade 3 (of 4) osteosarcoma, forming a mass involving the chest wall.
183	2593853	OVRTUT02	The library was constructed using RNA isolated from ovarian tumor tissue removed from a 51-year-old Caucasian female during an exploratory laparotomy, total abdominal hysterectomy, salpingo-oophorectomy, and an incidental appendectomy. Pathology indicated mucinous cystadenoma presenting as a multiloculated neoplasm involving the entire left ovary. The right ovary contained a follicular cyst and a hemorrhagic corpus luteum. The uterus showed proliferative endometrium and a single intramural leiomyoma. The peritoneal biopsy indicated benign glandular inclusions consistent with endosalpingiosis. Family history included atherosclerotic coronary artery disease, benign hypertension, breast cancer, and uterine cancer.
184	2622354	KERANOT02	The library was constructed using RNA isolated from epidermal breast keratinocytes (NHEK). NHEK (Clontech #CC-2501) is a human breast keratinocyte cell line derived from a 30-year-old black female during breast-reduction surgery.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
185	2641377	LUNGTUT08	The library was constructed using RNA isolated from lung tumor tissue removed from a 63-year-old Caucasian male during a right upper lobectomy with fiberoptic bronchoscopy. Pathology indicated a grade 3 adenocarcinoma. Patient history included atherosclerotic coronary artery disease, an acute myocardial infarction, rectal cancer, an asymptomatic abdominal aortic aneurysm, and cardiac dysrhythmia. Family history included congestive heart failure, stomach cancer, and lung cancer, type II diabetes, atherosclerotic coronary artery disease, and an acute myocardial infarction.
186	2674857	KIDNNOT19	The library was constructed using RNA isolated from kidney tissue removed a 63-year-old Caucasian male during an exploratory laparotomy and nephroureterectomy. Pathology for the associated tumor tissue indicated a grade 1 renal cell carcinoma within the upper pole of the left kidney. Patient history included malignant melanoma of the abdominal skin, benign neoplasm of colon, cerebrovascular disease, and umbilical hernia. Family history included myocardial infarction, atherosclerotic coronary artery disease, cerebrovascular disease, prostate cancer, myocardial infarction, and atherosclerotic coronary artery disease.
187	2758485	THP1AZS08	The subtracted THP-1 promonocyte cell line library was constructed using 5.76 million clones from a 5-aza-2'-deoxycytidine (AZT) treated THP-1 cell library. Starting RNA was made from THP-1 promonocyte cells treated for three days with 0.8 micromolar AZT. The library was oligo(dT)-primed, and cDNAs were cloned directionally into the pSPORT1 vectoring system using SalI (5') and NotI (3'). The hybridization probe for subtraction was derived from a similarly constructed library, made from 1 microgram of polyA RNA isolated from untreated THP-1 cells. 5.76 million clones from the AZ-treated THP-1 cell library were then subjected to two rounds of subtractive hybridization with 5 million clones from the untreated THP-1 cell library. Subtractive hybridization conditions were based on the methodologies of Swaroop et al. (Nucl. Acids Res. (1991) 19:1954) and Bonaldo et al. (Genome Res (1996) 6: 791-806).
188	2763296	BRSTNOT12	The library was constructed using RNA isolated from diseased breast tissue removed from a 32-year-old Caucasian female during a bilateral reduction mastopasty. Pathology indicated nonproliferative fibrocystic disease. Family history included benign hypertension and atherosclerotic coronary artery disease.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
189	2779436	OVRTUT03	The library was constructed using RNA isolated from ovarian tumor tissue removed from the left ovary of a 52-year-old mixed ethnicity female during a total abdominal hysterectomy, bilateral salpingo-oophorectomy, peritoneal and lymphatic structure biopsy, regional lymph node excision, and peritoneal tissue destruction. Pathology indicated an invasive grade 3 (of 4) seroanaplastic carcinoma forming a mass in the left ovary. The endometrium was atrophic. Multiple (2) leiomyomata were identified, one subserosal and 1 intramural. Pathology also indicated a metastatic grade 3 seroanaplastic carcinoma involving the omentum, cul-de-sac peritoneum, left broad ligament peritoneum, and mesentery colon. Patient history included breast cancer, chronic peptic ulcer, and joint pain. Family history included colon cancer, cerebrovascular disease, breast cancer, type II diabetes, esophagus cancer, and depressive disorder.
190	2808528	BLADTUT08	The library was constructed using RNA isolated from bladder tumor tissue removed from a 72-year-old Caucasian male during a radical cystectomy and prostatectomy. Pathology indicated an invasive grade 3 (of 3) transitional cell carcinoma in the right bladder base. Family history included myocardial infarction, cerebrovascular disease, brain cancer, and myocardial infarction.
191	2809230	BLADTUT08	The library was constructed using RNA isolated from bladder tumor tissue removed from a 72-year-old Caucasian male during a radical cystectomy and prostatectomy. Pathology indicated an invasive grade 3 (of 3) transitional cell carcinoma in the right bladder base. Patient history included pure hypercholesterolemia and tobacco abuse. Family history included myocardial infarction, cerebrovascular disease, brain cancer, and myocardial infarction.
192	2816821	BRSTNOT14	The library was constructed using RNA isolated from breast tissue removed from a 62-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated an invasive grade 3 (of 4), nuclear grade 3 (of 3) adenocarcinoma, ductal type. Ductal carcinoma in situ, comedo type, comprised 60% of the tumor mass. Metastatic adenocarcinoma was identified in one (of 14) axillary lymph nodes with no perinodal extension. The tumor cells were strongly positive for estrogen receptors and weakly positive for progesterone receptors. Patient history included a benign colon neoplasm, hyperlipidemia, and cardiac dysrhythmia. Family history included atherosclerotic coronary artery disease, myocardial infarction, colon cancer, ovarian cancer, lung cancer, and cerebrovascular disease.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
193	2817268	BRSTNOT14	The library was constructed using RNA isolated from breast tissue removed from a 62-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated an invasive grade 3 (of 4), nuclear grade 3 (of 3) adenocarcinoma, ductal type. Ductal carcinoma in situ, comedo type, comprised 60% of the tumor mass. Metastatic adenocarcinoma was identified in one (of 14) axillary lymph nodes with no perinodal extension. The tumor cells were strongly positive for estrogen receptors and weakly positive for progesterone receptors. Patient history included a benign colon neoplasm, hyperlipidemia, and cardiac dysrhythmia. Family history included atherosclerotic coronary artery disease, myocardial infarction, colon cancer, ovarian cancer, lung cancer, and cerebrovascular disease.
194	2923165	SININOT04	The library was constructed using RNA isolated from diseased ileum tissue obtained from a 26-year-old Caucasian male during a partial colectomy, permanent colostomy, and an incidental appendectomy. Pathology indicated moderately to severely active Crohn's disease. Family history included enteritis of the small intestine.
195	2949822	KIDNFET01	The library was constructed using RNA isolated from kidney tissue removed from a Caucasian female fetus, who died at 17 weeks' gestation from anencephalus.
196	2992192	KIDNFET02	The library was constructed using RNA isolated from kidney tissue removed from a Caucasian male fetus, who was stillborn with a hypoplastic left heart and died at 23 weeks' gestation.
197	2992458	KIDNFET02	The library was constructed using RNA isolated from kidney tissue removed from a Caucasian male fetus, who was stillborn with a hypoplastic left heart and died at 23 weeks' gestation.
198	3044710	HEAANOT01	The library was constructed using RNA isolated from right coronary and right circumflex coronary artery tissue removed from the explanted heart of a 46-year-old Caucasian male during a heart transplantation. Patient history included myocardial infarction from total occlusion of the left anterior descending coronary artery, atherosclerotic coronary artery disease, hyperlipidemia, myocardial ischemia, dilated cardiomyopathy, and left ventricular dysfunction. Previous surgeries included cardiac catheterization. Family history included atherosclerotic coronary artery disease.



TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
199	3120415	LUNGTUT13	The library was constructed using RNA isolated from tumorous lung tissue removed from the right upper lobe of a 47-year-old Caucasian male during a segmental lung resection. Pathology indicated invasive grade 3 (of 4) adenocarcinoma. Family history included atherosclerotic coronary artery disease, and type II diabetes.
200	126758	LUNGNOT01	The library was constructed at Stratagene using RNA isolated from the lung tissue of a 72-year-old male.
201	674760	CRBLNOT01	The library was constructed using RNA isolated from the cerebellum tissue of a 69-year-old Caucasian male who died from chronic obstructive pulmonary disease. Patient history included myocardial infarction, hypertension, and osteoarthritis.
202	1229438	BRAITUT01	The library was constructed using RNA isolated from brain tumor tissue removed from a 50-year-old Caucasian female during a frontal lobectomy. Pathology indicated recurrent grade 3 oligoastrocytoma with focal necrosis and extensive calcification. Patient history included a speech disturbance and epilepsy. The patient's brain had also been irradiated with a total dose of 5,082 cGy (Fraction 8). Family history included a brain tumor.
203	1236935	LUNGFET03	The library was constructed using RNA isolated from lung tissue removed from a Caucasian female fetus who died at 20 weeks' gestation.
204	1359283	LUNGNOT12	The library was constructed using RNA isolated from lung tissue removed from a 78-year-old Caucasian male during a segmental lung resection and regional lymph node resection. Pathology indicated fibrosis pleura was puckered, but not invaded. Pathology for the associated tumor tissue indicated an invasive pulmonary grade 3 adenocarcinoma. Patient history included cerebrovascular disease, arteriosclerotic coronary artery disease, thrombophlebitis, chronic obstructive pulmonary disease, and asthma. Family history included intracranial hematoma, cerebrovascular disease, arteriosclerotic coronary artery disease, and type I diabetes.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
205	1450703	PENITUT01	The library was constructed using RNA isolated from tumor tissue removed from the penis of a 64-year-old Caucasian male during penile amputation. Pathology indicated a fungating invasive grade 4 squamous cell carcinoma involving the inner wall of the foreskin and extending onto the glans penis. Patient history included benign neoplasm of the large bowel, atherosclerotic coronary artery disease, angina pectoris, gout, and obesity. Family history included malignant pharyngeal neoplasm, chronic lymphocytic leukemia, and chronic liver disease.
206	1910668	CONNTUT01	The library was constructed using RNA isolated from a soft tissue tumor removed from the clival area of the skull of a 30-year-old Caucasian female. Pathology indicated chondroid chordoma with neoplastic cells reactive for keratin.
207	1955143	CONNNOT01	The library was constructed using RNA isolated from mesentery fat tissue obtained from a 71-year-old Caucasian male during a partial colectomy and permanent colostomy. Family history included atherosclerotic coronary artery disease, myocardial infarction, and extrinsic asthma.
208	1961637	BRSTNOT04	The library was constructed using RNA isolated from breast tissue removed from a 62-year-old East Indian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated an invasive grade 3 ductal carcinoma. Patient history included benign hypertension, hyperlipidemia, and hematuria. Family history included cerebrovascular and cardiovascular disease, hyperlipidemia, and liver cancer.
209	1990762	CORPNOT02	The library was constructed using RNA isolated from diseased corpus callosum tissue removed from the brain of a 74-year-old Caucasian male who died from Alzheimer's disease.
210	1994131	CORPNOT02	The library was constructed using RNA isolated from diseased corpus callosum tissue removed from the brain of a 74-year-old Caucasian male who died from Alzheimer's disease.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
211	1997745	BRSTTUT03	The library was constructed using RNA isolated from breast tumor tissue removed from a 58-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated multicentric invasive grade 4 lobular carcinoma. The mass was identified in the upper outer quadrant, and three separate nodules were found in the lower outer quadrant of the left breast. Patient history included skin cancer, rheumatic heart disease, osteoarthritis, and tuberculosis. Family history included cerebrovascular disease, coronary artery aneurysm, breast cancer, prostate cancer, atherosclerotic coronary artery disease, and type I diabetes.
212	2009035	TESTNOT03	The library was constructed using polyA RNA isolated from testicular tissue removed from a 37-year-old Caucasian male who died from liver disease. Patient history included cirrhosis, jaundice, and liver failure.
213	2009152	TESTNOT03	The library was constructed using polyA RNA isolated from testicular tissue removed from a 37-year-old Caucasian male who died from liver disease. Patient history included cirrhosis, jaundice, and liver failure.
214	2061752	OVARNOT03	The library was constructed using RNA isolated from ovarian tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology for the associated tumor tissue indicated grade 2 mucinous cystadenocarcinoma. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, stress reaction, cerebrovascular disease, breast cancer, and uterine cancer.
215	2061933	OVARNOT03	The library was constructed using RNA isolated from ovarian tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology for the associated tumor tissue indicated grade 2 mucinous cystadenocarcinoma. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, stress reaction, cerebrovascular disease, breast cancer, and uterine cancer.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
216	2081422	UTRSNOT08	The library was constructed using RNA isolated from uterine tissue removed from a 35-year-old Caucasian female during a vaginal hysterectomy with dilation and curettage. Pathology indicated that the endometrium was secretory phase with a benign endometrial polyp 1 cm in diameter. The cervix showed mild chronic cervicitis. Family history included atherosclerotic coronary artery disease and type II diabetes.
217	2101278	BRAITUT02	The library was constructed using RNA isolated from brain tumor tissue removed from the frontal lobe of a 58-year-old Caucasian male during excision of a cerebral meningeal lesion. Pathology indicated a grade 2 metastatic hypernephroma. Patient history included a grade 2 renal cell carcinoma, insomnia, and chronic airway obstruction. Family history included a malignant neoplasm of the kidney.
218	2121353	BRSTNOT07	The library was constructed using RNA isolated from diseased breast tissue removed from a 43-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology indicated mildly proliferative fibrocystic changes with epithelial hyperplasia, papillomatosis, and duct ectasia. Pathology for the associated tumor tissue indicated invasive grade 4, nuclear grade 3 mammary adenocarcinoma with extensive comedo necrosis. Family history included epilepsy, cardiovascular disease, and type II diabetes.
219	2241736	PANCTUT02	The library was constructed using RNA isolated from pancreatic tumor tissue removed from a 45-year-old Caucasian female during radical pancreaticoduodenectomy. Pathology indicated a grade 4 anaplastic carcinoma. Family history included benign hypertension, hyperlipidemia and atherosclerotic coronary artery disease.
220	2271935	PROSNON01	This normalized prostate library was constructed from 4.4 M independent clones from the PROSNOT11 library. Starting RNA was made from prostate tissue removed from a 28-year-old Caucasian male who died from a self-inflicted gunshot wound. The normalization and hybridization conditions were adapted from Soares, M.B. et al. (1994) Proc. Natl. Acad. Sci. USA 91:9228-9232, using a longer (19 hour) reannealing hybridization period.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
221	2295344	BRSTNOT05	The library was constructed using RNA isolated from breast tissue removed from a 58-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated multicentric invasive grade 4 lobular carcinoma. Patient history included skin cancer, rheumatic heart disease, osteoarthritis, and tuberculosis. Family history included cerebrovascular and cardiovascular disease, breast and prostate cancer, and type I diabetes.
222	2303994	BRSTNOT05	The library was constructed using RNA isolated from breast tissue removed from a 58-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated multicentric invasive grade 4 lobular carcinoma. Patient history included skin cancer, rheumatic heart disease, osteoarthritis, and tuberculosis. Family history included cerebrovascular and cardiovascular disease, breast and prostate cancer, and type I diabetes.
223	2497805	ADRETUT05	The library was constructed RNA isolated from adrenal tumor tissue removed from a 52-year-old Caucasian female during a unilateral adrenalectomy. Pathology indicated a pheochromocytoma.
224	2646362	LUNGTUT11	The library was constructed using RNA isolated from lung tumor tissue removed from the right lower lobe a 57-year-old Caucasian male during a segmental lung resection. Pathology indicated an infiltrating grade 4 squamous cell carcinoma. Multiple intrapulmonary peribronchial lymph nodes showed metastatic squamous cell carcinoma. Patient history included a benign brain neoplasm and tobacco abuse. Family history included spinal cord cancer, type II diabetes, cerebrovascular disease, and malignant prostate neoplasm.
225	2657146	LUNGTUT09	The library was constructed using RNA isolated from lung tumor tissue removed from a 68-year-old Caucasian male during segmental lung resection. Pathology indicated invasive grade 3 squamous cell carcinoma and a metastatic tumor. Patient history included type II diabetes, thyroid disorder, depressive disorder, hyperlipidemia, esophageal ulcer, and tobacco use.



TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
226	2755786	THPIAZS08	This subtracted THP-1 promonocyte cell line library was constructed using 5.76 million clones from a 5-aza-2'-deoxycytidine (AZ) treated THP-1 cell library. Starting RNA was made from THP-1 promonocyte cells treated for three days with 0.8 micromolar AZ. The hybridization probe for subtraction was derived from a similarly constructed library, made from RNA isolated from untreated THP-1 cells. 5.76 million clones from the AZ-treated THP-1 cell library were then subjected to two rounds of subtractive hybridization with 5 million clones from the untreated THP-1 cell library. Subtractive hybridization conditions were based on the methodologies of Swaroop et al., NAR (1991) 19:1954, and Bonaldo et al., Genome Research (1996) 6:791. THP-1 (ATCC TIB 202) is a human promonocyte line derived from peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.
227	2831245	TYMNOT03	The library was constructed using RNA isolated from nonactivated Th1 cells. These cells were differentiated from umbilical cord CD4 T cells with IL-12 and B7-transfected COS cells.
228	3116250	LUNGTUT13	The library was constructed using RNA isolated from tumorous lung tissue removed from the right upper lobe of a 47-year-old Caucasian male during a segmental lung resection. Pathology indicated invasive grade 3 (of 4) adenocarcinoma. Family history included atherosclerotic coronary artery disease, and type II diabetes.
229	3129630	LUNGTUT12	The library was constructed using RNA isolated from tumorous lung tissue removed from a 70-year-old Caucasian female during a lung lobectomy of the left upper lobe. Pathology indicated grade 3 (of 4) adenocarcinoma and vascular invasion. Patient history included tobacco abuse, depressive disorder, anxiety state, and skin cancer. Family history included cerebrovascular disease, congestive heart failure, colon cancer, depressive disorder, and primary liver.
230	007632	HMCINOT01	The library was constructed using RNA isolated from the HMC-1 human mast cell line derived from a 52-year-old female. Patient history included mast cell leukemia.
231	1236968	LUNGFET03	The library was constructed using RNA isolated from lung tissue removed from a Caucasian female fetus who died at 20 weeks' gestation.
232	1334153	COLNNOT13	The library was constructed using RNA isolated from ascending colon tissue of a 28-year-old Caucasian male with moderate chronic ulcerative colitis.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
233	1396975	BRAITUT08	The library was constructed using RNA isolated from brain tumor tissue removed from the left frontal lobe of a 47-year-old Caucasian male during excision of cerebral meningeal tissue. Pathology indicated grade 4 fibrillary astrocytoma with focal tumoral radionecrosis. Patient history included cerebrovascular disease, deficiency anemia, hyperlipidemia, epilepsy, and tobacco use. Family history included cerebrovascular disease and malignant prostate neoplasm.
234	1501749	SINTBST01	The library was constructed using RNA isolated from ileum tissue removed from an 18-year-old Caucasian female during bowel anastomosis. Pathology indicated Crohn's disease of the ileum. Family history included cerebrovascular disease and atherosclerotic coronary artery disease.
235	1575240	LNODNOT03	The library was constructed using RNA isolated from lymph node tissue removed from a 67-year-old Caucasian male during a segmental lung resection and bronchoscopy. This tissue was extensively necrotic with 10% viable tumor. Pathology for the associated tumor tissue indicated invasive grade 3-4 squamous cell carcinoma. Patient history included hemangioma. Family history included atherosclerotic coronary artery disease, benign hypertension, and congestive heart failure.
236	1647884	PROSTUT09	The library was constructed using RNA isolated from prostate tumor tissue removed from a 66-year-old Caucasian male during a radical prostatectomy, radical cystectomy, and urinary diversion. Pathology indicated grade 3 transitional cell carcinoma. Patient history included lung neoplasm, and benign hypertension. Family history included malignant breast neoplasm, tuberculosis, cerebrovascular disease, atherosclerotic coronary artery disease, and lung cancer.
237	1661144	BRSTNOT09	The library was constructed using RNA isolated from breast tissue removed from a 45-year-old Caucasian female during unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated invasive nuclear grade 2-3 adenocarcinoma. Patient history included valvuloplasty of mitral valve and rheumatic heart disease. Family history included cardiovascular disease and type II diabetes.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
238	1685409	PROSNOT15	The library was constructed using RNA isolated from diseased prostate tissue removed from a 66-year-old Caucasian male during radical prostatectomy and regional lymph node excision. Pathology indicated adenofibromatous hyperplasia. Pathology for the associated tumor tissue indicated adenocarcinoma (Gleason grade 2+3). The patient presented with elevated prostate specific antigen (PSA). Family history included prostate cancer, secondary bone cancer, and benign hypertension.
239	1731419	BRSTTUT08	The library was constructed using RNA isolated from breast tumor tissue removed from a 45-year-old Caucasian female during unilateral extended simple mastectomy. Pathology indicated invasive nuclear grade 2-3 adenocarcinoma. Patient history included valvuloplasty of mitral valve and rheumatic heart disease. Family history included cardiovascular disease and type II diabetes.
240	2650265	BRSTNOT14	The library was constructed using RNA isolated from breast tissue removed from a 62-year-old Caucasian female during a unilateral extended simple mastectomy. Pathology for the associated tumor tissue indicated an invasive grade 3 (of 4), nuclear grade 3 (of 3) adenocarcinoma. Patient history included a benign colon neoplasm, hyperlipidemia, cardiac dysrhythmia, and obesity. Family history included cardiovascular and cerebrovascular disease and colon, ovary and lung cancer.
241	2677129	KIDNNOT19	The library was constructed using RNA isolated from kidney tissue removed a 65-year-old Caucasian male during an exploratory laparotomy and nephroureterectomy. Pathology for the associated tumor tissue indicated grade 1 renal cell carcinoma within the upper pole of the left kidney. Patient history included malignant melanoma of the abdominal skin, benign neoplasm of colon, cerebrovascular disease, and umbilical hernia. Family history included myocardial infarction, atherosclerotic coronary artery disease, cerebrovascular disease, and prostate cancer.
242	3151073	ADRENON04	The normalized adrenal gland library was constructed from $1.36 \times 10^6$ independent clones from an adrenal tissue library. Starting RNA was made from adrenal gland tissue removed from a 20-year-old Caucasian male who died from head trauma. The library was normalized in two rounds using conditions adapted from Soares et al. (PNAS (1994) 91:9228-9232) and Bonaldo et al. (Genome Res (1996) 6: 791-806) using a significantly longer (48-hours/round) reannealing hybridization period.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
243	3170095	BRSTNOT18	The library was constructed using RNA isolated from diseased breast tissue removed from a 57-year-old Caucasian female during a unilateral simple extended mastectomy. Pathology indicated mildly proliferative breast disease. Patient history included breast cancer and osteoarthritis. Family history included type II diabetes, gallbladder and breast cancer, and chronic lymphocytic leukemia.
244	3475168	LUNGNOT27	The library was constructed using RNA isolated from lung tissue removed from a 17-year-old Hispanic female.
245	3836893	DENDTNT01	The library was constructed using RNA isolated from treated dendritic cells from peripheral blood.
246	4072159	KIDNNOT26	The library was constructed using RNA isolated from left kidney medulla and cortex tissue removed from a 53-year-old Caucasian female during a nephroureterectomy. Pathology for the associated tumor tissue indicated grade 2 renal cell carcinoma involving the lower pole of the kidney. Patient history included hyperlipidemia, cardiac dysrhythmia, menorrhagia, cerebrovascular disease, atherosclerotic coronary artery disease, and tobacco abuse. Family history included cerebrovascular disease and atherosclerotic coronary artery disease.
247	1003916	BRSTNOT03	The library was constructed using RNA isolated from diseased breast tissue removed from a 54-year-old Caucasian female during a bilateral radical mastectomy. Pathology for the associated tumor tissue indicated residual invasive grade 3 mammary ductal adenocarcinoma. Patient history included kidney infection and condyloma acuminatum. Family history included benign hypertension, hyperlipidemia and a malignant neoplasm of the colon.
248	2093492	PANCN0T04	The library was constructed using RNA isolated from the pancreatic tissue of a 5-year-old Caucasian male who died in a motor vehicle accident.
249	2108789	BRAITUT03	The library was constructed using RNA isolated from brain tumor tissue removed from the left frontal lobe of a 17-year-old Caucasian female during excision of a cerebral meningeal lesion. Pathology indicated a grade 4 fibrillary giant and small-cell astrocytoma. Family history included benign hypertension and cerebrovascular disease.
250	2171401	ENDCN0T03	The library was constructed using RNA isolated from dermal microvascular endothelial cells removed from a neonatal Caucasian male.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
251	2212530	SINTFET03	The library was constructed using RNA isolated from small intestine tissue removed from a Caucasian female fetus, who died at 20 weeks' gestation.
252	2253036	OVARTUT01	The library was constructed using RNA isolated from ovarian tumor tissue removed from a 43-year-old Caucasian female during removal of the fallopian tubes and ovaries. Pathology indicated grade 2 mucinous cystadenocarcinoma involving the entire left ovary. Patient history included mitral valve disorder, pneumonia, and viral hepatitis. Family history included atherosclerotic coronary artery disease, pancreatic cancer, stress reaction, cerebrovascular disease, breast cancer, and uterine cancer.
253	2280161	PROSNON01	The normalized prostate library was constructed from 4.4 M independent clones from the PROSNOT11 library. Starting RNA was made from prostate tissue removed from a 28-year-old Caucasian male who died from a self-inflicted gunshot wound. The normalization and hybridization conditions were adapted from Soares, M.B. et al. (1994) Proc. Natl. Acad. Sci. USA 91:9228-9232, using a longer (19 hour) reannealing hybridization period.
254	2287485	BRAINON01	The library was constructed and normalized from 4.88 million independent clones from the BRAINOT03 library. RNA was made from brain tissue removed from a 26-year-old Caucasian male during cranioplasty and excision of a cerebral meningeal lesion. Pathology for the associated tumor tissue indicated a grade 4 oligoastrocytoma in the right fronto-parietal part of the brain.
255	2380344	ISLTNOT01	The library was constructed using RNA isolated from a pooled collection of pancreatic islet cells.
256	2383171	ISLTNOT01	The library was constructed using RNA isolated from a pooled collection of pancreatic islet cells.
257	2396046	THP1AZT01	The library was constructed using RNA isolated from THP-1 promonocyte cells treated for three days with 0.8 micromolar 5-aza-2'-deoxycytidine. THP-1 (ATCC TIB 202) is a human promonocyte line derived from peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.
258	2456587	ENDANOT01	The library was constructed using RNA isolated from aortic endothelial cell tissue from an explanted heart removed from a male during a heart transplant.



TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
259	2484813	BONRTUT01	The library was constructed using RNA isolated from rib tumor tissue removed from a 16-year-old Caucasian male during a rib osteotomy and a wedge resection of the lung. Pathology indicated a metastatic grade 3 (of 4) osteosarcoma, forming a mass involving the chest wall.
260	2493851	ADRETUT05	The library was constructed RNA isolated from adrenal tumor tissue removed from a 52-year-old Caucasian female during a unilateral adrenalectomy. Pathology indicated a pheochromocytoma.
261	2495719	ADRETUT05	The library was constructed RNA isolated from adrenal tumor tissue removed from a 52-year-old Caucasian female during a unilateral adrenalectomy. Pathology indicated a pheochromocytoma.
262	2614153	GBLANOT01	The library was constructed using RNA isolated from diseased gallbladder tissue removed from a 53-year-old Caucasian female during a cholecystectomy. Pathology indicated mild chronic cholecystitis and cholelithiasis with approximately 150 mixed gallstones. Family history included benign hypertension.
263	2655184	THYMNOT04	The library was constructed using RNA isolated from thymus tissue removed from a 3-year-old Caucasian male, who died from anoxia. Serologies were negative. The patient was not taking any medications.
264	2848362	BRSTTUT13	The library was constructed using RNA isolated from breast tumor tissue removed from the right breast of a 46-year-old Caucasian female during a unilateral extended simple mastectomy with breast reconstruction. Pathology indicated an invasive grade 3 adenocarcinoma, ductal type with apocrine features and greater than 50% intraductal component. Patient history included breast cancer.
265	2849906	BRSTTUT13	The library was constructed using RNA isolated from breast tumor tissue removed from the right breast of a 46-year-old Caucasian female during a unilateral extended simple mastectomy with breast reconstruction. Pathology indicated an invasive grade 3 adenocarcinoma, ductal type with apocrine features and greater than 50% intraductal component. Patient history included breast cancer.

TABLE 4 (cont.)

Polynucleotide SEQ ID NO:	Clone ID	Library	Library Description
266	2899137	DRGCNOT01	The library was constructed using RNA isolated from dorsal root ganglion tissue removed from the cervical spine of a 32-year-old Caucasian male who died from acute pulmonary edema and bronchopneumonia, bilateral pleural and pericardial effusions, and malignant lymphoma (natural killer cell type). Patient history included probable cytomegalovirus, infection, hepatic congestion and steatosis, splenomegaly, hemorrhagic cystitis, thyroid hemorrhage, and Bell's palsy. Surgeries included colonoscopy, large intestine biopsy, adenotonsillectomy, and nasopharyngeal endoscopy and biopsy; treatment included radiation therapy.
267	2986229	CARGDIT01	The library was constructed using RNA isolated from diseased cartilage tissue. Patient history included osteoarthritis.
268	3222081	COLNNON03	The normalized colon library was constructed from $2.84 \times 10^6$ independent clones from the COLNNOT07 library. Starting RNA was made from colon tissue removed from a 60-year-old Caucasian male during a left hemicolectomy. The normalization and hybridization conditions were adapted from Soares et al. (PNAS (1994) 91:9228-9232), Swaroop et al. (Nucl. Acids Res. (1991) 19:1954) and Bonaldo et al. (Genome Res (1996) 6: 791-806), using a significantly longer (48 hour) reannealing hybridization period.

Table 5

Program	Description	Reference	Parameter Threshold
ABI FACTURA	A program that removes vector sequences and masks ambiguous bases in nucleic acid sequences.	Perkin-Elmer Applied Biosystems, Foster City, CA.	
ABI/PARACEL FDF	A Fast Data Finder useful in comparing and annotating amino acid or nucleic acid sequences.	Perkin-Elmer Applied Biosystems, Foster City, CA; Paracel Inc., Pasadena, CA.	Mismatch <50%
ABI AutoAssembler	A program that assembles nucleic acid sequences.	Perkin-Elmer Applied Biosystems, Foster City, CA.	
BLAST	A Basic Local Alignment Search Tool useful in sequence similarity search for amino acid and nucleic acid sequences. BLAST includes five functions: blastp, blastn, blastx, tblastn, and tblastx.	Altschul, S.F. et al. (1990) J. Mol. Biol. 215:403-410; Altschul, S.F. et al. (1997) Nucleic Acids Res. 25: 3389-3402.	ESTs: Probability value= 1.0E-8 or less Full Length sequences: Probability value= 1.0E-10 or less
FASTA	A Pearson and Lipman algorithm that searches for similarity between a query sequence and a group of sequences of the same type. FASTA comprises at least five functions: fasta, tfasta, fastx, tfastx, and ssearch.	Pearson, W.R. and D.J. Lipman (1988) Proc. Natl. Acad. Sci. 85:2444-2448; Pearson, W.R. (1990) Methods Enzymol. 183: 63-98; and Smith, T.F. and M. S. Waterman (1981) Adv. Appl. Math. 2:482-489.	ESTs: fasta E value= 1.06E-6 Assembled ESTs: fasta Identity= 95% or greater and Match length=200 bases or greater; fastx E value= 1.0E-8 or less Full Length sequences: fastx score=100 or greater
BLIMPS	A BLocks IMProved Searcher that matches a sequence against those in BLOCKS and PRINTS databases to search for gene families, sequence homology, and structural fingerprint regions.	Henikoff, S and J.G. Henikoff, Nucl. Acid Res. 19:6565-72, 1991. J.G. Henikoff and S. Henikoff (1996) Methods Enzymol. 266:88-105; and Attwood, T.K. et al. (1997) J. Chem. Inf. Comput. Sci. 37: 417-424.	Score=1000 or greater; Ratio of Score/Strength = 0.75 or larger; and Probability value= 1.0E-3 or less
PFAM	A Hidden Markov Models-based application useful for protein family search.	Krogh, A. et al. (1994) J. Mol. Biol., 235:1501-1531; Sonnhammer, E.L.L. et al. (1988) Nucleic Acids Res. 26:320-322.	Score=10-50 bits, depending on individual protein families

Table 5 (cont.)

Program	Description	Reference	Parameter Threshold
ProfileScan	An algorithm that searches for structural and sequence motifs in protein sequences that match sequence patterns defined in Prosite.	Gribskov, M. et al. (1988) CABIOS 4:61-66; Gribskov, et al. (1989) Methods Enzymol. 183:146-159; Bairoch, A. et al. (1997) Nucleic Acids Res. 25: 217-221.	Score= 4.0 or greater
Phred	A base-calling algorithm that examines automated sequencer traces with high sensitivity and probability.	Ewing, B. et al. (1998) Genome Res. 8:175-185; Ewing, B. and P. Green (1998) Genome Res. 8:186-194.	
Phrap	A Phils Revised Assembly Program including SWAT and CrossMatch, programs based on efficient implementation of the Smith-Waterman algorithm, useful in searching sequence homology and assembling DNA sequences.	Smith, T.F. and M. S. Waterman (1981) Adv. Appl. Math. 2:482-489; Smith, T.F. and M. S. Waterman (1981) J. Mol. Biol. 147:195-197; and Green, P., University of Washington, Seattle, WA.	Score= 120 or greater; Match length= 56 or greater
Consed	A graphical tool for viewing and editing Phrap assemblies	Gordon, D. et al. (1998) Genome Res. 8:195-202.	
SPScan	A weight matrix analysis program that scans protein sequences for the presence of secretory signal peptides.	Nielson, H. et al. (1997) Protein Engineering 10:1-6; Claverie, J.M. and S. Audic (1997) CABIOS 12: 431-439.	Score=5 or greater
Motifs	A program that searches amino acid sequences for patterns that matched those defined in Prosite.	Bairoch et al. <i>supra</i> ; Wisconsin Package Program Manual, version 9, page M51-59, Genetics Computer Group, Madison, WI.	

TABLE 6

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
135	443531	443531H1	1	253
		1406807F6	152	336
		443531T6	847	355
		SBBA00451F1	396	856
		SBBA00676F1	546	865
136	632860	632860H1	13	253
		784715R3	17	666
		509590H1	455	706
137	670010	670010H1	1	263
		669971R1	1	633
138	726498	726498H1	13	263
		726498R6	13	489
		866599R3	7	660
		795064H1	86	323
139	795064	4339458H1	4	284
		937605R3	86	505
		2381151F6	592	1057
		1466346F6	857	1241
		924925H1	111	412
140	924925	3268330H1	2	239
		759120R3	111	629
		1907958F6	1	478
141	962390	023569F1	1122	470
		167282F1	1216	543
		1309211F1	911	1224



TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
142	1259405	1259405HI	46	277
		247242SHI	331	354
		774303RI	190	743
		1520779FI	418	1001
		1693833F6	914	1467
143	1297384	1831858T6.comp	1336	1742
		1527737T6.comp	1386	1829
		1297384HI	402	641
		1269310F6	1	492
		1457367FI	792	1380
144	1299627	415587RI	1358	1712
		SANA02967FI	1143	614
		1299627HI	1	250
		1359140F6	1004	1573
		1349224FI	1330	1731
145	1306026	SBAA01431FI	46	397
		SBAA02909FI	868	262
		SBAA01156FI	901	1266
		1306026HI	1	223
		1464088R6	302	829
146	1316219	SBAA02496FI	92	568
		SBAA04305FI	366	883
		1316219HI	246	491
		2458603F6	1	402
		2504756T6	980	380
147	1329031	1329031HI	1	264
		1329031T6	505	1
		1329031F6	1	523

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
148	1483050	1483050HI	722	931
		855049HI	1	267
		077017FI	1069	679
		1483050F6	722	1215
		1480024T6	2063	1315
		1483050T6	2068	1535
149	1514160	759486RI	1762	2089
		1514160HI	1640	1838
		1866765T7	2383	2210
		782676RI	1652	1875
		008055X4	1090	1804
		008055X5	1316	1952
150	1603403	1866765F6	2209	2391
		SAOA03127FI	2129	1703
		1603403HI	7	224
		372910FI	420	44
		733299R7	219	420
		1652303HI	4	256
151	1652303	1671806HI	1	224
		1341743TI	2069	1900
		3803812HI	389	697
		1878546F6	747	1344
		1428640FI	1081	1664
		2058609R6	1715	2098
		1331621FI	1780	2096
		1306331TI	1897	2098

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
152	1693358	1693358H1	41	125
		2498265H1	1	252
		1867125F6	205	373
		1693358T6	1094	416
		2245848R6	737	1103
153	1707711	1707711H1	408	626
		1484609T1	2165	1855
		1707711F6	408	987
		1267959F1	1721	2182
		1484609F1	1855	2178
		SAJA00930F1	544	1132
		SAJA01300R1	1675	1212
		SAJA00999R1	1675	1142
154	1738735	1738735H1	7	236
		SAJA00944R1	393	5
		SAJA00137F1	913	685
		SAJA03629F1	435	42
155	1749147	1749147H1	1	276
155		1749147F6	47	457
155		1749147T6	479	1
156	1817722	1817722H1	1	268
		2011085H1	344	545
157	1831290	1831290H1	10	257
		3473958H1	70	242
		1972268F6	163	617
		1301277F1	413	852
		1521574F1	1024	1602
		1561690T6	1729	1058
		891461R1	1261	1738

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
158	1831477	1831477HI	59	337
		1582867HI	1	199
		1336769T1	1986	1639
		1933092HI	525	789
		1519909F1	841	1296
		1220946HI	1061	1318
		809556T1	1983	1687
159	1841607	1217559T1	2002	1445
		1309225F1	1747	2001
		1841607HI	13	192
		SBHA03588F1	13	172
		1852391HI	98	367
		734140HI	1	225
		1852391F6	98	542
161	1854555	1854555HI	1	265
		2511711HI	37	58
		782453R1	223	712
		1854555F6	1	346
		1840675T6	1046	860
		2109736HI	938	1054
		1855755HI	17	224
162	1855755	3040236HI	1	179
		1283207F1	306	816
		833763T1	1148	835
		1920926R6	854	1161
		1861434HI	13	253
		1861434T6	872	261
		SARA01525F1	426	808
163	1861434	SARA02548F1	587	889

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
164	1872334	1872334H1	1	229
		1872334F6	1	424
		SBG A03684F1	358	425
165	1877230	1877230H1	1405	1677
		2519841H1	1	251
		1877230T6	1903	1405
		1254693F1	335	716
		077020R1	682	1414
		1232336F1	906	1507
		1004952R6	1451	1904
		SARA01879F1	1545	1921
		SARA02654F1	1545	1923
166	1877885	1877885H1	68	323
		508020F1	499	51
		2751126R6	219	516
		SARA02571F1	407	499
167	1889269	1889269H1	757	1020
		1915551H1	1	191
		629493X12	481	865
		1441289F1	693	865
		1215274X34F1	1106	1631
		1818447F6	1307	1540
		1208463R1	1372	1493
168	1890243	1890243H1	9	268
		SARA01884F1	521	168
		SATA00046F1	1057	851
		SARA03294F1	1329	910
		SARA02790F1	1138	1535



TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
169	1900433	1900433HI SATA00396FI SATA02742FI	1 409 1	242 124 294
170	1909441	1909441HI 1398811FI 3039939HI 3324740HI 1442131F6 2254056HI 2199453T6 1698531HI	786 1 607 685 787 1423 1955 1968	1048 550 876 944 1232 1522 1351 1796
171	1932226	1932226HI 2320569HI 1932226F6 2469455T6 2469455F6 1907140F6 SATA02592FI	294 1 294 1475 1034 1158 857	510 266 685 1071 1492 1482 518
172	1932647	1932647HI 1492745T1 1492745HI SASA02355FI SASA00117FI SASA00192FI	17 1582 1418 386 250 515	246 1418 1599 19 569 816
173	2124245	2124245HI 1235393FI 1402264F6 1303990FI 1402264T6	45 495 323 682 1613	190 895 925 1240 950

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
174	2132626	2132626H1	406	651
		1723432T6	1299	746
		2132626R6	406	904
		1736723T6	1292	857
		1504738F1	868	1320
175	2280639	2280639H1	28	303
		1377560F6	261	777
176	2292356	2292356H1	717	968
		4086827H1	1	275
		1754442F6	232	577
		3571126H1	497	808
		1601305F6	808	1464
177	2349310	2349310H1	1	236
		2349310T6	682	2
178	2373227	2373227H1	298	524
		3316444H1	801	1053
		302685R6	1141	1496
		SASA02181F1	577	1
		SASA01923F1	963	466
		SASA03516F1	1102	1249
179	2457682	2457682H1	1	226
		2457682F6	1	554
180	2480426	2480426H1	1	213
		2480426F6	1	501

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
181	2503743	2503743H1	6	222
		1853909H1	1	272
		1517619F1	172	830
		1467896F6	540	1112
		490031F1	1647	1068
182	2537684	1208654R1	1382	1633
		880544R1	1450	1648
		2537684H1	434	682
		2005493H1	1	194
		730969H1	307	547
183	2593853	916487H1	723	989
		996135R1	997	1598
		1920738R6	1306	1692
		1957710F6	1472	1692
		2593853H1	1	252
184	2622354	807497H1	2	217
		914020R6	284	740
		889992R1	416	729
		2622354H1	3	266
		2623992H1	1	246
185	2641377	1556510F6	81	258
		2641377H1	126	369
		434141SH2	10	345
		SBCA07049F3	126	599

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
186	2674857	2674857H1	139	393
		1872373H1	1	270
		470512R6	1486	1502
		1728547H1	1285	1508
		3013651F6	1423	1987
		SBCA01366F1	819	385
187	2758485	SBCA00694F1	973	1198
		2758485H1	20	267
		3097533H1	1	158
		1578959F6	291	771
		2763296H1	63	301
		3486025F6	1	130
188	2763296	SBDA07002F3	63	687
189	2779436	2779436H1	1	233
		2779436F6	1	577
		SBDA07009F3	1	608
190	2808528	2808528H1	25	335
		2611513F6	2	489
		SBDA07021T3	1058	443
191	2809230	2809230H1	409	630
		2213849H1	1	133
		711706R6	396	691
		958323R1	407	800
		030732F1	1366	623
192	2816821	2816821H1	210	501
		3746964H1	1	307
		2816821F6	210	682
		948722T6	959	527

TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
193	2817268	2817268H1	42	282
		3591308H1	13	264
		419522R1	179	808
		2073028F6	446	924
		1308781F6	869	1112
194	2923165	2923165H1	8	295
		2011630H1	18	238
		1457250F1	268	856
		754668R1	327	878
		1406510F6	558	901
195	2949822	2949822H1	1	280
		SBDA07078F3	1	606
196	2992192	2992192H1	25	321
		2534324H2	1	240
		2815255T6	690	219
		1551107T6	893	471
		1551107R6	471	690
197	2992458	2992458H1	48	362
		2618951H1	1	247
		1479252F1	163	610
		1879054H1	563	840
		1879054F6	563	1096
		2215240H1	951	1202
		1535968T1	1729	1173



TABLE 6 (cont.)

Nucleotide SEQ ID NO:	Clone ID	Fragment of SEQ ID NO	Starting Nucleotide of Fragment	Ending Nucleotide of Fragment
198	3044710	3044710HI	652	952
		3741773HI	1	283
		859906X42CI	94	192
		1534347F1	90	268
		1421122F1	830	1392
		1303865F1	1033	1487
		1704452F6	1432	1934
		1251642F1	2006	1544
		1781694R6	1894	2017
		3120415HI	72	363
199	3120415	1360123T1	523	141
		1375015HI	380	526

What is claimed is:

1. A substantially purified polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, SEQ ID NO:121, SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134 (SEQ ID NO:1-134), and fragments thereof.

2. A substantially purified variant having at least 90% amino acid sequence identity to the amino acid sequence of claim 1.

3. An isolated and purified polynucleotide encoding the polypeptide of claim 1.
4. An isolated and purified polynucleotide variant having at least 90% polynucleotide sequence identity to the polynucleotide of claim 3.
5. An isolated and purified polynucleotide which hybridizes under stringent conditions to the polynucleotide of claim 3.
6. An isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide of claim 3.
7. A method for detecting a polynucleotide, the method comprising the steps  
10 of:
  - (a) hybridizing the polynucleotide of claim 6 to at least one nucleic acid in a sample, thereby forming a hybridization complex; and
  - (b) detecting the hybridization complex, wherein the presence of the hybridization complex correlates with the presence of the polynucleotide in the  
15 sample.
8. The method of claim 7 further comprising amplifying the polynucleotide prior to hybridization.
9. An isolated and purified polynucleotide comprising a polynucleotide sequence selected from the group consisting of SEQ ID NO:135, SEQ ID NO:136, SEQ  
20 ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ  
25 ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ  
30 ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:192, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ

ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, SEQ ID NO:242, SEQ ID NO:243, SEQ ID NO:244, SEQ ID NO:245, SEQ ID NO:246, SEQ ID NO:247, SEQ ID NO:248, SEQ ID NO:249, SEQ ID NO:250, SEQ ID NO:251, SEQ ID NO:252, SEQ ID NO:253, SEQ ID NO:254, SEQ ID NO:255, SEQ ID NO:256, SEQ ID NO:257, SEQ ID NO:258, SEQ ID NO:259, SEQ ID NO:260, SEQ ID NO:261, SEQ ID NO:262, SEQ ID NO:263, SEQ ID NO:264, SEQ ID NO:265, SEQ ID NO:266, SEQ ID NO:267, SEQ ID NO:268 (SEQ ID NO:135-268), and fragments thereof.

10. An isolated and purified polynucleotide variant having at least 90% polynucleotide sequence identity to the polynucleotide of claim 9.

11. An isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide of claim 9.

12. An expression vector comprising at least a fragment of the polynucleotide of claim 3.

13. A host cell comprising the expression vector of claim 12.

14. A method for producing a polypeptide, the method comprising the steps of:

a) culturing the host cell of claim 13 under conditions suitable for the expression of the polypeptide; and

b) recovering the polypeptide from the host cell culture.

15. A pharmaceutical composition comprising the polypeptide of claim 1 in conjunction with a suitable pharmaceutical carrier.

16. A purified antibody which specifically binds to the polypeptide of claim 1.

17. A purified agonist of the polypeptide of claim 1.

18. A purified antagonist of the polypeptide of claim 1.

19. A method for treating or preventing a disorder associated with decreased expression or activity of HSPP, the method comprising administering to a subject in need of such treatment an effective amount of the pharmaceutical composition of claim 15.

20. A method for treating or preventing a disorder associated with increased  
5 expression or activity of HSPP, the method comprising administering to a subject in need of such treatment an effective amount of the antagonist of claim 18.



## SEQUENCE LISTING

&lt;110&gt; INCYTE PHARMACEUTICALS, INC.

LAL, Preeti

TANG, Y. Tom

GORGONE, Gina A.

CORLEY, Neil C.

GUEGLER, Karl J.

BAUGHN, Mariah R.

AKERBLOM, Ingrid E.

AU-YOUNG, Janice

YUE, Henry

PATTERSON, Chandra

REDDY, Roopa

HILLMAN, Jennifer L.

BANDMAN, Olga

&lt;120&gt; HUMAN SIGNAL PEPTIDE-CONTAINING PROTEINS

&lt;130&gt; PF-0541 PCT

&lt;140&gt; To Be Assigned

&lt;141&gt; Herewith

&lt;150&gt; 60/090,762; 60/094,983; 60/102,686; 60/112,129

&lt;151&gt; 1998-06-26; 1998-07-31; 1998-10-01; 1998-12-11

&lt;160&gt; 268

&lt;170&gt; PERL Program

&lt;210&gt; 1

&lt;211&gt; 88

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 443531

&lt;400&gt; 1

Met	Ser	Trp	Trp	Leu	Cys	Leu	Pro	Leu	Gly	Leu	Phe	Gly	Ser	Cys
1				5					10					15
Leu	Ala	Pro	Ala	Ala	Ala	Ala	Ala	Leu	Ser	Glu	Phe	Thr	Gln	Glu
				20					25					30
Gln	His	Asp	Gly	Ala	Gln	Pro	Ser	Pro	Lys	Cys	Leu	Ala	Glu	Glu
				35					40					45
Leu	Gly	Asp	Ala	Trp	Thr	Ile	Gln	Ile	Glu	Ala	Asn	Trp	Lys	Tyr
				50					55					60
Arg	Ala	Val	Asn	Thr	Asn	Gln	Arg	Gly	Lys	Leu	Leu	Ala	Ser	Glu
				65					70					75
Thr	Trp	Lys	Gly	Arg	Arg	Asn	Thr	Phe	Phe	Phe	Leu	Pro		
				80					85					

<210> 2  
 <211> 128  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 632860

<400> 2  
 Met Trp Pro Ala Gly Leu Gly Arg Ser Leu Leu Ala Gln Pro Ala  
 1 5 10 15  
 Leu Cys Ser Phe Met Gly Pro Gln Trp Ile Leu Gln Phe Cys Ser  
 20 25 30  
 Trp Leu Glu Pro Arg Gln Leu Arg Trp Ser Trp Thr Glu Pro Pro  
 35 40 45  
 Phe Thr Leu Leu Asp Ser Leu Gly Leu Arg Ala Ala Gln Asp Ser  
 50 55 60  
 Cys Ser Phe Thr Thr Leu Val Pro Leu Thr Leu Asp Ser Ser Phe  
 65 70 75  
 Met Thr Val Asn Val Val Pro Phe Val Trp Thr Ser Ser Phe Phe  
 80 85 90  
 Arg Ala Phe Gln Tyr Pro Val Thr Ser Pro Cys Arg Thr Lys Asn  
 95 100 105  
 Thr Pro Leu Leu Ile Asp Gly Val Thr Arg Ile Gln Ala Thr Trp  
 110 115 120  
 Pro Glu Ala Arg Ser Gln His Glu  
 125

<210> 3  
 <211> 111  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 670010

<400> 3  
 Met Gly Leu Leu Leu Leu Val Leu Phe Leu Ser Leu Leu Pro Val  
 1 5 10 15  
 Ala Tyr Thr Ile Met Ser Leu Pro Pro Ser Phe Asp Cys Gly Pro  
 20 25 30  
 Phe Arg Cys Arg Val Ser Val Ala Arg Glu His Leu Pro Ser Arg  
 35 40 45  
 Gly Ser Leu Leu Arg Gly Pro Arg Pro Arg Ile Pro Val Leu Val  
 50 55 60  
 Ser Cys Gln Pro Val Lys Gly His Gly Thr Leu Gly Glu Ser Pro  
 65 70 75  
 Met Pro Phe Lys Arg Val Phe Cys Gln Asp Gly Asn Val Arg Ser  
 80 85 90  
 Phe Cys Val Cys Ala Val His Phe Ser Ser His Gln Pro Pro Val  
 95 100 105  
 Ala Val Glu Cys Leu Lys

110

<210> 4  
 <211> 110  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 726498

<400> 4  
 Met Trp Arg Leu Arg Arg Asn Leu Ala Leu Pro Pro Gly Lys Leu  
   1                  5                  10                  15  
 Ala Trp Leu Tyr Leu Ser Val Phe Ser Gln Gly Ser Arg Ala Met  
                   20                  25                  30  
 Met Ser Leu Thr Glu Ile Arg Leu Lys His Met Leu Glu Ile Trp  
                   35                  40                  45  
 His Gly Arg Gln Ala Arg Ala Cys Glu Asn Leu Arg Asn Gln Thr  
                   50                  55                  60  
 Arg Val Ala Thr Lys Val Glu Pro Gln Lys Gly Arg Ser Thr Glu  
                   65                  70                  75  
 Ile Cys Cys Leu Ala Val Val Pro Leu Asn Glu Val Val Gln Ser  
                   80                  85                  90  
 Ser Ile Leu Trp Trp Val Trp Ser Cys Cys Gln His Gln Glu Asp  
                   95                  100                  105  
 Lys Leu Gly Ala Lys  
                   110

<210> 5  
 <211> 78  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 795064

<400> 5  
 Met Ala Glu Ser Gly Leu Thr Ser Leu Pro Gly Thr Ala Ser Trp  
   1                  5                  10                  15  
 Phe Cys Phe Leu Pro Val Ser Gln Arg Lys Ala Thr Ser Lys Lys  
                   20                  25                  30  
 Leu Leu Leu Lys Ala Arg Lys Lys Ser Gly Phe Glu Leu Ser Val  
                   35                  40                  45  
 Thr Asp Ser Ser Glu Cys Phe Arg Val Thr Ala Ser Val Arg Gly  
                   50                  55                  60  
 Met Lys Asn Arg His Ala Lys Gly Asn Gly Cys Thr Arg Asp Pro  
                   65                  70                  75  
 Cys Phe Gly

<210> 6  
 <211> 88  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 924925

<400> 6  
 Met Trp Pro Ser Gln Val Pro Leu Leu Ala Phe Cys Phe Leu Leu  
 1 5 10 15  
 Val Lys Ser Thr Ser Asn Ile Asn Leu Pro Thr Pro Pro Pro Ser  
 20 25 30  
 Ser Leu Glu Asn Ser Ser Phe Val Val Ser Gln Arg Gly Asn Leu  
 35 40 45  
 Ile Val Phe Gly Gly Gln Lys Lys Ala Thr Phe Arg Tyr His Phe  
 50 55 60  
 Tyr Leu Asp Arg Met Pro Phe Tyr Ser Gln Ile Ser Val Tyr Phe  
 65 70 75  
 Val Asn Gly Phe Arg Val Asn Gly Tyr Leu Cys Asn Asn  
 80 85

<210> 7  
 <211> 227  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 962390

<400> 7  
 Met Gly Arg Pro Leu Leu Leu Pro Leu Leu Leu Leu Gln Pro  
 1 5 10 15  
 Pro Ala Phe Leu Gln Pro Gly Gly Ser Thr Gly Ser Gly Pro Ser  
 20 25 30  
 Tyr Leu Tyr Gly Val Thr Gln Pro Lys His Leu Ser Ala Ser Met  
 35 40 45  
 Gly Gly Ser Val Glu Ile Pro Phe Ser Phe Tyr Tyr Pro Trp Glu  
 50 55 60  
 Leu Ala Ile Val Pro Asn Val Arg Ile Ser Trp Arg Arg Gly His  
 65 70 75  
 Phe His Gly Gln Ser Phe Tyr Ser Thr Arg Pro Pro Ser Ile His  
 80 85 90  
 Lys Asp Tyr Val Asn Arg Leu Phe Leu Asn Trp Thr Glu Gly Gln  
 95 100 105  
 Glu Ser Gly Phe Leu Arg Ile Ser Asn Leu Arg Lys Glu Asp Gln  
 110 115 120  
 Ser Val Tyr Phe Cys Arg Val Glu Leu Asp Thr Arg Arg Ser Gly  
 125 130 135  
 Arg Gln Gln Leu Gln Ser Ile Lys Gly Thr Lys Leu Thr Ile Thr

	140		145		150
Gln Ala Val Thr Thr Thr Thr Trp Arg Pro Ser Ser Thr Thr					
	155		160		165
Thr Ile Ala Gly Leu Arg Val Thr Glu Ser Lys Gly His Ser Glu					
	170		175		180
Ser Trp His Leu Ser Leu Asp Thr Ala Ile Arg Val Ala Leu Ala					
	185		190		195
Val Ala Val Leu Lys Thr Val Ile Leu Gly Leu Leu Cys Leu Leu					
	200		205		210
Leu Leu Trp Trp Arg Arg Arg Lys Gly Ser Arg Ala Pro Ser Ser					
	215		220		225
Asp Phe					

&lt;210&gt; 8

&lt;211&gt; 198

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1259405

&lt;400&gt; 8

Met Ala Thr Leu Trp Gly Gly Leu Leu Arg Leu Gly Ser Leu Leu			
1	5	10	15
Ser Leu Ser Cys Leu Ala Leu Ser Val Leu Leu Leu Ala Gln Leu			
	20	25	30
Ser Asp Ala Ala Lys Asn Phe Glu Asp Val Arg Cys Lys Cys Ile			
	35	40	45
Cys Pro Pro Tyr Lys Glu Asn Ser Gly His Ile Tyr Asn Lys Asn			
	50	55	60
Ile Ser Gln Lys Asp Cys Asp Cys Leu His Val Val Glu Pro Met			
	65	70	75
Pro Val Arg Gly Pro Asp Val Glu Ala Tyr Cys Leu Arg Cys Glu			
	80	85	90
Cys Lys Tyr Glu Glu Arg Ser Ser Val Thr Ile Lys Val Thr Ile			
	95	100	105
Ile Ile Tyr Leu Ser Ile Leu Gly Leu Leu Leu Leu Tyr Met Val			
	110	115	120
Tyr Leu Thr Leu Val Glu Pro Ile Leu Lys Arg Arg Leu Phe Gly			
	125	130	135
His Ala Gln Leu Ile Gln Ser Asp Asp Asp Ile Gly Asp His Gln			
	140	145	150
Pro Phe Ala Asn Ala His Asp Val Leu Ala Arg Ser Arg Ser Arg			
	155	160	165
Ala Asn Val Leu Asn Lys Val Glu Tyr Ala Gln Gln Arg Trp Lys			
	170	175	180
Leu Gln Val Gln Glu Gln Arg Lys Ser Val Phe Asp Arg His Val			
	185	190	195
Val Leu Ser			



<210> 9  
 <211> 65  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1297384

<400> 9  
 Met Met Pro Arg Leu Leu Gly Leu Gly Gly Leu Phe Ser Phe Gly  
     1                    5                    10                    15  
 Gly Leu Pro Leu Leu Leu Leu Phe Phe Gln Arg Ser Arg Ala Ser  
                     20                    25                    30  
 Leu Ala Ser Ser Ser Thr Gly Leu Trp Ile Asn Gln Leu Pro Lys  
                     35                    40                    45  
 Gly Cys Thr Cys Arg Val Val Trp Ala Cys Ile Pro Asp Val Leu  
                     50                    55                    60  
 Glu Tyr Ala Trp Met  
                     65

<210> 10  
 <211> 154  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1299627

<400> 10  
 Met Asp Ala Pro Arg Leu Pro Val Arg Pro Gly Val Leu Leu Pro  
     1                    5                    10                    15  
 Lys Leu Val Leu Leu Phe Val Tyr Ala Asp Asp Cys Leu Ala Gln  
                     20                    25                    30  
 Cys Gly Lys Asp Cys Lys Ser Tyr Cys Cys Asp Gly Thr Thr Pro  
                     35                    40                    45  
 Tyr Cys Cys Ser Tyr Tyr Ala Tyr Ile Gly Asn Ile Leu Ser Gly  
                     50                    55                    60  
 Thr Ala Ile Ala Gly Ile Val Phe Gly Ile Val Phe Ile Met Gly  
                     65                    70                    75  
 Val Ile Ala Gly Ile Ala Ile Cys Ile Cys Met Cys Met Lys Asn  
                     80                    85                    90  
 His Arg Ala Thr Arg Val Gly Ile Leu Arg Thr Thr His Ile Asn  
                     95                    100                    105  
 Thr Val Ser Ser Tyr Pro Gly Pro Pro Pro Tyr Gly His Asp His  
                     110                    115                    120  
 Glu Met Glu Tyr Cys Ala Asp Leu Pro Pro Pro Tyr Ser Pro Thr  
                     125                    130                    135  
 Pro Gln Gly Pro Ala Gln Arg Ser Pro Pro Pro Pro Tyr Pro Gly  
                     140                    145                    150  
 Asn Ala Arg Lys

<210> 11  
 <211> 237  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1306026

<400> 11  
 Met Lys Pro Leu Val Leu Leu Val Ala Leu Leu Leu Trp Pro Ser  
   1          5          10          15  
 Ser Val Pro Ala Tyr Pro Ser Ile Thr Val Thr Pro Asp Glu Glu  
           20          25          30  
 Gln Asn Leu Asn His Tyr Ile Gln Val Leu Glu Asn Leu Val Arg  
           35          40          45  
 Ser Val Pro Ser Gly Glu Pro Gly Arg Glu Lys Lys Ser Asn Ser  
           50          55          60  
 Pro Lys His Val Tyr Ser Ile Ala Ser Lys Gly Ser Lys Phe Lys  
           65          70          75  
 Glu Leu Val Thr His Gly Asp Ala Ser Thr Glu Asn Asp Val Leu  
           80          85          90  
 Thr Asn Pro Ile Ser Glu Glu Thr Thr Thr Phe Pro Thr Gly Gly  
           95          100         105  
 Phe Thr Pro Glu Ile Gly Lys Lys Lys His Thr Glu Ser Thr Pro  
          110         115         120  
 Phe Trp Ser Ile Lys Pro Asn Asn Val Ser Ile Val Leu His Ala  
          125         130         135  
 Glu Glu Pro Tyr Ile Glu Asn Glu Glu Pro Glu Pro Glu Pro Glu  
          140         145         150  
 Pro Ala Ala Lys Gln Thr Glu Ala Pro Arg Met Leu Pro Val Val  
          155         160         165  
 Thr Glu Ser Ser Thr Ser Pro Tyr Val Thr Ser Tyr Lys Ser Pro  
          170         175         180  
 Val Thr Thr Leu Asp Lys Ser Thr Gly Ile Glu Ile Ser Thr Glu  
          185         190         195  
 Ser Glu Asp Val Pro Gln Leu Ser Gly Glu Thr Ala Ile Glu Lys  
          200         205         210  
 Pro Glu Ser Trp Lys His Gln Arg Val Gly Tyr Asp Ala Phe Glu  
          215         220         225  
 Lys Asn Leu Val Leu Ile Thr Met His Arg His Phe  
          230         235

<210> 12  
 <211> 225  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1316219

<400> 12

```

Met Thr Pro Glu Gly Val Gly Leu Thr Thr Ala Leu Arg Val Leu
 1          5          10          15
Cys Asn Val Ala Cys Pro Pro Pro Pro Val Glu Gly Gln Gln Lys
 20          25          30
Asp Leu Lys Trp Asn Leu Ala Val Ile Gln Leu Phe Ser Ala Glu
 35          40          45
Gly Met Asp Thr Phe Ile Arg Val Leu Gln Lys Leu Asn Ser Ile
 50          55          60
Leu Thr Gln Pro Trp Arg Leu His Val Asn Met Gly Thr Thr Leu
 65          70          75
His Arg Val Thr Thr Ile Ser Met Ala Arg Cys Thr Leu Thr Leu
 80          85          90
Leu Lys Thr Met Leu Thr Glu Leu Leu Arg Gly Gly Ser Phe Glu
 95          100          105
Phe Lys Asp Met Arg Val Pro Ser Ala Leu Val Thr Leu His Met
 110          115          120
Leu Leu Cys Ser Ile Pro Leu Ser Gly Arg Leu Asp Ser Asp Glu
 125          130          135
Gln Lys Ile Gln Asn Asp Ile Ile Asp Ile Leu Leu Thr Phe Thr
 140          145          150
Gln Gly Val Asn Glu Lys Leu Thr Ile Ser Glu Glu Thr Leu Ala
 155          160          165
Asn Asn Thr Trp Ser Leu Met Leu Lys Glu Val Leu Ser Ser Ile
 170          175          180
Leu Lys Val Pro Glu Gly Phe Phe Ser Gly Leu Ile Leu Leu Ser
 185          190          195
Glu Leu Leu Pro Leu Pro Leu Pro Met Gln Thr Thr Gln Val Ser
 200          205          210
Leu Pro Tyr Asn Met His Leu Ile Asn Asp Cys Ser Asn Thr Phe
 215          220          225

```

&lt;210&gt; 13

&lt;211&gt; 117

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1329031

&lt;400&gt; 13

```

Met Pro Ser Pro Gly Thr Val Cys Ser Leu Leu Leu Leu Gly Met
 1          5          10          15
Leu Trp Leu Asp Leu Ala Met Ala Gly Ser Ser Phe Leu Ser Pro
 20          25          30
Glu His Gln Arg Val Gln Gln Arg Lys Glu Ser Lys Lys Pro Pro
 35          40          45
Ala Lys Leu Gln Pro Arg Ala Leu Ala Gly Trp Leu Arg Pro Glu
 50          55          60
Asp Gly Gly Gln Ala Glu Gly Ala Glu Asp Glu Leu Glu Val Arg
 65          70          75
Phe Asn Ala Pro Phe Asp Val Gly Ile Lys Leu Ser Gly Val Gln
 80          85          90
Tyr Gln Gln His Ser Gln Ala Leu Gly Lys Phe Leu Gln Asp Ile

```

95 100 105  
 Leu Trp Glu Glu Ala Lys Glu Ala Pro Ala Asp Lys  
 110 115

<210> 14  
 <211> 253  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1483050

<400> 14  
 Met Asp Asn Arg Phe Ala Thr Ala Phe Val Ile Ala Cys Val Leu  
 1 5 10 15  
 Ser Leu Ile Ser Thr Ile Tyr Met Ala Ala Ser Ile Gly Thr Asp  
 20 25 30  
 Phe Trp Tyr Glu Tyr Arg Ser Pro Val Gln Glu Asn Ser Ser Asp  
 35 40 45  
 Leu Asn Lys Ser Ile Trp Asp Glu Phe Ile Ser Asp Glu Ala Asp  
 50 55 60  
 Glu Lys Thr Tyr Asn Asp Ala Leu Phe Arg Tyr Asn Gly Thr Val  
 65 70 75  
 Gly Leu Trp Arg Arg Cys Ile Thr Ile Pro Lys Asn Met His Trp  
 80 85 90  
 Tyr Ser Pro Pro Glu Arg Thr Glu Ser Phe Asp Val Val Thr Lys  
 95 100 105  
 Cys Val Ser Phe Thr Leu Thr Glu Gln Phe Met Glu Lys Phe Val  
 110 115 120  
 Asp Pro Gly Asn His Asn Ser Gly Ile Asp Leu Leu Arg Thr Tyr  
 125 130 135  
 Leu Trp Arg Cys Gln Phe Leu Leu Pro Phe Val Ser Leu Gly Leu  
 140 145 150  
 Met Cys Phe Gly Ala Leu Ile Gly Leu Cys Ala Cys Ile Cys Arg  
 155 160 165  
 Ser Leu Tyr Pro Thr Ile Ala Thr Gly Ile Leu His Leu Leu Ala  
 170 175 180  
 Gly Leu Cys Thr Leu Gly Ser Val Ser Cys Tyr Val Ala Gly Ile  
 185 190 195  
 Glu Leu Leu His Gln Lys Leu Glu Leu Pro Asp Asn Val Ser Gly  
 200 205 210  
 Glu Phe Gly Trp Ser Phe Cys Leu Ala Cys Val Ser Ala Pro Leu  
 215 220 225  
 Gln Phe Met Ala Ser Ala Leu Phe Ile Trp Ala Ala His Thr Asn  
 230 235 240  
 Arg Lys Glu Tyr Thr Leu Met Lys Ala Tyr Arg Val Ala  
 245 250

<210> 15  
 <211> 171

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1514160

&lt;400&gt; 15

```

Met Ser Leu Pro Ile Pro Trp Leu Ser Leu Pro Pro Cys Pro Ile
  1              5              10              15
Leu Gly Gln Pro Ala Gly Leu Leu Leu Trp Leu Phe Arg Pro Phe
              20              25              30
Ser Gln Cys Cys Gln Cys Pro Trp Glu Gly Arg Ala Ser Leu Arg
              35              40              45
His Pro Asn Gly Pro Ser Gly Cys Arg Glu Ala Glu Ala Trp Pro
              50              55              60
Gln Arg Ser Leu Leu Arg Gln Gln Leu Gln Gln Ala His Pro Leu
              65              70              75
Pro Thr Leu Pro Thr Pro Glu Arg Leu Pro Glu Gln Met Leu Phe
              80              85              90
Pro Ser Ser Ser Ser Lys Pro Phe Ser Leu Leu Ser Leu Thr Ile
              95              100             105
Trp Ala Arg Leu Val Gly Arg Leu Thr Asn Arg Ile Cys Pro Val
              110             115             120
Pro Pro Gly Ser Val Ala Ser Ser Met Ser Leu Gln Ala Gly Arg
              125             130             135
Cys Gly Asn Pro Val Val Leu Pro Gln Pro Met Pro Pro Gly Leu
              140             145             150
Leu Cys Met Asn Glu Cys Ser Leu Val Pro Gly Leu Gly Arg Gly
              155             160             165
Gln Val Asn Ser Arg Val
              170

```

&lt;210&gt; 16

&lt;211&gt; 78

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1603403

&lt;400&gt; 16

```

Met Gly Ser Gly Leu Pro Leu Val Leu Leu Leu Thr Leu Leu Gly
  1              5              10              15
Ser Ser His Gly Thr Gly Pro Gly Met Thr Leu Gln Leu Lys Leu
              20              25              30
Lys Glu Ser Phe Leu Thr Asn Ser Ser Tyr Glu Ser Ser Phe Leu
              35              40              45
Glu Leu Leu Glu Lys Leu Cys Leu Leu Leu His Leu Pro Ser Gly
              50              55              60
Thr Ser Val Thr Leu His His Ala Arg Ser Gln His His Val Val
              65              70              75
Cys Asn Thr

```

<210> 17  
<211> 71  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1652303

<400> 17  
Met Lys Leu Leu Ser Cys Leu Leu Phe Leu Lys Ala Pro Leu Tyr  
1 5 10 15  
Pro Thr Leu Cys Ser Lys Asp Pro Arg Ala Gly His Ser Leu Ile  
20 25 30  
Cys Gly Gln Ala Gly Gln Ile Pro Glu Ala Gln Leu Gly Phe Ser  
35 40 45  
Ser Asp Phe Lys Leu Cys Trp Cys Trp Asp Gln Gln Lys Ala Asn  
50 55 60  
Val Gln Pro Thr His Arg Thr Val Arg Gly Leu  
65 70

<210> 18  
<211> 188  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1693358

<400> 18  
Met Val Pro Gly Ala Ala Gly Trp Cys Cys Leu Val Leu Trp Leu  
1 5 10 15  
Pro Ala Cys Val Ala Ala His Gly Phe Arg Ile His Asp Tyr Leu  
20 25 30  
Tyr Phe Gln Val Leu Ser Pro Gly Asp Ile Arg Tyr Ile Phe Thr  
35 40 45  
Ala Thr Pro Ala Lys Asp Phe Gly Gly Ile Phe His Thr Arg Tyr  
50 55 60  
Glu Gln Ile His Leu Val Pro Ala Glu Pro Pro Glu Ala Cys Gly  
65 70 75  
Glu Leu Ser Asn Gly Phe Phe Ile Gln Asp Gln Ile Ala Leu Val  
80 85 90  
Glu Arg Gly Gly Cys Ser Phe Leu Ser Lys Thr Arg Val Val Gln  
95 100 105  
Glu His Gly Gly Arg Ala Val Ile Ile Ser Asp Asn Ala Val Asp  
110 115 120  
Asn Asp Ser Phe Tyr Val Glu Met Ile Gln Asp Ser Thr Gln Arg  
125 130 135  
Thr Ala Asp Ile Pro Ala Leu Phe Leu Leu Gly Arg Asp Gly Tyr  
140 145 150



Met Ile Arg Arg Ser Leu Glu Gln His Gly Leu Pro Trp Ala Ile  
 155 160 165  
 Ile Ser Ile Pro Val Asn Val Thr Ser Ile Pro Thr Phe Glu Leu  
 170 175 180  
 Leu Gln Pro Pro Trp Thr Phe Trp  
 185

<210> 19  
 <211> 80  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1707711

<400> 19  
 Met Lys Ala Gln Pro Leu Glu Ala Leu Leu Leu Val Ala Leu Val  
 1 5 10 15  
 Leu Ser Phe Cys Gly Val Trp Phe Glu Asp Trp Leu Ser Lys Trp  
 20 25 30  
 Arg Phe Gln Cys Ile Phe Gln Leu Ala His Gln Pro Ala Leu Val  
 35 40 45  
 Asn Ile Gln Phe Arg Gly Thr Val Leu Gly Ser Glu Thr Phe Leu  
 50 55 60  
 Gly Ala Glu Glu Asn Ser Ala Asp Val Arg Ser Trp Gln Thr Leu  
 65 70 75  
 Ser Tyr Phe Glu Leu  
 80

<210> 20  
 <211> 80  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1738735

<400> 20  
 Met Ile Asp Leu Trp Leu Pro Ala Leu Phe Val Leu Val Ala Leu  
 1 5 10 15  
 Glu Ser Leu Leu Leu Ser Pro Cys Pro Gly Thr Ser Ser Thr Leu  
 20 25 30  
 Thr Arg Thr Phe Phe Pro Ser Leu Val Ser Cys Val Gln Val Pro  
 35 40 45  
 Phe Ser Trp Ile Pro Cys Leu Glu Cys Phe Leu Ile Tyr Phe Leu  
 50 55 60  
 Ile Leu Ala Glu Asp Val Leu Gln Leu Phe Ser Gly Asn Ala Asn  
 65 70 75  
 Met Gln Val Asn Gln

80

<210> 21  
<211> 84  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1749147

<400> 21  
Met Gln Arg Pro Phe Leu Ser Val Pro Cys Leu Leu Leu Leu Pro  
1 5 10 15  
Ala Arg Val Val Trp Gly Cys Trp Cys Phe Leu Pro Gly Glu Asp  
20 25 30  
Gly Gly Gly Cys Pro Thr Pro Ser Ser Gly Arg Ile Lys Leu Leu  
35 40 45  
Gln Gln Cys Leu Leu His Pro Ser Leu Arg Ser Ile Thr Val Ser  
50 55 60  
Arg Arg Ser Ala Gln Leu Leu Cys Arg Leu Lys Leu Gln Asn His  
65 70 75  
Ile Pro Lys Val Pro Gly Lys Asn Val  
80

<210> 22  
<211> 171  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1817722

<400> 22  
Met His Met Ile Leu Lys Val Leu Thr Thr Ala Leu Leu Leu Gln  
1 5 10 15  
Ala Ala Ser Ala Leu Ala Asn Tyr Ile His Phe Ser Ser Tyr Ser  
20 25 30  
Lys Asp Gly Ile Gly Val Pro Phe Met Gly Ser Leu Ala Glu Phe  
35 40 45  
Phe Asp Ile Ala Ser Gln Ile Gln Met Leu Tyr Leu Leu Leu Ser  
50 55 60  
Leu Cys Met Gly Trp Thr Ile Val Arg Met Lys Lys Ser Gln Ser  
65 70 75  
Arg Pro Leu Gln Trp Asp Ser Thr Pro Ala Ser Thr Gly Ile Ala  
80 85 90  
Val Phe Ile Val Met Thr Gln Ser Val Leu Leu Leu Trp Glu Gln  
95 100 105  
Phe Glu Asp Ile Ser His His Ser Tyr His Ser His His Asn Leu  
110 115 120

Ala Gly Ile Leu Leu Ile Val Leu Arg Ile Cys Leu Ala Leu Ser  
 125 130 135  
 Leu Gly Cys Gly Leu Tyr Gln Ile Ile Thr Val Glu Arg Ser Thr  
 140 145 150  
 Leu Lys Arg Glu Phe Tyr Ile Thr Phe Ala Lys Val Trp Val Trp  
 155 160 165  
 Lys Glu Asn Gly Leu Phe  
 170

&lt;210&gt; 23

&lt;211&gt; 243

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1831290

&lt;400&gt; 23

Met Ser Ser Gly Thr Glu Leu Leu Trp Pro Gly Ala Ala Leu Leu  
 1 5 10 15  
 Val Leu Leu Gly Val Ala Ala Ser Leu Cys Val Arg Cys Ser Arg  
 20 25 30  
 Pro Gly Ala Lys Arg Ser Glu Lys Ile Tyr Gln Gln Arg Ser Leu  
 35 40 45  
 Arg Glu Asp Gln Gln Ser Phe Thr Gly Ser Arg Thr Tyr Ser Leu  
 50 55 60  
 Val Gly Gln Ala Trp Pro Gly Pro Leu Ala Asp Met Ala Pro Thr  
 65 70 75  
 Arg Lys Asp Lys Leu Leu Gln Phe Tyr Pro Ser Leu Glu Asp Pro  
 80 85 90  
 Ala Ser Ser Arg Tyr Gln Asn Phe Ser Lys Gly Ser Arg His Gly  
 95 100 105  
 Ser Glu Glu Ala Tyr Ile Asp Pro Ile Ala Met Glu Tyr Tyr Asn  
 110 115 120  
 Trp Gly Arg Phe Ser Lys Pro Pro Glu Asp Asp Asp Ala Asn Ser  
 125 130 135  
 Tyr Glu Asn Val Leu Ile Cys Lys Gln Lys Thr Thr Glu Thr Gly  
 140 145 150  
 Ala Gln Gln Glu Gly Ile Gly Gly Leu Cys Arg Gly Asp Leu Ser  
 155 160 165  
 Leu Ser Leu Ala Leu Lys Thr Gly Pro Thr Ser Gly Leu Cys Pro  
 170 175 180  
 Ser Ala Ser Pro Glu Glu Asp Glu Glu Ser Glu Asp Tyr Gln Asn  
 185 190 195  
 Ser Ala Ser Ile His Gln Trp Arg Glu Ser Arg Lys Val Met Gly  
 200 205 210  
 Gln Leu Gln Arg Glu Ala Ser Pro Gly Pro Val Gly Ser Pro Asp  
 215 220 225  
 Glu Glu Asp Gly Glu Pro Asp Tyr Val Asn Gly Glu Val Ala Ala  
 230 235 240  
 Thr Glu Ala

<210> 24  
 <211> 311  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1831477

<400> 24

Met Gly Val Pro Thr Ala Pro Glu Ala Gly Ser Trp Arg Trp Gly		
1 5 10 15		
Ser Leu Leu Phe Ala Leu Phe Leu Ala Ala Ser Leu Gly Pro Val		
20 25 30		
Ala Ala Phe Lys Val Ala Thr Pro Tyr Ser Leu Tyr Val Cys Pro		
35 40 45		
Glu Gly Gln Asn Val Thr Leu Thr Cys Arg Leu Leu Gly Pro Val		
50 55 60		
Asp Lys Gly His Asp Val Thr Phe Tyr Lys Thr Trp Tyr Arg Ser		
65 70 75		
Ser Arg Gly Glu Val Gln Thr Cys Ser Glu Arg Arg Pro Ile Arg		
80 85 90		
Asn Leu Thr Phe Gln Asp Leu His Leu His His Gly Gly His Gln		
95 100 105		
Ala Ala Asn Thr Ser His Asp Leu Ala Gln Arg His Gly Leu Glu		
110 115 120		
Ser Ala Ser Asp His His Gly Asn Phe Ser Ile Thr Met Arg Asn		
125 130 135		
Leu Thr Leu Leu Asp Ser Gly Leu Tyr Cys Cys Leu Val Val Glu		
140 145 150		
Ile Arg His His His Ser Glu His Arg Val His Gly Ala Met Glu		
155 160 165		
Leu Gln Val Gln Thr Gly Lys Asp Ala Pro Ser Asn Cys Val Val		
170 175 180		
Tyr Pro Ser Ser Ser Gln Glu Ser Glu Asn Ile Thr Ala Ala Ala		
185 190 195		
Leu Ala Thr Gly Ala Cys Ile Val Gly Ile Leu Cys Leu Pro Leu		
200 205 210		
Ile Leu Leu Leu Val Tyr Lys Gln Arg Gln Ala Ala Ser Asn Arg		
215 220 225		
Arg Ala Gln Glu Leu Val Arg Met Asp Ser Asn Ile Gln Gly Ile		
230 235 240		
Glu Asn Pro Gly Phe Glu Ala Ser Pro Pro Ala Gln Gly Ile Pro		
245 250 255		
Glu Ala Lys Val Arg His Pro Leu Ser Tyr Val Ala Gln Arg Gln		
260 265 270		
Pro Ser Glu Ser Gly Arg His Leu Leu Ser Glu Pro Ser Thr Pro		
275 280 285		
Leu Ser Pro Pro Gly Pro Gly Asp Val Phe Phe Pro Ser Leu Asp		
290 295 300		
Pro Val Pro Asp Ser Pro Asn Phe Glu Val Ile		
305 310		

<210> 25  
<211> 57  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1841607

<400> 25  
Met Ala Ser Ser Cys Phe Ser Leu Ser Phe Pro Pro Leu Ser Leu  
1 5 10 15  
Ala Gly Ser Leu Ala Leu Trp Gly His Cys Cys Val Arg Leu Gly  
20 25 30  
Cys Ser Phe Trp Ser Val Ser Ala Met Ala Gln Arg Leu Pro Ser  
35 40 45  
Gln Asn Thr Tyr Asn Pro Pro Leu Cys Trp Ala Trp  
50 55

<210> 26  
<211> 82  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1852391

<400> 26  
Met Phe Ser Leu Phe Ser Cys Leu Leu Ala Cys Leu Leu Asp Leu  
1 5 10 15  
Leu Leu Ser Arg Val Ala Asp Glu Ala Phe Tyr Lys Gln Pro Phe  
20 25 30  
Ala Asp Val Ile Gly Tyr Val Tyr Val Ala Lys Leu Ile Pro Phe  
35 40 45  
Ser Thr Ser Asp Ser Phe Tyr Phe Cys Leu Glu Leu Met Leu Leu  
50 55 60  
Leu Cys His Gln Leu Leu Cys Phe Leu Asn Tyr Phe Lys Leu Ala  
65 70 75  
Leu Trp Gly Leu Pro Lys Asn  
80

<210> 27  
<211> 115  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1854555

&lt;400&gt; 27

Met	Ala	Gly	Thr	Val	Leu	Gly	Val	Gly	Ala	Gly	Val	Phe	Ile	Leu
1				5					10					15
Ala	Leu	Leu	Trp	Val	Ala	Val	Leu	Leu	Leu	Cys	Val	Leu	Leu	Ser
			20						25					30
Arg	Ala	Ser	Gly	Ala	Ala	Arg	Phe	Ser	Val	Ile	Phe	Leu	Phe	Phe
			35						40					45
Gly	Ala	Val	Ile	Ile	Thr	Ser	Val	Leu	Leu	Leu	Phe	Pro	Arg	Ala
			50						55					60
Gly	Glu	Phe	Pro	Ala	Pro	Glu	Val	Glu	Val	Lys	Ile	Val	Asp	Asp
			65						70					75
Phe	Phe	Ile	Gly	Arg	Tyr	Val	Leu	Leu	Ala	Phe	Leu	Ser	Ala	Ile
			80						85					90
Phe	Leu	Gly	Gly	Leu	Phe	Leu	Val	Leu	Ile	His	Tyr	Val	Leu	Glu
			95						100					105
Pro	Ile	Tyr	Ala	Lys	Pro	Leu	His	Ser	Tyr					
			110						115					

&lt;210&gt; 28

&lt;211&gt; 327

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1855755

&lt;400&gt; 28

Met	Ala	Glu	Leu	Pro	Gly	Pro	Phe	Leu	Cys	Gly	Ala	Leu	Leu	Gly
1				5					10					15
Phe	Leu	Cys	Leu	Ser	Gly	Leu	Ala	Val	Glu	Val	Lys	Val	Pro	Thr
			20						25					30
Glu	Pro	Leu	Ser	Thr	Pro	Leu	Gly	Lys	Thr	Ala	Glu	Leu	Thr	Cys
			35						40					45
Thr	Tyr	Ser	Thr	Ser	Val	Gly	Asp	Ser	Phe	Ala	Leu	Glu	Trp	Ser
			50						55					60
Phe	Val	Gln	Pro	Gly	Lys	Pro	Ile	Ser	Glu	Ser	His	Pro	Ile	Leu
			65						70					75
Tyr	Phe	Thr	Asn	Gly	His	Leu	Tyr	Pro	Thr	Gly	Ser	Lys	Ser	Lys
			80						85					90
Arg	Val	Ser	Leu	Leu	Gln	Asn	Pro	Pro	Thr	Val	Gly	Val	Ala	Thr
			95						100					105
Leu	Lys	Leu	Thr	Asp	Val	His	Pro	Ser	Asp	Thr	Gly	Thr	Tyr	Leu
			110						115					120
Cys	Gln	Val	Asn	Asn	Pro	Pro	Asp	Phe	Tyr	Thr	Asn	Gly	Leu	Gly
			125						130					135
Leu	Ile	Asn	Leu	Thr	Val	Leu	Val	Pro	Pro	Ser	Asn	Pro	Leu	Cys
			140						145					150
Ser	Gln	Ser	Gly	Gln	Thr	Ser	Val	Gly	Gly	Ser	Thr	Ala	Leu	Arg
			155						160					165
Cys	Ser	Ser	Ser	Glu	Gly	Ala	Pro	Lys	Pro	Val	Tyr	Asn	Trp	Val
			170						175					180
Arg	Leu	Gly	Thr	Phe	Pro	Thr	Pro	Ser	Pro	Gly	Ser	Met	Val	Gln
			185						190					195



```

Asp Glu Val Ser Gly Gln Leu Ile Leu Thr Asn Leu Ser Leu Thr
      200                      205                      210
Ser Ser Gly Thr Tyr Arg Cys Val Ala Thr Asn Gln Met Gly Ser
      215                      220                      225
Ala Ser Cys Glu Leu Thr Leu Ser Val Thr Glu Pro Ser Gln Gly
      230                      235                      240
Arg Val Ala Gly Ala Leu Ile Gly Val Leu Leu Gly Val Leu Leu
      245                      250                      255
Leu Ser Val Ala Ala Phe Cys Leu Val Arg Phe Gln Lys Glu Arg
      260                      265                      270
Gly Lys Lys Pro Lys Glu Thr Tyr Gly Gly Ser Asp Leu Arg Glu
      275                      280                      285
Asp Ala Ile Ala Pro Gly Ile Ser Glu His Thr Cys Met Arg Ala
      290                      295                      300
Asp Ser Ser Lys Gly Phe Leu Glu Arg Pro Ser Ser Ala Ser Thr
      305                      310                      315
Val Thr Thr Thr Lys Ser Lys Leu Pro Met Val Val
      320                      325

```

<210> 29  
 <211> 133  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1861434

```

<400> 29
Met Arg Met Ser Leu Ala Gln Arg Val Leu Leu Thr Trp Leu Phe
  1          5          10          15
Thr Leu Leu Phe Leu Ile Met Leu Val Leu Lys Leu Asp Glu Lys
      20          25          30
Ala Pro Trp Asn Trp Phe Leu Ile Phe Ile Pro Val Trp Ile Phe
      35          40          45
Asp Thr Ile Leu Leu Val Leu Leu Ile Val Lys Met Ala Gly Arg
      50          55          60
Cys Lys Ser Gly Phe Asp Pro Arg His Gly Ser His Asn Ile Lys
      65          70          75
Lys Lys Ala Trp Tyr Leu Ile Ala Met Leu Leu Lys Leu Ala Phe
      80          85          90
Cys Leu Ala Leu Cys Ala Lys Leu Glu Gln Phe Thr Thr Met Asn
      95          100          105
Leu Ser Tyr Val Phe Ile Pro Leu Trp Ala Leu Leu Ala Gly Ala
      110          115          120
Leu Thr Glu Leu Gly Tyr Asn Val Phe Phe Val Arg Asp
      125          130

```

<210> 30  
 <211> 129  
 <212> PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1872334

&lt;400&gt; 30

Met	Gly	Leu	Thr	Leu	Leu	Leu	Leu	Leu	Leu	Leu	Gly	Leu	Glu	Gly
1				5					10					15
Gln	Gly	Ile	Val	Gly	Ser	Leu	Pro	Glu	Val	Leu	Gln	Ala	Pro	Val
				20					25					30
Gly	Ser	Ser	Ile	Leu	Val	Gln	Cys	His	Tyr	Arg	Leu	Gln	Asp	Val
				35					40					45
Lys	Ala	Gln	Lys	Val	Trp	Cys	Arg	Phe	Leu	Pro	Glu	Gly	Cys	Gln
				50					55					60
Pro	Leu	Val	Ser	Ser	Ala	Val	Asp	Arg	Arg	Ala	Pro	Ala	Gly	Arg
				65					70					75
Arg	Thr	Phe	Leu	Thr	Asp	Leu	Gly	Gly	Gly	Leu	Leu	Gln	Val	Glu
				80					85					90
Met	Val	Thr	Leu	Gln	Glu	Glu	Asp	Ala	Gly	Glu	Tyr	Gly	Cys	Met
				95					100					105
Val	Asp	Gly	Ala	Arg	Gly	Pro	Gln	Ile	Leu	His	Arg	Val	Ser	Leu
				110					115					120
Asn	Ile	Leu	Pro	Pro	Gly	Glu	Leu	Ser						
				125										

&lt;210&gt; 31

&lt;211&gt; 472

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1877230

&lt;400&gt; 31

Met	Lys	Phe	Leu	Ile	Phe	Ala	Phe	Phe	Gly	Gly	Val	His	Leu	Leu
1				5					10					15
Ser	Leu	Cys	Ser	Gly	Lys	Ala	Ile	Cys	Lys	Asn	Gly	Ile	Ser	Lys
				20					25					30
Arg	Thr	Phe	Glu	Glu	Ile	Lys	Glu	Glu	Ile	Ala	Ser	Cys	Gly	Asp
				35					40					45
Val	Ala	Lys	Ala	Ile	Ile	Asn	Leu	Ala	Val	Tyr	Gly	Lys	Ala	Gln
				50					55					60
Asn	Arg	Ser	Tyr	Glu	Arg	Leu	Ala	Leu	Leu	Val	Asp	Thr	Val	Gly
				65					70					75
Pro	Arg	Leu	Ser	Gly	Ser	Lys	Asn	Leu	Glu	Lys	Ala	Ile	Gln	Ile
				80					85					90
Met	Tyr	Gln	Asn	Leu	Gln	Gln	Asp	Gly	Leu	Glu	Lys	Val	His	Leu
				95					100					105
Glu	Pro	Val	Arg	Ile	Pro	His	Trp	Glu	Arg	Gly	Glu	Glu	Ser	Ala
				110					115					120
Val	Met	Leu	Glu	Pro	Arg	Ile	His	Lys	Ile	Ala	Ile	Leu	Gly	Leu
				125					130					135

Gly Ser Ser Ile Gly Thr Pro Pro Glu Gly Ile Thr Ala Glu Val	140	145	150
Leu Val Val Thr Ser Phe Asp Glu Leu Gln Arg Arg Ala Ser Glu	155	160	165
Ala Arg Gly Lys Ile Val Val Tyr Asn Gln Pro Tyr Ile Asn Tyr	170	175	180
Ser Arg Thr Val Gln Tyr Arg Thr Gln Gly Ala Val Glu Ala Ala	185	190	195
Lys Val Gly Ala Leu Ala Ser Leu Ile Arg Ser Val Ala Ser Phe	200	205	210
Ser Ile Tyr Ser Pro His Thr Gly Ile Gln Glu Tyr Gln Asp Gly	215	220	225
Val Pro Lys Ile Pro Thr Ala Cys Ile Thr Val Glu Asp Ala Glu	230	235	240
Met Met Ser Arg Met Ala Ser His Gly Ile Lys Ile Val Ile Gln	245	250	255
Leu Lys Met Gly Ala Lys Thr Tyr Pro Asp Thr Asp Ser Phe Asn	260	265	270
Thr Val Ala Glu Ile Thr Gly Ser Lys Tyr Pro Glu Gln Val Val	275	280	285
Leu Val Ser Gly His Leu Asp Ser Trp Asp Val Gly Gln Gly Ala	290	295	300
Met Asp Asp Gly Gly Gly Ala Phe Ile Ser Trp Glu Ala Leu Ser	305	310	315
Leu Ile Lys Asp Leu Gly Leu Arg Pro Lys Arg Thr Leu Arg Leu	320	325	330
Val Leu Trp Thr Ala Glu Glu Gln Gly Gly Val Gly Ala Phe Gln	335	340	345
Tyr Tyr Gln Leu His Lys Val Asn Ile Ser Asn Tyr Ser Leu Val	350	355	360
Met Glu Ser Asp Ala Gly Thr Phe Leu Pro Thr Gly Leu Gln Phe	365	370	375
Thr Gly Ser Glu Lys Ala Arg Ala Ile Met Glu Glu Val Met Ser	380	385	390
Leu Leu Gln Pro Leu Asn Ile Thr Gln Val Leu Ser His Gly Glu	395	400	405
Gly Thr Asp Ile Asn Phe Trp Ile Gln Ala Gly Val Pro Gly Ala	410	415	420
Ser Leu Leu Asp Asp Leu Tyr Lys Tyr Phe Phe Phe His His Ser	425	430	435
His Gly Asp Thr Met Thr Val Met Asp Pro Lys Gln Met Asn Val	440	445	450
Ala Ala Ala Val Trp Ala Val Val Ser Tyr Val Val Ala Asp Met	455	460	465
Glu Glu Met Leu Pro Arg Ser	470		

&lt;210&gt; 32

&lt;211&gt; 93

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

<223> Incyte Clone No: 1877885

<400> 32

Met	Ile	His	Leu	Gly	His	Ile	Leu	Phe	Leu	Leu	Leu	Leu	Pro	Val
1				5					10					15
Ala	Ala	Ala	Gln	Thr	Thr	Pro	Gly	Glu	Arg	Ser	Ser	Leu	Pro	Ala
				20					25					30
Phe	Tyr	Pro	Gly	Thr	Ser	Gly	Ser	Cys	Ser	Gly	Cys	Gly	Ser	Leu
				35					40					45
Ser	Leu	Pro	Leu	Leu	Ala	Gly	Leu	Val	Ala	Ala	Asp	Ala	Val	Ala
				50					55					60
Ser	Leu	Leu	Ile	Val	Gly	Ala	Val	Phe	Leu	Cys	Ala	Arg	Pro	Arg
				65					70					75
Arg	Ser	Pro	Ala	Gln	Glu	Asp	Gly	Lys	Val	Tyr	Ile	Asn	Met	Pro
				80					85					90
Gly	Arg	Gly												

<210> 33

<211> 92

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1889269

<400> 33

Met	Asn	Arg	Pro	Ser	Ala	Arg	Asn	Ala	Leu	Gly	Asn	Val	Phe	Val
1				5					10					15
Ser	Glu	Leu	Leu	Glu	Thr	Leu	Ala	Gln	Leu	Arg	Glu	Asp	Arg	Gln
				20					25					30
Val	Arg	Val	Leu	Leu	Phe	Arg	Ser	Gly	Val	Lys	Gly	Val	Phe	Cys
				35					40					45
Ala	Gly	Ala	Asp	Leu	Lys	Glu	Arg	Glu	Gln	Met	Ser	Glu	Ala	Glu
				50					55					60
Val	Gly	Val	Phe	Val	Gln	Arg	Leu	Arg	Gly	Leu	Met	Asn	Asp	Ile
				65					70					75
Gly	Glu	Asp	Leu	Gly	Val	Gly	Trp	Arg	Arg	Gly	Phe	Gly	Gly	Pro
				80					85					90
Cys	Arg													

<210> 34

<211> 143

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1890243

<400> 34

```

Met Trp Ile Lys Gly Thr Met Lys Met Arg Gly Gly Lys Thr Ser
 1          5          10          15
Arg Ser Ala Val Leu Pro Val Ala Gln Leu Thr Leu Ile Ala Ser
          20          25          30
Cys Phe Pro Asn Ser Gln Thr Val Leu Gly Thr Glu Gly Thr Leu
          35          40          45
Asp Val Glu Ser Ser Pro Leu Ala Leu Leu Thr Gly Leu Trp Ala
          50          55          60
Ser Pro Glu Ser Leu Ser Leu Tyr Leu Val Thr Leu Leu Cys Val
          65          70          75
Cys Pro Ala Leu Gln Ser Cys Gln Gly Gln Gln Ala Asp Val Thr
          80          85          90
Leu Ala Pro Cys Glu Ile Phe Ile Pro Gln Thr Leu Ala Cys Glu
          95          100          105
Pro Phe Pro Ser Gln Trp Arg Ala Leu Lys Gly Ala Ser Leu Glu
          110          115          120
Ser Ser Ser Val Leu Trp Val Ala Pro Cys Arg Trp Pro Leu Thr
          125          130          135
Leu Arg Cys Ser Arg Val His Leu
          140

```

<210> 35  
 <211> 89  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1900433

```

<400> 35
Met Glu Arg Val Thr Leu Ala Leu Leu Leu Leu Ala Gly Leu Thr
 1          5          10          15
Ala Leu Glu Ala Asn Asp Pro Phe Ala Asn Lys Asp Asp Pro Phe
          20          25          30
Tyr Tyr Asp Trp Lys Asn Leu Gln Leu Ser Gly Leu Ile Cys Gly
          35          40          45
Gly Leu Leu Ala Ile Ala Gly Ile Ala Ala Val Leu Ser Gly Lys
          50          55          60
Cys Lys Tyr Lys Ser Ser Gln Lys Gln His Ser Pro Val Pro Glu
          65          70          75
Lys Ala Ile Pro Leu Ile Thr Pro Gly Ser Ala Thr Thr Cys
          80          85

```

<210> 36  
 <211> 560  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature

&lt;223&gt; Incyte Clone No: 1909441

&lt;400&gt; 36

Met	Ala	Lys	Lys	Lys	Leu	Thr	Glu	Met	Ile	Pro	Leu	Cys	Asn	His
1				5					10					15
Pro	Ala	Ser	Phe	Val	Lys	Leu	Phe	Val	Ala	Leu	Gly	Pro	Ile	Ala
				20					25					30
Gly	Pro	Glu	Glu	Lys	Lys	Gln	Leu	Lys	Ser	Thr	Met	Leu	Leu	Met
				35					40					45
Ser	Glu	Asp	Leu	Thr	Gly	Glu	Gln	Ala	Leu	Ala	Val	Leu	Gly	Ala
				50					55					60
Met	Gly	Asp	Met	Glu	Ser	Arg	Asn	Ser	Cys	Leu	Ile	Lys	Arg	Val
				65					70					75
Thr	Ser	Val	Leu	His	Lys	His	Leu	Asp	Gly	Tyr	Lys	Pro	Leu	Glu
				80					85					90
Leu	Leu	Lys	Ile	Thr	Gln	Glu	Leu	Thr	Phe	Leu	His	Phe	Gln	Arg
				95					100					105
Lys	Glu	Phe	Phe	Ala	Lys	Leu	Arg	Glu	Leu	Leu	Leu	Ser	Tyr	Leu
				110					115					120
Lys	Asn	Ser	Phe	Ile	Pro	Thr	Glu	Val	Ser	Val	Leu	Val	Arg	Ala
				125					130					135
Ile	Ser	Leu	Leu	Pro	Ser	Pro	His	Leu	Asp	Glu	Val	Gly	Ile	Ser
				140					145					150
Arg	Ile	Glu	Ala	Val	Leu	Pro	Gln	Cys	Asp	Leu	Asn	Asn	Leu	Ser
				155					160					165
Ser	Phe	Ala	Thr	Ser	Val	Leu	Arg	Trp	Ile	Gln	His	Asp	His	Met
				170					175					180
Tyr	Leu	Asp	Asn	Met	Thr	Ala	Lys	Gln	Leu	Lys	Leu	Leu	Gln	Lys
				185					190					195
Leu	Asp	His	Tyr	Gly	Arg	Gln	Arg	Leu	Gln	His	Ser	Asn	Ser	Leu
				200					205					210
Asp	Leu	Leu	Arg	Lys	Glu	Leu	Lys	Ser	Leu	Lys	Gly	Asn	Thr	Phe
				215					220					225
Pro	Glu	Ser	Leu	Leu	Glu	Glu	Met	Ile	Ala	Thr	Leu	Gln	His	Phe
				230					235					240
Met	Asp	Asp	Ile	Asn	Tyr	Ile	Asn	Val	Gly	Glu	Ile	Ala	Ser	Phe
				245					250					255
Ile	Ser	Ser	Thr	Asp	Tyr	Leu	Ser	Thr	Leu	Leu	Leu	Asp	Arg	Ile
				260					265					270
Ala	Ser	Val	Ala	Val	Gln	Gln	Ile	Glu	Lys	Ile	His	Pro	Phe	Thr
				275					280					285
Ile	Pro	Ala	Ile	Ile	Arg	Pro	Phe	Ser	Val	Leu	Asn	Tyr	Asp	Pro
				290					295					300
Pro	Gln	Arg	Asp	Glu	Phe	Leu	Gly	Thr	Cys	Val	Gln	His	Leu	Asn
				305					310					315
Ser	Tyr	Leu	Gly	Ile	Leu	Asp	Pro	Phe	Ile	Leu	Val	Phe	Leu	Gly
				320					325					330
Phe	Ser	Leu	Ala	Thr	Leu	Glu	Tyr	Phe	Pro	Glu	Asp	Leu	Leu	Lys
				335					340					345
Ala	Ile	Phe	Asn	Ile	Lys	Phe	Leu	Ala	Arg	Leu	Asp	Ser	Gln	Leu
				350					355					360
Glu	Ile	Leu	Ser	Pro	Ser	Arg	Ser	Ala	Arg	Val	Gln	Phe	His	Leu
				365					370					375
Met	Glu	Leu	Asn	Arg	Ser	Val	Cys	Leu	Glu	Cys	Pro	Glu	Phe	Gln
				380					385					390
Ile	Pro	Trp	Phe	His	Asp	Arg	Phe	Cys	Gln	Gln	Tyr	Asn	Lys	Gly
				395					400					405



Ile Gly Gly Met Asp Gly Thr Gln Gln Gln Ile Phe Lys Met Leu	410	415	420
Ala Glu Val Leu Gly Gly Ile Asn Cys Val Lys Ala Ser Val Leu	425	430	435
Thr Pro Tyr Tyr His Lys Val Asp Phe Glu Cys Ile Leu Asp Lys	440	445	450
Arg Lys Lys Pro Leu Pro Tyr Gly Ser His Asn Ile Ala Leu Gly	455	460	465
Gln Leu Pro Glu Met Pro Trp Glu Ser Asn Ile Glu Ile Val Gly	470	475	480
Ser Arg Leu Pro Pro Gly Ala Glu Arg Ile Ala Leu Glu Phe Leu	485	490	495
Asp Ser Lys Ala Leu Cys Arg Asn Ile Pro His Met Lys Gly Lys	500	505	510
Ser Ala Met Lys Lys Arg His Leu Glu Ile Leu Gly Tyr Arg Val	515	520	525
Ile Gln Ile Ser Gln Phe Glu Trp Asn Ser Met Ala Leu Ser Thr	530	535	540
Lys Asp Ala Arg Met Asp Tyr Leu Arg Glu Cys Ile Phe Gly Glu	545	550	555
Val Lys Ser Cys Leu	560		

&lt;210&gt; 37

&lt;211&gt; 197

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1932226

&lt;400&gt; 37

Met Gly Val Pro Leu Gly Leu Gly Ala Ala Trp Leu Leu Ala Trp	1	5	10	15
Pro Gly Leu Ala Leu Pro Leu Val Ala Met Ala Ala Gly Gly Arg	20	25	30	
Trp Val Arg Gln Gln Gly Pro Arg Val Arg Arg Gly Ile Ser Arg	35	40	45	
Leu Trp Leu Arg Val Leu Leu Arg Leu Ser Pro Met Ala Phe Arg	50	55	60	
Ala Leu Gln Gly Cys Gly Ala Val Gly Asp Arg Gly Leu Phe Ala	65	70	75	
Leu Tyr Pro Lys Thr Asn Lys Asp Gly Phe Arg Ser Arg Leu Pro	80	85	90	
Val Pro Gly Pro Arg Arg Arg Asn Pro Arg Thr Thr Gln His Pro	95	100	105	
Leu Ala Leu Leu Ala Arg Val Trp Val Leu Cys Lys Gly Trp Asn	110	115	120	
Trp Arg Leu Ala Arg Ala Ser Gln Gly Leu Ala Ser His Leu Pro	125	130	135	
Pro Trp Ala Ile His Thr Leu Ala Ser Trp Gly Leu Leu Arg Gly	140	145	150	
Glu Arg Pro Thr Arg Ile Pro Arg Leu Leu Pro Arg Ser Gln Arg				

	155	160	165
Gln Leu Gly Pro	Pro Ala Ser Arg Gln	Pro Leu Pro Gly Thr	Leu
	170	175	180
Ala Gly Arg Arg	Ser Arg Thr Arg Gln	Ser Arg Ala Leu Pro	Pro
	185	190	195
Trp Arg			

&lt;210&gt; 38

&lt;211&gt; 437

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1932647

&lt;400&gt; 38

Met Ser Ala Val	Leu Leu Leu Ala	Leu Leu Gly Phe	Ile Leu Pro
1	5	10	15
Leu Pro Gly Val	Gln Ala Leu Leu Cys	Gln Phe Gly Thr	Val Gln
	20	25	30
His Val Trp Lys	Val Ser Asp Leu Pro	Arg Gln Trp Thr	Pro Lys
	35	40	45
Asn Thr Ser Cys	Asp Ser Gly Leu Gly	Cys Gln Asp Thr	Leu Met
	50	55	60
Leu Ile Glu Ser	Gly Pro Gln Val Ser	Leu Val Leu Ser	Lys Gly
	65	70	75
Cys Thr Glu Ala	Lys Asp Gln Glu Pro	Arg Val Thr Glu	His Arg
	80	85	90
Met Gly Pro Gly	Leu Ser Leu Ile Ser	Tyr Thr Phe Val	Cys Arg
	95	100	105
Gln Glu Asp Phe	Cys Asn Asn Leu Val	Asn Ser Leu Pro	Leu Trp
	110	115	120
Ala Pro Gln Pro	Pro Ala Asp Pro Gly	Ser Leu Arg Cys	Pro Val
	125	130	135
Cys Leu Ser Met	Glu Gly Cys Leu Glu	Gly Thr Thr Glu	Glu Ile
	140	145	150
Cys Pro Lys Gly	Thr Thr His Cys Tyr	Asp Gly Leu Leu	Arg Leu
	155	160	165
Arg Gly Gly Gly	Ile Phe Ser Asn Leu	Arg Val Gln Gly	Cys Met
	170	175	180
Pro Gln Pro Gly	Cys Asn Leu Leu Asn	Gly Thr Gln Glu	Ile Gly
	185	190	195
Pro Val Gly Met	Thr Glu Asn Cys Asn	Arg Lys Asp Phe	Leu Thr
	200	205	210
Cys His Arg Gly	Thr Thr Ile Met Thr	His Gly Asn Leu	Ala Gln
	215	220	225
Glu Pro Thr Asp	Trp Thr Thr Ser Asn	Thr Glu Met Cys	Glu Val
	230	235	240
Gly Gln Val Cys	Gln Glu Thr Leu Leu	Leu Ile Asp Val	Gly Leu
	245	250	255
Thr Ser Thr Leu	Val Gly Thr Lys Gly	Cys Ser Thr Val	Gly Ala
	260	265	270
Gln Asn Ser Gln	Lys Thr Thr Ile His	Ser Ala Pro Pro	Gly Val

	275		280		285
Leu Val Ala Ser Tyr Thr His Phe Cys Ser Ser Asp Leu Cys Asn					
	290		295		300
Ser Ala Ser Ser Ser Ser Val Leu Leu Asn Ser Leu Pro Pro Gln					
	305		310		315
Ala Ala Pro Val Pro Gly Asp Arg Gln Cys Pro Thr Cys Val Gln					
	320		325		330
Pro Leu Gly Thr Cys Ser Ser Gly Ser Pro Arg Met Thr Cys Pro					
	335		340		345
Arg Gly Ala Thr His Cys Tyr Asp Gly Tyr Ile His Leu Ser Gly					
	350		355		360
Gly Gly Leu Ser Thr Lys Met Ser Ile Gln Gly Cys Val Ala Gln					
	365		370		375
Pro Ser Ser Phe Leu Leu Asn His Thr Arg Gln Ile Gly Ile Phe					
	380		385		390
Ser Ala Arg Glu Lys Arg Asp Val Gln Pro Pro Ala Ser Gln His					
	395		400		405
Glu Gly Gly Gly Ala Glu Gly Leu Glu Ser Leu Thr Trp Gly Val					
	410		415		420
Gly Leu Ala Leu Ala Pro Ala Leu Trp Trp Gly Val Val Cys Pro					
	425		430		435
Ser Cys					

<210> 39  
 <211> 330  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2124245

<400> 39

Met Glu Gly Ala Pro Pro Gly Ser Leu Ala Leu Arg Leu Leu Leu		
1	5	10 15
Phe Val Ala Leu Pro Ala Ser Gly Trp Leu Thr Thr Gly Ala Pro		
	20	25 30
Glu Pro Pro Pro Leu Ser Gly Ala Pro Gln Asp Gly Ile Arg Ile		
	35	40 45
Asn Val Thr Thr Leu Lys Asp Asp Gly Asp Ile Ser Lys Gln Gln		
	50	55 60
Val Val Leu Asn Ile Thr Tyr Glu Ser Gly Gln Val Tyr Val Asn		
	65	70 75
Asp Leu Pro Val Asn Ser Gly Val Thr Arg Ile Ser Cys Gln Thr		
	80	85 90
Leu Ile Val Lys Asn Glu Asn Leu Glu Asn Leu Glu Glu Lys Glu		
	95	100 105
Tyr Phe Gly Ile Val Ser Val Arg Ile Leu Val His Glu Trp Pro		
	110	115 120
Met Thr Ser Gly Ser Ser Leu Gln Leu Ile Val Ile Gln Glu Glu		
	125	130 135
Val Val Glu Ile Asp Gly Lys Gln Val Gln Gln Lys Asp Val Thr		
	140	145 150
Glu Ile Asp Ile Leu Val Lys Asn Arg Gly Val Leu Arg His Ser		

Asn Tyr Thr Leu	155	Met Leu Tyr Ser Ile Ser	165
Pro Leu Glu Glu Ser	170	Pro Asn Leu Ser Lys Lys	180
Arg Asp Ser Asp Ile Leu Phe Thr Leu	185	Ser Gln Tyr Leu Ile Arg	195
Glu Ser Val Ser Ser Leu Gln Thr Thr	200	Val Leu Pro Gly Lys Leu	210
Asn Val Glu Thr Thr Val Asp Glu Asp	215	Pro Ser Ser Tyr Lys Val	225
Pro Glu Thr Pro Leu Arg Ala Glu Pro	230	Lys Asp Leu Cys Arg Phe	240
Met Cys Gln Trp Met Glu Lys Phe Arg	245	Gln Phe Leu Asn Ile Met	255
Trp Ser Asn Val Phe Pro Val Phe Phe	260	Val Ile Thr Ile Leu Lys	270
Val Val Gly Ile Thr Gly Ala Ala Val	275	Gly Ile Leu Gln Leu Asp	285
Val Phe Phe Pro Val Ser Glu Tyr Lys	290	Ile Asn Leu Tyr Pro Asp	300
Lys Val Asp Val Ile Pro Val Thr Ala	305	Glu Asp Lys Thr Cys Ile	315
Gly Pro Glu Lys Arg Ala Glu Asn Leu	320		330

&lt;210&gt; 40

&lt;211&gt; 148

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2132626

&lt;400&gt; 40

Met Glu Thr Gly Ala Leu Arg Arg Pro Gln Leu Leu Pro Leu Leu	1	5	10	15
Leu Leu Leu Cys Gly Gly Cys Pro Arg Ala Gly Gly Cys Asn Glu	20	25	30	
Thr Gly Met Leu Glu Arg Leu Pro Leu Cys Gly Lys Ala Phe Ala	35	40	45	
Asp Met Met Gly Lys Val Asp Val Trp Lys Trp Cys Asn Leu Ser	50	55	60	
Glu Phe Ile Val Tyr Tyr Glu Ser Phe Thr Asn Cys Thr Glu Met	65	70	75	
Glu Ala Asn Val Val Gly Cys Tyr Trp Pro Asn Pro Leu Ala Gln	80	85	90	
Gly Phe Ile Thr Gly Ile His Arg Gln Phe Phe Ser Asn Cys Thr	95	100	105	
Val Asp Arg Val His Leu Glu Asp Pro Pro Asp Glu Val Leu Ile	110	115	120	
Pro Leu Ile Val Ile Pro Val Val Leu Thr Val Ala Met Ala Gly	125	130	135	
Leu Val Val Trp Arg Ser Lys Arg Thr Asp Thr Leu Leu	140	145		

<210> 41  
 <211> 188  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2280639

<400> 41  
 Met Ala Pro Pro Pro Pro Ser Pro Gln Leu Leu Leu Leu Ala Ala  
 1 5 10 15  
 Leu Ala Arg Leu Leu Gly Pro Ser Glu Val Met Ala Gly Pro Ala  
 20 25 30  
 Glu Glu Ala Gly Ala His Cys Pro Glu Ser Leu Trp Pro Leu Pro  
 35 40 45  
 Pro Gln Val Ser Pro Arg Val Thr Tyr Thr Arg Val Ser Pro Gly  
 50 55 60  
 Gln Ala Glu Asp Val Thr Phe Leu Tyr His Pro Cys Ala His Pro  
 65 70 75  
 Trp Leu Lys Leu Gln Leu Ala Leu Leu Ala Tyr Ala Cys Met Ala  
 80 85 90  
 Asn Pro Ser Leu Thr Pro Asp Phe Ser Leu Thr Gln Asp Arg Pro  
 95 100 105  
 Leu Val Leu Thr Ala Trp Gly Leu Ala Leu Glu Met Ala Trp Val  
 110 115 120  
 Glu Pro Ala Trp Ala Ala His Trp Leu Met Arg Arg Arg Arg Arg  
 125 130 135  
 Lys Gln Arg Lys Lys Lys Ala Trp Ile Tyr Cys Glu Ser Leu Ser  
 140 145 150  
 Gly Pro Ala Pro Ser Glu Pro Thr Pro Gly Arg Gly Arg Leu Cys  
 155 160 165  
 Arg Arg Gly Cys Val Gln Ala Leu Ala Leu Ala Phe Ala Leu Arg  
 170 175 180  
 Thr Gly Gly Pro Leu Ala Gln Arg  
 185

<210> 42  
 <211> 222  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2292356

<400> 42  
 Met Ala Ala Ala Ala Leu Thr Ser Leu Ser Thr Ser Pro Leu Leu  
 1 5 10 15  
 Leu Gly Ala Pro Val Ala Ala Phe Ser Pro Glu Pro Gly Leu Glu  
 20 25 30

```

Pro Trp Lys Glu Ala Leu Val Arg Pro Pro Gly Ser Tyr Ser Ser
      35                      40                      45
Ser Ser Asn Ser Gly Asp Trp Gly Trp Asp Leu Ala Ser Asp Gln
      50                      55                      60
Ser Ser Pro Ser Thr Pro Ser Pro Pro Leu Pro Pro Glu Ala Ala
      65                      70                      75
His Phe Leu Phe Gly Glu Pro Thr Leu Arg Lys Arg Lys Ser Pro
      80                      85                      90
Ala Gln Val Met Phe Gln Cys Leu Trp Lys Ser Cys Gly Lys Val
      95                      100                     105
Leu Ser Thr Ala Ser Ala Met Gln Arg His Ile Arg Leu Val His
     110                      115                     120
Leu Gly Cys Gly Gly Ala Trp Gly Ala Ala Gly Pro Ala Gly Trp
     125                      130                     135
Leu Gly Leu Leu Gly Pro Ala Arg Pro Pro Leu Gln Leu Pro Leu
     140                      145                     150
Ala Gly Cys Val Ser Arg Arg Arg Gln Ala Glu Pro Glu Gln Ser
     155                      160                     165
Asp Gly Glu Glu Asp Phe Tyr Tyr Thr Glu Leu Asp Val Gly Val
     170                      175                     180
Asp Thr Leu Thr Asp Gly Leu Ser Ser Leu Thr Pro Val Phe Pro
     185                      190                     195
Glu Gly Phe His Ala Ser Leu Pro Ser Pro Ala Leu Lys Leu Arg
     200                      205                     210
Arg Leu Gly Gly Thr Arg Gln Pro Arg Gln Tyr Pro
     215                      220

```

&lt;210&gt; 43

&lt;211&gt; 111

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2349310

&lt;400&gt; 43

```

Met Gly Pro Ser Ser Cys Leu Leu Leu Ile Leu Ile Pro Leu Leu
  1      5                      10                      15
Gln Leu Ile Asn Leu Gly Ser Thr Gln Cys Ser Leu Asp Ser Val
      20                      25                      30
Met Asp Lys Lys Ile Lys Asp Val Leu Asn Ser Leu Glu Tyr Ser
      35                      40                      45
Pro Ser Pro Ile Ser Lys Lys Leu Ser Cys Ala Ser Val Lys Ser
      50                      55                      60
Gln Gly Arg Pro Ser Ser Cys Pro Ala Gly Met Ala Val Thr Gly
      65                      70                      75
Cys Ala Cys Gly Tyr Gly Cys Gly Ser Trp Asp Val Gln Leu Glu
      80                      85                      90
Thr Thr Cys His Cys Gln Cys Ser Val Val Asp Trp Thr Thr Ala
      95                      100                     105
Arg Cys Cys His Leu Thr
     110

```



<210> 44  
 <211> 341  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2373227

<400> 44  
 Met Val Pro Ala Ala Gly Ala Leu Leu Trp Val Leu Leu Leu Asn  
   1                  5                  10                  15  
 Leu Gly Pro Arg Ala Ala Gly Ala Gln Gly Leu Thr Gln Thr Pro  
                   20                  25                  30  
 Thr Glu Met Gln Arg Val Ser Leu Arg Phe Gly Gly Pro Met Thr  
                   35                  40                  45  
 Arg Ser Tyr Arg Ser Thr Ala Arg Thr Gly Leu Pro Arg Lys Thr  
                   50                  55                  60  
 Arg Ile Ile Leu Glu Asp Glu Asn Asp Ala Met Ala Asp Ala Asp  
                   65                  70                  75  
 Arg Leu Ala Gly Pro Ala Ala Ala Glu Leu Leu Ala Ala Thr Val  
                   80                  85                  90  
 Ser Thr Gly Phe Ser Arg Ser Ser Ala Ile Asn Glu Glu Asp Gly  
                   95                  100                 105  
 Ser Ser Glu Glu Gly Val Val Ile Asn Ala Gly Lys Asp Ser Thr  
                  110                 115                 120  
 Ser Arg Glu Leu Pro Ser Ala Thr Pro Asn Thr Ala Gly Ser Ser  
                  125                 130                 135  
 Ser Thr Arg Phe Ile Ala Asn Ser Gln Glu Pro Glu Ile Arg Leu  
                  140                 145                 150  
 Thr Ser Ser Leu Pro Arg Ser Pro Gly Arg Ser Thr Glu Asp Leu  
                  155                 160                 165  
 Pro Gly Ser Gln Ala Thr Leu Ser Gln Trp Ser Thr Pro Gly Ser  
                  170                 175                 180  
 Thr Pro Ser Arg Trp Pro Ser Pro Ser Pro Thr Ala Met Pro Ser  
                  185                 190                 195  
 Pro Glu Asp Leu Arg Leu Val Leu Met Pro Trp Gly Pro Trp His  
                  200                 205                 210  
 Cys His Cys Lys Ser Gly Thr Met Ser Arg Ser Arg Ser Gly Lys  
                  215                 220                 225  
 Leu His Gly Leu Ser Gly Arg Leu Arg Val Gly Ala Leu Ser Gln  
                  230                 235                 240  
 Leu Arg Thr Glu His Lys Pro Cys Thr Tyr Gln Gln Cys Pro Cys  
                  245                 250                 255  
 Asn Arg Leu Arg Glu Glu Cys Pro Leu Asp Thr Ser Leu Cys Thr  
                  260                 265                 270  
 Asp Thr Asn Cys Ala Ser Gln Ser Thr Thr Ser Thr Arg Thr Thr  
                  275                 280                 285  
 Thr Thr Pro Phe Pro Thr Ile His Leu Arg Ser Ser Pro Ser Leu  
                  290                 295                 300  
 Pro Pro Ala Ser Pro Cys Pro Ala Leu Ala Phe Trp Lys Arg Val  
                  305                 310                 315  
 Arg Ile Gly Leu Glu Asp Ile Trp Asn Ser Leu Ser Ser Val Phe  
                  320                 325                 330  
 Thr Glu Met Gln Pro Ile Asp Arg Asn Gln Arg

335

340

<210> 45  
 <211> 148  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2457682

<400> 45  
 Met Ala Gly Leu Ala Ala Arg Leu Val Leu Leu Ala Gly Ala Ala  
   1                  5                  10                  15  
 Ala Leu Ala Ser Gly Ser Gln Gly Asp Arg Glu Pro Val Tyr Arg  
                   20                  25                  30  
 Asp Cys Val Leu Gln Cys Glu Glu Gln Asn Cys Ser Gly Gly Ala  
                   35                  40                  45  
 Leu Asn His Phe Arg Ser Arg Gln Pro Ile Tyr Met Ser Leu Ala  
                   50                  55                  60  
 Gly Trp Thr Cys Arg Asp Asp Cys Lys Tyr Glu Cys Met Trp Val  
                   65                  70                  75  
 Thr Val Gly Leu Tyr Leu Gln Glu Gly His Lys Val Pro Gln Phe  
                   80                  85                  90  
 His Gly Lys Trp Pro Phe Ser Arg Phe Leu Phe Phe Gln Glu Pro  
                   95                  100                 105  
 Ala Ser Ala Val Ala Ser Phe Leu Asn Gly Leu Ala Ser Leu Val  
                  110                 115                 120  
 Met Leu Cys Arg Tyr Arg Thr Phe Val Pro Ala Ser Ser Pro Met  
                  125                 130                 135  
 Tyr His Thr Cys Val Ala Phe Ala Trp Leu Ser Gly Arg  
                  140                 145

<210> 46  
 <211> 87  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2480426

<400> 46  
 Met Arg Pro Leu Leu Val Leu Leu Leu Leu Gly Leu Ala Ala Gly  
   1                  5                  10                  15  
 Ser Pro Pro Leu Asp Asp Asn Lys Ile Pro Ser Leu Cys Pro Gly  
                   20                  25                  30  
 Leu Pro Gly Pro Arg Gly Asp Pro Gly Pro Arg Gly Glu Ala Gly  
                   35                  40                  45  
 Pro Ala Gly Pro Thr Gly Leu Ala Gly Glu Cys Ser Val Pro Pro  
                   50                  55                  60

Arg Ser Ala Phe Ser Ala Lys Arg Ser Glu Ile Arg Val Pro Pro  
 65 70 75  
 Leu Ser Asp Ala Pro Leu Pro Ser Thr Ala Cys Trp  
 80 85

<210> 47  
 <211> 383  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2503743

<400> 47  
 Met Ala Gly Ile Pro Gly Leu Leu Phe Leu Leu Phe Phe Leu Leu  
 1 5 10 15  
 Cys Ala Val Gly Gln Val Ser Pro Tyr Ser Ala Pro Trp Lys Pro  
 20 25 30  
 Thr Trp Pro Ala Tyr Arg Leu Pro Val Val Leu Pro Gln Ser Thr  
 35 40 45  
 Leu Asn Leu Ala Lys Pro Asp Phe Gly Ala Glu Ala Lys Leu Glu  
 50 55 60  
 Val Ser Ser Ser Cys Gly Pro Gln Cys His Lys Gly Thr Pro Leu  
 65 70 75  
 Pro Thr Tyr Glu Glu Ala Lys Gln Tyr Leu Ser Tyr Glu Thr Leu  
 80 85 90  
 Tyr Ala Asn Gly Ser Arg Thr Glu Thr Gln Val Gly Ile Tyr Ile  
 95 100 105  
 Leu Ser Ser Ser Gly Asp Gly Ala Gln His Arg Asp Ser Gly Ser  
 110 115 120  
 Ser Gly Lys Ser Arg Arg Lys Arg Gln Ile Tyr Gly Tyr Asp Ser  
 125 130 135  
 Arg Phe Ser Ile Phe Gly Lys Asp Phe Leu Leu Asn Tyr Pro Phe  
 140 145 150  
 Ser Thr Ser Val Lys Leu Ser Thr Gly Cys Thr Gly Thr Leu Val  
 155 160 165  
 Ala Glu Lys His Val Leu Thr Ala Ala His Cys Ile His Asp Gly  
 170 175 180  
 Lys Thr Tyr Val Lys Gly Thr Gln Lys Leu Arg Val Gly Phe Leu  
 185 190 195  
 Lys Pro Lys Phe Lys Asp Gly Gly Arg Gly Ala Asn Asp Ser Thr  
 200 205 210  
 Ser Ala Met Pro Glu Gln Met Lys Phe Gln Trp Ile Arg Val Lys  
 215 220 225  
 Arg Thr His Val Pro Lys Gly Trp Ile Lys Gly Asn Ala Asn Asp  
 230 235 240  
 Ile Gly Met Asp Tyr Asp Tyr Ala Leu Leu Glu Leu Lys Lys Pro  
 245 250 255  
 His Lys Arg Lys Phe Met Lys Ile Gly Val Ser Pro Pro Ala Lys  
 260 265 270  
 Gln Leu Pro Gly Gly Arg Ile His Phe Ser Gly Tyr Asp Asn Asp  
 275 280 285  
 Arg Pro Gly Asn Leu Val Tyr Arg Phe Cys Asp Val Lys Asp Glu

	290		295		300
Thr Tyr Asp Leu	Leu Tyr Gln Gln Cys Asp	Ala Gln Pro Gly	Ala		
	305		310		315
Ser Gly Ser Gly	Val Tyr Val Arg Met Trp	Lys Arg Gln Gln	Gln		
	320		325		330
Lys Trp Glu Arg	Lys Ile Ile Gly Ile Phe	Ser Gly His Gln	Trp		
	335		340		345
Val Asp Met Asn	Gly Ser Pro Gln Asp Phe	Asn Val Ala Val	Arg		
	350		355		360
Ile Thr Pro Leu	Lys Tyr Ala Gln Ile Cys	Tyr Trp Ile Lys	Gly		
	365		370		375
Asn Tyr Leu Asp	Cys Arg Glu Gly				
	380				

&lt;210&gt; 48

&lt;211&gt; 109

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2537684

&lt;400&gt; 48

Met Leu Leu Pro	Ala Leu Cys Ala Trp	Leu Leu Trp Val	Pro Trp
1	5	10	15
Cys Leu Leu Val	Ala Gly Ser Gly Arg	Ser Gly Gly Glu	Leu Cys
	20	25	30
Cys Ser Ser Tyr	Gly Val Ser Val Ile	Ser Val Trp Ser	Lys Cys
	35	40	45
Ser Val Cys Arg	Cys Leu Met Gly Ser	Val Pro Arg Ile	Phe Phe
	50	55	60
Ala Phe Tyr Pro	Ile Ala Trp Leu Pro	Leu Pro Gly Ser	Gln Gly
	65	70	75
Cys Trp Ser Arg	Ser Trp Glu Trp Pro	Leu Val Glu Pro	Ala Ser
	80	85	90
Cys Leu Val Cys	Leu Cys Phe Thr Phe	Gly Val Leu Ser	Gly Val
	95	100	105
Val Ala Val Lys			

&lt;210&gt; 49

&lt;211&gt; 185

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2593853

&lt;400&gt; 49

Met Lys Phe Thr Ile Val Phe Ala Gly Leu Leu Gly Val Phe Leu

1	5	10	15
Ala Pro Ala Leu Ala	Asn Tyr Asn Ile Asn Val Asn Asp Asp Asn		
20	25	30	
Asn Asn Ala Gly Ser	Gly Gln Gln Ser Val Ser Val Asn Asn Glu		
35	40	45	
His Asn Val Ala Asn	Val Asp Asn Asn Asn Gly Trp Asp Ser Trp		
50	55	60	
Asn Ser Ile Trp Asp	Tyr Gly Asn Gly Phe Ala Ala Thr Arg Leu		
65	70	75	
Phe Gln Lys Lys Thr	Cys Ile Val His Lys Met Asn Lys Glu Val		
80	85	90	
Met Pro Ser Ile Gln	Ser Leu Asp Ala Leu Val Lys Glu Lys Lys		
95	100	105	
Leu Gln Gly Lys Gly	Pro Gly Gly Pro Pro Pro Lys Gly Leu Met		
110	115	120	
Tyr Ser Val Asn Pro	Asn Lys Val Asp Asp Leu Ser Lys Phe Gly		
125	130	135	
Lys Asn Ile Ala Asn	Met Cys Arg Gly Ile Pro Thr Tyr Met Ala		
140	145	150	
Glu Glu Met Gln Glu	Ala Ser Leu Phe Phe Tyr Ser Gly Thr Cys		
155	160	165	
Tyr Thr Thr Ser Val	Leu Trp Ile Val Asp Ile Ser Phe Cys Gly		
170	175	180	
Asp Thr Val Glu Asn			
185			

&lt;210&gt; 50

&lt;211&gt; 110

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2622354

&lt;400&gt; 50

Met Ala Pro Arg Gly	Cys Ile Val Ala Val Phe Ala Ile Phe Cys
1	5 10 15
Ile Ser Arg Leu Leu	Cys Ser His Gly Ala Pro Val Ala Pro Met
20	25 30
Thr Pro Tyr Leu Met	Leu Cys Gln Pro His Lys Arg Cys Gly Asp
35	40 45
Lys Phe Tyr Asp Pro	Leu Gln His Cys Cys Tyr Asp Asp Ala Val
50	55 60
Val Pro Leu Ala Arg	Thr Gln Thr Cys Gly Asn Cys Thr Phe Arg
65	70 75
Val Cys Phe Glu Gln	Cys Cys Pro Trp Thr Phe Met Val Lys Leu
80	85 90
Ile Asn Gln Asn Cys	Asp Ser Ala Arg Thr Ser Asp Asp Arg Leu
95	100 105
Cys Arg Ser Val Ser	
110	

<210> 51  
 <211> 126  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2641377

<400> 51  
 Met Trp Leu Gly Ser Trp Leu Thr Ser Leu Leu Leu Ser Pro Tyr  
 1 5 10 15  
 Gly Ser Gly Trp Glu Lys Val Pro Cys Cys Val Thr Gly His Leu  
 20 25 30  
 Arg Ser Cys Ser Cys Cys Leu Leu Gly Leu Ala Gly Val Gln Ser  
 35 40 45  
 Asp His Phe Ser Glu Gly Phe Phe Ser Glu Tyr Ser Ser Asp Val  
 50 55 60  
 Leu Pro Trp Gly Arg Arg Ser Phe Leu Pro Gln Gly Asp Ala Ser  
 65 70 75  
 Leu Leu Ala Cys Glu Cys Phe Leu His Leu Gln Val Val Trp Gly  
 80 85 90  
 Gln Phe Cys Leu Leu Glu Ala Trp Ala Gly Phe Thr Glu Gly Ser  
 95 100 105  
 Met Pro Ala Pro Ser Cys Arg Val His Phe Trp Cys Arg Val Asn  
 110 115 120  
 Thr Cys Ala Phe Met Ser  
 125

<210> 52  
 <211> 488  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2674857

<400> 52  
 Met Ala Gly Lys Gly Ser Ser Gly Arg Arg Pro Leu Leu Leu Gly  
 1 5 10 15  
 Leu Leu Val Ala Val Ala Thr Val His Leu Val Ile Cys Pro Tyr  
 20 25 30  
 Thr Lys Val Glu Glu Ser Phe Asn Leu Gln Ala Thr His Asp Leu  
 35 40 45  
 Leu Tyr His Trp Gln Asp Leu Glu Gln Tyr Asp His Leu Glu Phe  
 50 55 60  
 Pro Gly Val Val Pro Arg Thr Phe Leu Gly Pro Val Val Ile Ala  
 65 70 75  
 Val Phe Ser Ser Pro Ala Val Tyr Val Leu Ser Leu Leu Glu Met  
 80 85 90  
 Ser Lys Phe Tyr Ser Gln Leu Ile Val Arg Gly Val Leu Gly Leu  
 95 100 105



Gly Val Ile Phe Gly Leu Trp Thr Leu Gln Lys Glu Val Arg Arg	110	115	120
His Phe Gly Ala Met Val Ala Thr Met Phe Cys Trp Val Thr Ala	125	130	135
Met Gln Phe His Leu Met Phe Tyr Cys Thr Arg Thr Leu Pro Asn	140	145	150
Val Leu Ala Leu Pro Val Val Leu Leu Ala Leu Ala Ala Trp Leu	155	160	165
Arg His Glu Trp Ala Arg Phe Ile Trp Leu Ser Ala Phe Ala Ile	170	175	180
Ile Val Phe Arg Val Glu Leu Cys Leu Phe Leu Gly Leu Leu Leu	185	190	195
Leu Leu Ala Leu Gly Asn Arg Lys Val Ser Val Val Arg Ala Leu	200	205	210
Arg His Ala Val Pro Ala Gly Ile Leu Cys Leu Gly Leu Thr Val	215	220	225
Ala Val Asp Ser Tyr Phe Trp Arg Gln Leu Thr Trp Pro Glu Gly	230	235	240
Lys Val Leu Trp Tyr Asn Thr Val Leu Asn Lys Ser Ser Asn Trp	245	250	255
Gly Thr Ser Pro Leu Leu Trp Tyr Phe Tyr Ser Ala Leu Pro Arg	260	265	270
Gly Leu Gly Cys Ser Leu Leu Phe Ile Pro Leu Gly Leu Val Asp	275	280	285
Arg Arg Thr His Ala Pro Thr Val Leu Ala Leu Gly Phe Met Ala	290	295	300
Leu Tyr Ser Leu Leu Pro His Lys Glu Leu Arg Phe Ile Ile Tyr	305	310	315
Ala Phe Pro Met Leu Asn Ile Thr Ala Ala Arg Gly Cys Ser Tyr	320	325	330
Leu Leu Asn Asn Tyr Lys Lys Ser Trp Leu Tyr Lys Ala Gly Ser	335	340	345
Leu Leu Val Ile Gly His Leu Val Val Asn Ala Ala Tyr Ser Ala	350	355	360
Thr Ala Leu Tyr Val Ser His Phe Asn Tyr Pro Gly Gly Val Ala	365	370	375
Met Gln Arg Leu His Gln Leu Val Pro Pro Gln Thr Asp Val Leu	380	385	390
Leu His Ile Asp Val Ala Ala Ala Gln Thr Gly Val Ser Arg Phe	395	400	405
Leu Gln Val Asn Ser Ala Trp Arg Tyr Asp Lys Arg Glu Asp Val	410	415	420
Gln Pro Gly Thr Gly Met Leu Ala Tyr Thr His Ile Leu Met Glu	425	430	435
Ala Ala Pro Gly Leu Leu Ala Leu Tyr Arg Asp Thr His Arg Val	440	445	450
Leu Ala Ser Val Val Gly Thr Thr Gly Val Ser Leu Asn Leu Thr	455	460	465
Gln Leu Pro Pro Phe Asn Val His Leu Gln Thr Lys Leu Val Leu	470	475	480
Leu Glu Arg Leu Pro Arg Pro Ser	485		

<211> 197  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2758485

<400> 53

Met	Ser	Pro	Arg	Arg	Thr	Leu	Pro	Arg	Pro	Leu	Ser	Leu	Cys	Leu					
1				5					10					15					
Ser	Leu	Cys	Leu	Cys	Leu	Cys	Leu	Ala	Ala	Ala	Leu	Gly	Ser	Ala					
				20					25					30					
Gln	Ser	Gly	Ser	Cys	Arg	Asp	Lys	Lys	Asn	Cys	Lys	Val	Val	Phe					
				35					40					45					
Ser	Gln	Gln	Glu	Leu	Arg	Lys	Arg	Leu	Thr	Pro	Leu	Gln	Tyr	His					
				50					55					60					
Val	Thr	Gln	Glu	Lys	Gly	Thr	Glu	Ser	Ala	Phe	Glu	Gly	Glu	Tyr					
				65					70					75					
Thr	His	His	Lys	Asp	Pro	Gly	Ile	Tyr	Lys	Cys	Val	Val	Cys	Gly					
				80					85					90					
Thr	Pro	Leu	Phe	Lys	Ser	Glu	Thr	Lys	Phe	Asp	Ser	Gly	Ser	Gly					
				95					100					105					
Trp	Pro	Ser	Phe	His	Asp	Val	Ile	Asn	Ser	Glu	Ala	Ile	Thr	Phe					
				110					115					120					
Thr	Asp	Asp	Phe	Ser	Tyr	Gly	Met	His	Arg	Val	Glu	Thr	Ser	Cys					
				125					130					135					
Ser	Gln	Cys	Gly	Ala	His	Leu	Gly	His	Ile	Phe	Asp	Asp	Gly	Pro					
				140					145					150					
Arg	Pro	Thr	Gly	Lys	Arg	Tyr	Cys	Ile	Asn	Ser	Ala	Ala	Leu	Ser					
				155					160					165					
Phe	Thr	Pro	Ala	Asp	Ser	Ser	Gly	Thr	Ala	Glu	Gly	Gly	Ser	Gly					
				170					175					180					
Val	Ala	Ser	Pro	Ala	Gln	Ala	Asp	Lys	Ala	Asp	Ser	Glu	Ser	Asn					
				185					190					195					
Gly	Glu																		

<210> 54  
 <211> 84  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2763296

<400> 54

Met	Thr	Pro	Gln	Ser	Leu	Leu	Gln	Thr	Thr	Leu	Phe	Leu	Leu	Ser					
1				5					10					15					
Leu	Leu	Phe	Leu	Val	Gln	Gly	Ala	His	Gly	Arg	Gly	His	Arg	Glu					
				20					25					30					
Asp	Phe	Arg	Phe	Cys	Ser	Gln	Arg	Asn	Gln	Thr	His	Arg	Ser	Ser					
				35					40					45					
Leu	His	Tyr	Tyr	Trp	Ser	Met	Arg	Leu	Gln	Ala	Arg	Gly	Gly	Pro					

	50		55		60
Ser	Pro	Leu	Lys	Ser	Asn
Ser	Asp	Ser	Ala	Arg	Leu
	65		70		75
Ser	Gly	Ser	Thr	Ser	Ser
	80				

<210> 55  
 <211> 97  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2779436

<400> 55  
 Met Gln Leu Gly Thr Gly Leu Leu Leu Ala Ala Val Leu Ser Leu  
 1 5 10 15  
 Gln Leu Ala Ala Ala Glu Ala Ile Trp Cys His Gln Cys Thr Gly  
 20 25 30  
 Phe Gly Gly Cys Ser His Gly Ser Arg Cys Leu Arg Asp Ser Thr  
 35 40 45  
 His Cys Val Thr Thr Ala Thr Arg Val Leu Ser Asn Thr Glu Asp  
 50 55 60  
 Leu Pro Leu Val Thr Lys Met Cys His Ile Gly Cys Pro Asp Ile  
 65 70 75  
 Pro Ser Leu Gly Leu Gly Pro Tyr Val Ser Ile Ala Cys Cys Gln  
 80 85 90  
 Thr Ser Leu Cys Asn His Asp  
 95

<210> 56  
 <211> 140  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2808528

<400> 56  
 Met Ala Ala Ser Leu Gly Gln Val Leu Ala Leu Val Leu Val Ala  
 1 5 10 15  
 Ala Leu Trp Gly Gly Thr Gln Pro Leu Leu Lys Arg Ala Ser Ala  
 20 25 30  
 Gly Leu Gln Arg Val His Glu Pro Thr Trp Ala Gln Gln Leu Leu  
 35 40 45  
 Gln Glu Met Lys Thr Leu Phe Leu Asn Thr Glu Tyr Leu Met Pro  
 50 55 60  
 Phe Leu Leu Asn Gln Cys Gly Ser Leu Leu Tyr Tyr Leu Thr Leu  
 65 70 75

Ala Ser Thr Asp Leu Thr Leu Ala Val Pro Ile Cys Asn Ser Leu  
 80 85 90  
 Ala Ile Ile Phe Thr Leu Ile Val Gly Lys Ala Leu Gly Glu Asp  
 95 100 105  
 Ile Gly Gly Lys Arg Ala Val Ala Gly Met Val Leu Thr Val Ile  
 110 115 120  
 Gly Ile Ser Leu Cys Ile Thr Ser Ser Val Ser Lys Thr Gln Gly  
 125 130 135  
 Gln Gln Ser Thr Leu  
 140

&lt;210&gt; 57

&lt;211&gt; 285

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2809230

&lt;400&gt; 57

Met Glu Val Pro Pro Pro Ala Pro Arg Ser Phe Leu Cys Arg Ala  
 1 5 10 15  
 Leu Cys Leu Phe Pro Arg Val Phe Ala Ala Glu Ala Val Thr Ala  
 20 25 30  
 Asp Ser Glu Val Leu Glu Glu Arg Gln Lys Arg Leu Pro Tyr Val  
 35 40 45  
 Pro Glu Pro Tyr Tyr Pro Glu Ser Gly Trp Asp Arg Leu Arg Glu  
 50 55 60  
 Leu Phe Gly Lys Asp Glu Gln Gln Arg Ile Ser Lys Asp Leu Ala  
 65 70 75  
 Asn Ile Cys Lys Thr Ala Ala Thr Ala Gly Ile Ile Gly Trp Val  
 80 85 90  
 Tyr Gly Gly Ile Pro Ala Phe Ile His Ala Lys Gln Gln Tyr Ile  
 95 100 105  
 Glu Gln Ser Gln Ala Glu Ile Tyr His Asn Arg Phe Asp Ala Val  
 110 115 120  
 Gln Ser Ala His Arg Ala Ala Thr Arg Gly Phe Ile Arg Tyr Gly  
 125 130 135  
 Trp Arg Trp Gly Trp Arg Thr Ala Val Phe Val Thr Ile Phe Asn  
 140 145 150  
 Thr Val Asn Thr Ser Leu Asn Val Tyr Arg Asn Lys Asp Ala Leu  
 155 160 165  
 Ser His Phe Val Ile Ala Gly Ala Val Thr Gly Ser Leu Phe Arg  
 170 175 180  
 Ile Asn Val Gly Leu Arg Gly Leu Val Ala Gly Gly Ile Ile Gly  
 185 190 195  
 Ala Leu Leu Gly Thr Pro Val Gly Gly Leu Leu Met Ala Phe Gln  
 200 205 210  
 Lys Tyr Ser Gly Glu Thr Val Gln Glu Arg Lys Gln Lys Asp Arg  
 215 220 225  
 Lys Ala Leu His Glu Leu Lys Leu Glu Glu Trp Lys Gly Arg Leu  
 230 235 240  
 Gln Val Thr Glu His Leu Pro Glu Lys Ile Glu Ser Ser Leu Gln

	245		250		255
Glu Asp Glu Pro	Glu Asn Asp Ala Lys	Lys Ile Glu Ala Leu	Leu		
	260		265		270
Asn Leu Pro Arg	Asn Pro Ser Val Ile	Asp Lys Gln Asp Lys	Asp		
	275		280		285

&lt;210&gt; 58

&lt;211&gt; 262

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2816821

&lt;400&gt; 58

Met Thr Gln Pro Val	Pro Arg Leu Ser Val	Pro Ala Ala Leu Ala	
1	5	10	15
Leu Gly Ser Ala Ala	Leu Gly Ala Ala Phe	Ala Thr Gly Leu Phe	
	20	25	30
Leu Gly Arg Arg Cys	Pro Pro Trp Arg Gly	Arg Arg Glu Gln Cys	
	35	40	45
Leu Leu Pro Pro Glu	Asp Ser Arg Leu Trp	Gln Tyr Leu Leu Ser	
	50	55	60
Arg Ser Met Arg Glu	His Pro Ala Leu Arg	Ser Leu Arg Leu Leu	
	65	70	75
Thr Leu Glu Gln Pro	Gln Gly Asp Ser Met	Met Thr Cys Glu Gln	
	80	85	90
Ala Gln Leu Leu Ala	Asn Leu Ala Arg Leu	Ile Gln Ala Lys Lys	
	95	100	105
Ala Leu Asp Leu Gly	Thr Phe Thr Gly Tyr	Ser Ala Leu Ala Leu	
	110	115	120
Ala Leu Ala Leu Pro	Ala Asp Gly Arg Val	Val Thr Cys Glu Val	
	125	130	135
Asp Ala Gln Pro Pro	Glu Leu Gly Arg Pro	Leu Trp Arg Gln Ala	
	140	145	150
Glu Ala Glu His Lys	Ile Asp Leu Arg Leu	Lys Pro Ala Leu Glu	
	155	160	165
Thr Leu Asp Glu Leu	Leu Ala Ala Gly Glu	Ala Gly Thr Phe Asp	
	170	175	180
Val Ala Val Val Asp	Ala Asp Lys Glu Asn	Cys Ser Ala Tyr Tyr	
	185	190	195
Glu Arg Cys Leu Gln	Leu Leu Arg Pro Gly	Gly Ile Leu Ala Val	
	200	205	210
Leu Arg Val Leu Trp	Arg Gly Lys Val Leu	Gln Pro Pro Lys Gly	
	215	220	225
Asp Val Ala Ala Glu	Cys Val Arg Asn Leu	Asn Glu Arg Ile Arg	
	230	235	240
Arg Asp Val Arg Val	Tyr Ile Ser Leu Leu	Pro Leu Gly Asp Gly	
	245	250	255
Leu Thr Leu Ala Phe	Lys Ile		
	260		

<210> 59  
 <211> 189  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2817268

<400> 59  
 Met Ala Leu Leu Ser Arg Pro Ala Leu Thr Leu Leu Leu Leu Leu  
 1 5 10 15  
 Met Ala Ala Val Val Arg Cys Gln Glu Gln Ala Gln Thr Thr Asp  
 20 25 30  
 Trp Arg Ala Thr Leu Lys Thr Ile Arg Asn Gly Val His Lys Ile  
 35 40 45  
 Asp Thr Tyr Leu Asn Ala Ala Leu Asp Leu Leu Gly Gly Glu Asp  
 50 55 60  
 Gly Leu Cys Gln Tyr Lys Cys Ser Asp Gly Ser Lys Pro Phe Pro  
 65 70 75  
 Arg Tyr Gly Tyr Lys Pro Ser Pro Pro Asn Gly Cys Gly Ser Pro  
 80 85 90  
 Leu Phe Gly Val His Leu Asn Ile Gly Ile Pro Ser Leu Thr Lys  
 95 100 105  
 Cys Cys Asn Gln His Asp Arg Cys Tyr Glu Thr Cys Gly Lys Ser  
 110 115 120  
 Lys Asn Asp Cys Asp Glu Glu Phe Gln Tyr Cys Leu Ser Lys Ile  
 125 130 135  
 Cys Arg Asp Val Gln Lys Thr Leu Gly Leu Thr Gln His Val Gln  
 140 145 150  
 Ala Cys Glu Thr Thr Val Glu Leu Leu Phe Asp Ser Val Ile His  
 155 160 165  
 Leu Gly Cys Lys Pro Tyr Leu Asp Ser Gln Arg Ala Ala Cys Arg  
 170 175 180  
 Cys His Tyr Glu Glu Lys Thr Asp Leu  
 185

<210> 60  
 <211> 257  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2923165

<400> 60  
 Met Thr Ala Ala Val Phe Phe Gly Cys Ala Phe Ile Ala Phe Gly  
 1 5 10 15  
 Pro Ala Leu Ala Leu Tyr Val Phe Thr Ile Ala Thr Glu Pro Leu  
 20 25 30  
 Arg Ile Ile Phe Leu Ile Ala Gly Ala Phe Phe Trp Leu Val Ser  
 35 40 45



```

Leu Leu Ile Ser Ser Leu Val Trp Phe Met Ala Arg Val Ile Ile
    50                      55                      60
Asp Asn Lys Asp Gly Pro Thr Gln Lys Tyr Leu Leu Ile Phe Gly
    65                      70                      75
Ala Phe Val Ser Val Tyr Ile Gln Glu Met Phe Arg Phe Ala Tyr
    80                      85                      90
Tyr Lys Leu Leu Lys Lys Ala Ser Glu Gly Leu Lys Ser Ile Asn
    95                      100                     105
Pro Gly Glu Thr Ala Pro Ser Met Arg Leu Leu Ala Tyr Val Ser
   110                      115                     120
Gly Leu Gly Phe Gly Ile Met Ser Gly Val Phe Ser Phe Val Asn
   125                      130                     135
Thr Leu Ser Asp Ser Leu Gly Pro Gly Thr Val Gly Ile His Gly
   140                      145                     150
Asp Ser Pro Gln Phe Phe Leu Tyr Ser Ala Phe Met Thr Leu Val
   155                      160                     165
Ile Ile Leu Leu His Val Phe Trp Gly Ile Val Phe Phe Asp Gly
   170                      175                     180
Cys Glu Lys Lys Lys Trp Gly Ile Leu Leu Ile Val Leu Leu Thr
   185                      190                     195
His Leu Leu Val Ser Ala Gln Thr Phe Ile Ser Ser Tyr Tyr Gly
   200                      205                     210
Ile Asn Leu Ala Ser Ala Phe Ile Ile Leu Val Leu Met Gly Thr
   215                      220                     225
Trp Ala Phe Leu Ala Ala Gly Gly Ser Cys Arg Ser Leu Lys Leu
   230                      235                     240
Cys Leu Leu Cys Gln Asp Lys Asn Phe Leu Leu Tyr Asn Gln Arg
   245                      250                     255
Ser Arg

```

<210> 61  
 <211> 82  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2949822

```

<400> 61
Met Pro Phe Ser Trp Met Val Ile Ile Leu Gly Phe Leu Cys Gly
  1           5           10          15
Leu Ser Gly Gln Leu Gln Ile Met Asn Thr Leu Ser Ser Leu Pro
  20          25          30
Ile Val Leu Leu Val Ser Ser Ser Cys Leu Ile Leu Ala Arg Met
  35          40          45
Ser Tyr Ser Ile Leu Thr Ser Ser Tyr Gly Gly Gly Val Phe Ile
  50          55          60
Leu Leu Asp Leu Lys Arg Asn Thr Ser Lys Val Ser Pro Leu Met
  65          70          75
Met Met Phe Ala Ile Gly His
  80

```

<210> 62  
 <211> 202  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2992192

<400> 62  
 Met Ala Ala Pro Trp Arg Arg Trp Pro Thr Gly Leu Leu Ala Val  
 1 5 10 15  
 Leu Arg Pro Leu Leu Thr Cys Arg Pro Leu Gln Gly Thr Thr Leu  
 20 25 30  
 Gln Arg Asp Val Leu Leu Phe Glu His Asp Arg Gly Arg Phe Phe  
 35 40 45  
 Thr Ile Leu Gly Leu Phe Cys Ala Gly Gln Gly Val Phe Trp Ala  
 50 55 60  
 Ser Met Ala Val Ala Ala Val Ser Arg Pro Pro Val Pro Val Gln  
 65 70 75  
 Pro Leu Asp Ala Glu Val Pro Asn Arg Gly Pro Phe Asp Leu Arg  
 80 85 90  
 Ser Ala Leu Trp Arg Tyr Gly Leu Ala Val Gly Cys Gly Ala Ile  
 95 100 105  
 Gly Ala Leu Val Leu Gly Ala Gly Leu Leu Phe Ser Leu Arg Ser  
 110 115 120  
 Val Arg Ser Val Val Leu Arg Ala Gly Gly Gln Gln Val Thr Leu  
 125 130 135  
 Thr Thr His Ala Pro Phe Gly Leu Gly Ala His Phe Thr Val Pro  
 140 145 150  
 Leu Lys Gln Val Ser Cys Met Ala His Arg Gly Glu Val Pro Ala  
 155 160 165  
 Met Leu Pro Leu Lys Val Lys Gly Arg Arg Phe Tyr Phe Leu Leu  
 170 175 180  
 Asp Lys Thr Gly His Phe Pro Asn Thr Lys Leu Phe Asp Asn Thr  
 185 190 195  
 Val Gly Ala Tyr Arg Ser Leu  
 200

<210> 63  
 <211> 450  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2992458

<400> 63  
 Met Leu Val Thr Ala Tyr Leu Ala Phe Val Gly Leu Leu Ala Ser  
 1 5 10 15  
 Cys Leu Gly Leu Glu Leu Ser Arg Cys Arg Ala Lys Pro Pro Gly  
 20 25 30

Arg	Ala	Cys	Ser	Asn	Pro	Ser	Phe	Leu	Arg	Phe	Gln	Leu	Asp	Phe	
				35					40					45	
Tyr	Gln	Val	Tyr	Phe	Leu	Ala	Leu	Ala	Ala	Asp	Trp	Leu	Gln	Ala	
				50					55					60	
Pro	Tyr	Leu	Tyr	Lys	Leu	Tyr	Gln	His	Tyr	Tyr	Phe	Leu	Glu	Gly	
				65					70					75	
Gln	Ile	Ala	Ile	Leu	Tyr	Val	Cys	Gly	Leu	Ala	Ser	Thr	Val	Leu	
				80					85					90	
Phe	Gly	Leu	Val	Ala	Ser	Ser	Leu	Val	Asp	Trp	Leu	Gly	Arg	Lys	
				95					100					105	
Asn	Ser	Cys	Val	Leu	Phe	Ser	Leu	Thr	Tyr	Ser	Leu	Cys	Cys	Leu	
				110					115					120	
Thr	Lys	Leu	Ser	Gln	Asp	Tyr	Phe	Val	Leu	Leu	Val	Gly	Arg	Ala	
				125					130					135	
Leu	Gly	Gly	Leu	Ser	Thr	Ala	Leu	Leu	Phe	Ser	Ala	Phe	Glu	Ala	
				140					145					150	
Trp	Tyr	Ile	His	Glu	His	Val	Glu	Arg	His	Asp	Phe	Pro	Ala	Glu	
				155					160					165	
Trp	Ile	Pro	Ala	Thr	Phe	Ala	Arg	Ala	Ala	Phe	Trp	Asn	His	Val	
				170					175					180	
Leu	Ala	Val	Val	Ala	Gly	Val	Ala	Ala	Glu	Ala	Val	Ala	Ser	Trp	
				185					190					195	
Ile	Gly	Leu	Gly	Pro	Val	Ala	Pro	Phe	Val	Ala	Ala	Ile	Pro	Leu	
				200					205					210	
Leu	Ala	Leu	Ala	Gly	Ala	Leu	Ala	Leu	Arg	Asn	Trp	Gly	Glu	Asn	
				215					220					225	
Tyr	Asp	Arg	Gln	Arg	Ala	Phe	Ser	Arg	Thr	Cys	Ala	Gly	Gly	Leu	
				230					235					240	
Arg	Cys	Leu	Leu	Ser	Asp	Arg	Arg	Val	Leu	Leu	Leu	Gly	Thr	Ile	
				245					250					255	
Gln	Ala	Leu	Phe	Glu	Ser	Val	Ile	Phe	Ile	Phe	Val	Phe	Leu	Trp	
				260					265					270	
Thr	Pro	Val	Leu	Asp	Pro	His	Gly	Ala	Pro	Leu	Gly	Ile	Ile	Phe	
				275					280					285	
Ser	Ser	Phe	Met	Ala	Ala	Ser	Leu	Leu	Gly	Ser	Ser	Leu	Tyr	Arg	
				290					295					300	
Ile	Ala	Thr	Ser	Lys	Arg	Tyr	His	Leu	Gln	Pro	Met	His	Leu	Leu	
				305					310					315	
Ser	Leu	Ala	Val	Leu	Ile	Val	Val	Phe	Ser	Leu	Phe	Met	Leu	Thr	
				320					325					330	
Phe	Ser	Thr	Ser	Pro	Gly	Gln	Glu	Ser	Pro	Val	Glu	Ser	Phe	Ile	
				335					340					345	
Ala	Phe	Leu	Leu	Ile	Glu	Leu	Ala	Cys	Gly	Leu	Tyr	Phe	Pro	Ser	
				350					355					360	
Met	Ser	Phe	Leu	Arg	Arg	Lys	Val	Ile	Pro	Glu	Thr	Glu	Gln	Ala	
				365					370					375	
Gly	Val	Leu	Asn	Trp	Phe	Arg	Val	Pro	Leu	His	Ser	Leu	Ala	Cys	
				380					385					390	
Leu	Gly	Leu	Leu	Val	Leu	His	Asp	Ser	Asp	Arg	Lys	Thr	Gly	Thr	
				395					400					405	
Arg	Asn	Met	Phe	Ser	Ile	Cys	Ser	Ala	Val	Met	Val	Met	Ala	Leu	
				410					415					420	
Leu	Ala	Val	Val	Gly	Leu	Phe	Thr	Val	Val	Arg	His	Asp	Ala	Glu	
				425					430					435	
Leu	Arg	Val	Pro	Ser	Pro	Thr	Glu	Glu	Pro	Tyr	Ala	Pro	Glu	Leu	
				440					445					450	

<210> 64  
 <211> 322  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3044710

<400> 64  
 Met Ala Arg Cys Phe Ser Leu Val Leu Leu Leu Thr Ser Ile Trp  
 1 5 10 15  
 Thr Thr Arg Leu Leu Val Gln Gly Ser Leu Arg Ala Glu Glu Leu  
 20 25 30  
 Ser Ile Gln Val Ser Cys Arg Ile Met Gly Ile Thr Leu Val Ser  
 35 40 45  
 Lys Lys Ala Asn Gln Gln Leu Asn Phe Thr Glu Ala Lys Glu Ala  
 50 55 60  
 Cys Arg Leu Leu Gly Leu Ser Leu Ala Gly Lys Asp Gln Val Glu  
 65 70 75  
 Thr Ala Leu Lys Ala Ser Phe Glu Thr Cys Ser Tyr Gly Trp Val  
 80 85 90  
 Gly Asp Gly Phe Val Val Ile Ser Arg Ile Ser Pro Asn Pro Lys  
 95 100 105  
 Cys Gly Lys Asn Gly Val Gly Val Leu Ile Trp Lys Val Pro Val  
 110 115 120  
 Ser Arg Gln Phe Ala Ala Tyr Cys Tyr Asn Ser Ser Asp Thr Trp  
 125 130 135  
 Thr Asn Ser Cys Ile Pro Glu Ile Ile Thr Thr Lys Asp Pro Ile  
 140 145 150  
 Phe Asn Thr Gln Thr Ala Thr Gln Thr Thr Glu Phe Ile Val Ser  
 155 160 165  
 Asp Ser Thr Tyr Ser Val Ala Ser Pro Tyr Ser Thr Ile Pro Ala  
 170 175 180  
 Pro Thr Thr Thr Pro Pro Ala Pro Ala Ser Thr Ser Ile Pro Arg  
 185 190 195  
 Arg Lys Lys Leu Ile Cys Val Thr Glu Val Phe Met Glu Thr Ser  
 200 205 210  
 Thr Met Ser Thr Glu Thr Glu Pro Phe Val Glu Asn Lys Ala Ala  
 215 220 225  
 Phe Lys Asn Glu Ala Ala Gly Phe Gly Gly Val Pro Thr Ala Leu  
 230 235 240  
 Leu Val Leu Ala Leu Leu Phe Phe Gly Ala Ala Ala Gly Leu Gly  
 245 250 255  
 Phe Cys Tyr Val Lys Arg Tyr Val Lys Ala Phe Pro Phe Thr Asn  
 260 265 270  
 Lys Asn Gln Gln Lys Glu Met Ile Glu Thr Lys Val Val Lys Glu  
 275 280 285  
 Glu Lys Ala Asn Asp Ser Asn Pro Asn Glu Glu Ser Lys Lys Thr  
 290 295 300  
 Asp Lys Asn Pro Glu Glu Ser Lys Ser Pro Ser Lys Thr Thr Val  
 305 310 315  
 Arg Cys Leu Glu Ala Glu Val  
 320

<210> 65  
 <211> 104  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3120415

<400> 65  
 Met Lys Leu Ala Ala Leu Leu Gly Leu Cys Val Ala Leu Ser Cys  
   1                  5                  10                  15  
 Ser Ser Ala Ala Ala Phe Leu Val Gly Ser Ala Lys Pro Val Ala  
                   20                  25                  30  
 Gln Pro Val Ala Ala Leu Glu Ser Ala Ala Glu Ala Gly Ala Gly  
                   35                  40                  45  
 Thr Leu Ala Asn Pro Leu Gly Thr Leu Asn Pro Leu Lys Leu Leu  
                   50                  55                  60  
 Leu Ser Ser Leu Gly Ile Pro Val Asn His Leu Ile Glu Gly Ser  
                   65                  70                  75  
 Gln Lys Cys Val Ala Glu Leu Gly Pro Gln Ala Val Gly Ala Val  
                   80                  85                  90  
 Lys Ala Leu Lys Ala Leu Leu Gly Ala Leu Thr Val Phe Gly  
                   95                  100

<210> 66  
 <211> 93  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 126758

<400> 66  
 Met Lys Leu Val Thr Ile Phe Leu Leu Val Thr Ile Ser Leu Cys  
   1                  5                  10                  15  
 Ser Tyr Ser Ala Thr Ala Phe Leu Ile Asn Lys Val Pro Leu Pro  
                   20                  25                  30  
 Val Asp Lys Leu Ala Pro Leu Pro Leu Asp Asn Ile Leu Pro Phe  
                   35                  40                  45  
 Met Asp Pro Leu Lys Leu Leu Leu Lys Thr Leu Gly Ile Ser Val  
                   50                  55                  60  
 Glu His Leu Val Glu Gly Leu Arg Lys Cys Val Asn Glu Leu Gly  
                   65                  70                  75  
 Pro Glu Ala Ser Glu Ala Val Lys Lys Leu Leu Glu Ala Leu Ser  
                   80                  85                  90  
 His Leu Val

<210> 67  
 <211> 71  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 674760

<400> 67  
 Met Thr Ala Gly Gln Phe Pro Ala Leu Val Ser Leu Ala Leu Leu  
   1                  5                  10                  15  
 Leu Asp Gly Gly Arg Arg Ala Ser Ala Arg Arg Asn Arg Gly His  
                   20                  25                  30  
 Leu Trp Val Phe Cys Thr Ser Phe Leu Leu Ala Pro Trp Glu Val  
                   35                  40                  45  
 Glu Asp Val Gly Trp Lys Lys Gly Leu Asp Leu Pro Pro Ser Ser  
                   50                  55                  60  
 Ser Pro Pro Ser Pro Lys Glu Leu Ala Leu Gln  
                   65                  70

<210> 68  
 <211> 394  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1229438

<400> 68  
 Met Lys Arg Gln Asn Val Arg Thr Leu Ala Leu Ile Val Cys Thr  
   1                  5                  10                  15  
 Phe Thr Tyr Leu Leu Val Gly Ala Ala Val Phe Asp Ala Leu Glu  
                   20                  25                  30  
 Ser Glu Pro Glu Leu Ile Glu Arg Gln Arg Leu Glu Leu Arg Gln  
                   35                  40                  45  
 Gln Glu Leu Arg Ala Arg Tyr Asn Leu Ser Gln Gly Gly Tyr Glu  
                   50                  55                  60  
 Glu Leu Glu Arg Val Val Leu Arg Leu Lys Pro His Lys Ala Gly  
                   65                  70                  75  
 Val Gln Trp Arg Phe Ala Gly Ser Phe Tyr Phe Ala Ile Thr Val  
                   80                  85                  90  
 Ile Thr Thr Ile Gly Tyr Gly His Ala Ala Pro Ser Thr Asp Gly  
                   95                  100                  105  
 Gly Lys Val Phe Cys Met Phe Tyr Ala Leu Leu Gly Ile Pro Leu  
                   110                  115                  120  
 Thr Leu Val Met Phe Gln Ser Leu Gly Glu Arg Ile Asn Thr Leu  
                   125                  130                  135  
 Val Arg Tyr Leu Leu His Arg Ala Lys Lys Gly Leu Gly Met Arg  
                   140                  145                  150  
 Arg Ala Asp Val Ser Met Ala Asn Met Val Leu Ile Gly Phe Phe  
                   155                  160                  165  
 Ser Cys Ile Ser Thr Leu Cys Ile Gly Ala Ala Ala Phe Ser His



	170		175		180
Tyr Glu His Trp	Thr Phe Phe Gln Ala	Tyr Tyr Tyr Cys Phe	Ile		
	185		190		195
Thr Leu Thr Thr	Ile Gly Phe Gly Asp	Tyr Val Ala Leu Gln	Lys		
	200		205		210
Asp Gln Ala Leu	Gln Thr Gln Pro Gln	Tyr Val Ala Phe Ser	Phe		
	215		220		225
Val Tyr Ile Leu	Thr Gly Leu Thr Val	Ile Gly Ala Phe Leu	Asn		
	230		235		240
Leu Val Val Leu	Arg Phe Met Thr Met	Asn Ala Glu Asp Glu	Lys		
	245		250		255
Arg Asp Ala Glu	His Arg Ala Leu Leu	Thr Arg Asn Gly Gln	Ala		
	260		265		270
Gly Gly Gly Gly	Gly Gly Gly Ser Ala	His Thr Thr Asp Thr	Ala		
	275		280		285
Ser Ser Thr Ala	Ala Ala Gly Gly Gly	Gly Phe Arg Asn Val	Tyr		
	290		295		300
Ala Glu Val Leu	His Phe Gln Ser Met	Cys Ser Cys Leu Trp	Tyr		
	305		310		315
Lys Ser Arg Glu	Lys Leu Gln Tyr Ser	Ile Pro Met Ile Ile	Pro		
	320		325		330
Arg Asp Leu Ser	Thr Ser Asp Thr Cys	Val Glu Gln Ser His	Ser		
	335		340		345
Ser Pro Gly Gly	Gly Gly Arg Tyr Ser	Asp Thr Pro Ser Arg	Arg		
	350		355		360
Cys Leu Cys Ser	Gly Ala Pro Arg Ser	Ala Ile Ser Ser Val	Ser		
	365		370		375
Thr Gly Leu His	Ser Leu Ser Thr Phe	Arg Gly Leu Met Lys	Arg		
	380		385		390
Arg Ser Ser Val					

&lt;210&gt; 69

&lt;211&gt; 72

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1236935

&lt;400&gt; 69

Met Cys Pro Phe Phe	Pro Leu Thr Ser Leu	Ile Val Phe Leu	Ile
1	5	10	15
Leu Phe Phe Lys Thr	Ile Ala Ser Ser Gly	Ser Gly Gly Ser	Cys
	20	25	30
Leu Gly Leu Pro Lys	Cys Trp Asp Tyr Arg	Arg Glu His Arg	Ala
	35	40	45
Arg Pro Thr Ile Val	Phe Ser Lys His Val	Tyr Thr Tyr Ser	Met
	50	55	60
Arg Met Gln Ile Glu	Ile Ser Thr Asn Ile	Ser Gln	
	65	70	

<210> 70  
 <211> 71  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1359283

<400> 70  
 Met Arg Leu Thr Gly Leu Thr Leu Leu Leu Ser Leu Met Glu Ser  
     1                    5                    10                    15  
 Leu Gly Gln Val Glu Asp Arg Phe Phe Ser Thr His Arg Arg Phe  
                     20                    25                    30  
 Pro His His Thr Pro Ile Ser Gly Leu Leu Cys Arg Glu Phe Ser  
                     35                    40                    45  
 Leu Pro Lys Arg Ser Gly Val Pro Trp Thr Arg Val Leu Ile Ser  
                     50                    55                    60  
 Cys Ile Trp Arg Ser Gly Ala Gly Lys Arg Met  
                     65                    70

<210> 71  
 <211> 247  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1450703

<400> 71  
 Met His Leu Ala Arg Leu Val Gly Ser Cys Ser Leu Leu Leu Leu  
     1                    5                    10                    15  
 Leu Gly Ala Leu Ser Gly Trp Ala Ala Ser Asp Asp Pro Ile Glu  
                     20                    25                    30  
 Lys Val Ile Glu Gly Ile Asn Arg Gly Leu Ser Asn Ala Glu Arg  
                     35                    40                    45  
 Glu Val Gly Lys Ala Leu Asp Gly Ile Asn Ser Gly Ile Thr His  
                     50                    55                    60  
 Ala Gly Arg Glu Val Glu Lys Val Phe Asn Gly Leu Ser Asn Met  
                     65                    70                    75  
 Gly Ser His Thr Gly Lys Glu Leu Asp Lys Gly Val Gln Gly Leu  
                     80                    85                    90  
 Asn His Gly Met Asp Lys Val Ala His Glu Ile Asn His Gly Ile  
                     95                    100                    105  
 Gly Gln Ala Gly Lys Glu Ala Glu Lys Leu Gly His Gly Val Asn  
                     110                    115                    120  
 Asn Ala Ala Gly Gln Ala Gly Lys Glu Ala Asp Lys Ala Val Gln  
                     125                    130                    135  
 Gly Phe His Thr Gly Val His Gln Ala Gly Lys Glu Ala Glu Lys  
                     140                    145                    150  
 Leu Gly Gln Gly Val Asn His Ala Ala Asp Gln Ala Gly Lys Glu  
                     155                    160                    165  
 Val Glu Lys Leu Gly Gln Gly Ala His His Ala Ala Gly Gln Ala

170	175	180
Gly Lys Glu Leu Gln Asn Ala His Asn Gly Val Asn Gln Ala Ser		
185	190	195
Lys Glu Ala Asn Gln Leu Leu Asn Gly Asn His Gln Ser Gly Ser		
200	205	210
Ser Ser His Gln Gly Gly Ala Thr Thr Thr Pro Leu Ala Ser Gly		
215	220	225
Ala Ser Val Asn Thr Pro Phe Ile Asn Leu Pro Ala Leu Trp Arg		
230	235	240
Ser Val Ala Asn Ile Met Pro		
245		

<210> 72  
 <211> 73  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1910668

<400> 72
Met Thr Cys Trp Met Leu Pro Pro Ile Ser Phe Leu Ser Tyr Leu
1 5 10 15
Pro Leu Trp Leu Gly Pro Ile Trp Pro Cys Ser Gly Ser Thr Leu
20 25 30
Gly Lys Pro Asp Pro Gly Val Trp Pro Ser Leu Phe Arg Pro Trp
35 40 45
Asp Ala Ala Ser Pro Gly Asn Tyr Ala Leu Ser Arg Gly Glu Asn
50 55 60
Gln Tyr Glu Lys Trp Gly Gln Gly Thr His Ser Ser Leu
65 70

<210> 73  
 <211> 70  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1955143

<400> 73
Met Gly Arg Leu Arg Tyr Phe Phe Ser Leu Leu Leu Leu Arg Trp
1 5 10 15
Gly Gln Leu Leu Gly Ala Asp Glu Phe Cys Cys His Lys Ser Tyr
20 25 30
Ile Ala His Leu Val Cys Thr Glu Ser Ala Ile Leu Asn Pro Gly
35 40 45
His Ala Leu Glu Leu Tyr Lys Lys Asn Leu Gln Val Ser Ile Leu
50 55 60

Ser Pro Tyr Pro Thr Asp Pro Ile His Leu  
65 70

<210> 74  
<211> 67  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1961637

<400> 74  
Met Met Phe Thr Ser Leu Ser Leu Ala Leu Pro Phe Leu Leu Gln  
1 5 10 15  
Thr Met Leu Cys Leu Arg Ala Leu Leu Ile Ala Val Pro His Gly  
20 25 30  
His Asp Trp Asn Arg Asp Ala Thr Ser Phe Tyr Thr Ser Thr Val  
35 40 45  
Ser Trp Val Lys Ser Phe Phe Leu Phe Val Leu Asp Gly Val Ser  
50 55 60  
Leu Leu Leu Pro Arg Leu Glu  
65

<210> 75  
<211> 91  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1990762

<400> 75  
Met Trp Pro Thr Thr Trp Ala Trp Ser Trp Val Gln Thr Leu Thr  
1 5 10 15  
Leu Ala Leu Leu Ile Ser Cys Val Thr Leu Gly Gln Leu Ile Thr  
20 25 30  
Thr Leu Gln Val Ser Phe Leu Ile Cys Glu Met Asp Val Ile Ile  
35 40 45  
Gly Cys Asp Glu Met Ile Pro Ser Glu Ser Leu Val Leu Leu Trp  
50 55 60  
Pro Pro Pro Leu Leu Leu Leu Gly Glu Phe Trp Ile Trp Asn Pro  
65 70 75  
Val Ser Arg Ile Leu Phe Trp Leu Cys His Val Pro Ala Gly Gln  
80 85 90  
Leu

<210> 76  
<211> 56  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1994131

<400> 76  
Met Asn Glu Trp Trp Leu Leu Leu Leu Leu His Leu His Pro Pro  
1 5 10 15  
Arg Val Ile Ser Pro Phe Trp Phe Ile Val Ser Val Leu Thr Ala  
20 25 30  
Cys Asp Asn Arg Lys Tyr Ile Leu Leu Arg Thr Val Pro Val Phe  
35 40 45  
Ser Phe Pro Glu Asn Thr Tyr Phe Asp Val Gly  
50 55

<210> 77  
<211> 112  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1997745

<400> 77  
Met Pro Leu Phe Leu Ser Ile Pro Ser Leu Phe Leu Thr Leu Ser  
1 5 10 15  
Gly Leu Gly Leu Ala Val Gln Ser Pro Ala Gly Gly Cys Trp Gly  
20 25 30  
Leu Ser Leu Cys Arg His Cys Val Phe Leu Arg Gly Cys Pro Gln  
35 40 45  
Asn Thr Pro Pro Ala Pro Trp Gly Ser Ser Gly Ser His Phe Ser  
50 55 60  
Trp Ser Leu Arg Ser Gln Lys Gln Leu Leu Gln Glu Ala Lys Lys  
65 70 75  
Arg Leu Gly Trp Leu Leu Val Leu Met Met Ala Phe Ile Leu Leu  
80 85 90  
Gly His Phe Gly Tyr Ile His Gly His Cys Phe His Leu Ser Phe  
95 100 105  
Leu Pro Val Pro Pro Leu Pro  
110

<210> 78  
<211> 54  
<212> PRT  
<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2009035

&lt;400&gt; 78

```

Met Met Leu Gln Pro Val Asp Leu Leu Gln Ser Tyr Leu Leu Leu
  1           5           10           15
Leu Tyr Cys Trp Ser Phe Ser Leu Leu Phe Thr Leu Leu Cys Asn
           20           25           30
Ala Val Arg Asn Asp Phe Phe His Lys Leu Phe Ser Ile Tyr Trp
           35           40           45
Met Tyr Asn Leu Thr His Ser Lys His
           50

```

&lt;210&gt; 79

&lt;211&gt; 57

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2009152

&lt;400&gt; 79

```

Met Lys Phe Tyr Ala Val Leu Leu Ser Ile Cys Leu Leu Leu Ser
  1           5           10           15
Cys Trp Cys Ala Cys His Val Arg Asp Cys Asn Leu Ile Cys Leu
           20           25           30
Phe Ser Thr Val Lys Ala Ile Thr Arg Glu Leu Leu Gln Leu Pro
           35           40           45
Ser Tyr Val Lys Arg Phe Phe Phe Asn Ser Leu Arg
           50           55

```

&lt;210&gt; 80

&lt;211&gt; 52

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2061752

&lt;400&gt; 80

```

Met Gln Arg Leu Gly Lys Ala Pro Gly Thr Trp Gln Ala Ile Ser
  1           5           10           15
Lys Cys Trp Leu Leu Leu Leu Leu Ser Leu Pro Phe Ser Gln Ser
           20           25           30
Ile Ile Ile Ser Leu Arg Ala Gly Thr Met Ser Tyr Leu Pro Leu
           35           40           45
Tyr Phe Pro Gln Tyr Phe Pro
           50

```



<210> 81  
<211> 64  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2061933

<400> 81  
Met Lys Leu Leu Leu Leu Lys Leu Asp Phe Phe Ile Leu Leu Gly  
1 5 10 15  
Ser Glu Glu Ser Arg Cys Leu Val Asp Val Gln Tyr Val Ile Phe  
20 25 30  
Phe Leu Ile Glu Cys Val His Leu Lys Ser Ser Leu Thr Phe Leu  
35 40 45  
Glu Arg Leu Leu Ser Ile Asn Asn Gly Ile Leu Glu Glu Lys Trp  
50 55 60  
Phe Phe Lys Ser

<210> 82  
<211> 65  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2081422

<400> 82  
Met Lys Pro Leu Ile Pro Phe Leu Ser Pro Pro Pro Leu Leu Pro  
1 5 10 15  
Leu Thr Phe Phe Leu Ser Ser Leu Leu Leu Ser Pro Leu Cys Arg  
20 25 30  
Ala Leu Gly Thr Ser Gln Ala Val Pro Pro Leu Arg Ala Leu Ser  
35 40 45  
Val Thr Asp Ala His Gly Ser Leu Leu Leu His Pro Lys Thr Leu  
50 55 60  
Ala Cys Pro Cys Leu  
65

<210> 83  
<211> 56  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature

<223> Incyte Clone No: 2101278

<400> 83

Met	Arg	Ala	Asp	Arg	Leu	Leu	Pro	Ile	Ser	Ala	Leu	Cys	Leu	Leu
1				5					10					15
Tyr	Thr	Pro	Gly	Gly	Ala	Leu	Glu	Pro	Ala	Gln	Val	Gly	Tyr	Thr
			20						25					30
Ile	Phe	Leu	Asn	Ser	Ile	Trp	Leu	Pro	Ala	Tyr	Phe	Phe	His	Leu
			35						40					45
Phe	Thr	Val	Ile	Ser	Gly	Val	Phe	Leu	Phe	Ile				
			50						55					

<210> 84

<211> 120

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2121353

<400> 84

Met	Pro	Ala	Leu	Pro	Pro	Gly	Phe	Ser	Gln	Ala	Gly	Ser	Cys	Val
1				5					10					15
Pro	Thr	Gly	Ser	Ser	Leu	Val	Leu	Cys	Leu	Leu	Ala	Ala	Ser	Leu
			20						25					30
Leu	Leu	Phe	Val	Pro	Thr	Leu	Ala	Leu	Leu	Thr	Gly	Ala	Thr	Thr
			35						40					45
Cys	Trp	Cys	Leu	His	Asn	Lys	Arg	Leu	Ala	Leu	Arg	Pro	Leu	Ala
			50						55					60
Trp	Gln	Gly	Leu	Trp	Gly	Leu	Val	Ser	Thr	Arg	Leu	Ser	His	Gly
			65						70					75
Arg	Thr	Ser	Phe	Tyr	Phe	Asn	Ser	Leu	Pro	Leu	Gln	Thr	Asn	Ser
			80						85					90
Ser	Thr	Cys	Gln	Asn	His	Ser	Trp	Asp	Ser	Gly	Ala	Arg	Ala	Thr
			95						100					105
Ala	Leu	Ala	Ser	Gly	Arg	Thr	Gln	Glu	Gly	Gly	Val	Gly	Ser	Val
			110						115					120

<210> 85

<211> 67

<212> PRT

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2241736

<400> 85

Met	Asn	Ser	Leu	Val	Leu	Phe	Leu	Gly	His	Leu	Gly	Leu	Leu	Ile
1				5					10					15

```

Lys Asp Cys Val Leu Leu Phe Ala Met Ser Lys Val Ser Gln Lys
      20                      25                      30
Gln Lys Val Leu Gly Pro Phe Gly Ser Pro Glu Leu Glu Ser Leu
      35                      40                      45
Gly Ile Gly Pro Arg Tyr Leu His Phe His Arg Phe Leu Val Gly
      50                      55                      60
Asp Phe Leu Gln Ala Lys Val
      65

```

<210> 86  
 <211> 62  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2271935

```

<400> 86
Met Ala Trp Leu Ser Phe Ala Ala Val Glu Met Thr Leu Leu Leu
  1                      5                      10                      15
His Ser Ser Ser Leu Leu Ser Phe Ala Lys Val Val Leu Ser Leu
      20                      25                      30
Pro Glu Ile Arg Pro Phe Gly Asp Gly Asn Phe Ser Leu Lys Gln
      35                      40                      45
Ser Ser Lys Gln Asn Pro Asn Pro Ala Arg Val Gly Arg Lys Ser
      50                      55                      60
Met Phe

```

<210> 87  
 <211> 75  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2295344

```

<400> 87
Met Met Ile Leu Leu Ser Leu Leu Val Ala Leu Ile Ser Val Ser
  1                      5                      10                      15
Leu Val Phe Leu Gly Leu Val Arg Phe Ser Arg Glu Asp Phe Ser
      20                      25                      30
Phe Pro Leu Trp Arg Glu Lys Ala Phe Tyr Gln His Ser Ser Ser
      35                      40                      45
Ser Val Gly Glu Arg Leu Gln Ala Leu Arg Lys His Ala Phe Thr
      50                      55                      60
Leu Phe Gly Thr Ile Pro Leu Leu Val Thr Val Pro Gln Val Pro
      65                      70                      75

```

<210> 88  
<211> 80  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2303994

<400> 88  
Met Asn Ser Ile Phe Phe Leu Ser Leu Cys Leu Pro Leu Trp Val  
1 5 10 15  
Ser Leu Leu Trp Ala Lys Pro Leu Glu Met His Lys Thr Ser Arg  
20 25 30  
His Gly Phe Trp Gln Lys Leu His Asp Phe Lys Leu Ala Leu Leu  
35 40 45  
Leu Leu Thr Phe His Arg Glu Lys Ile Phe Pro Leu Lys Lys Thr  
50 55 60  
Gly Leu Val Ile Phe Ser Leu Val Ala Leu Ser Arg Asp Ile Ser  
65 70 75  
Ala Leu His Tyr Thr  
80

<210> 89  
<211> 50  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2497805

<400> 89  
Met Arg Pro Ala Arg Leu Gly Pro Arg Cys Ser Asp Leu Asp Phe  
1 5 10 15  
Gly Leu Val Leu Ser Ser Trp Leu Arg Leu Ala Arg Cys Pro Leu  
20 25 30  
Glu Ser Ser Phe Gly Phe Ala Phe Phe Val Cys Leu Phe Ser Pro  
35 40 45  
Asn Phe Cys Gln Thr  
50

<210> 90  
<211> 116  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2646362

&lt;400&gt; 90

Met	Trp	Trp	Ala	Leu	Cys	Ser	Met	Leu	Pro	Leu	Leu	Gly	Cys	Ala
1				5					10					15
Cys	Ser	Ser	Gly	Cys	Trp	Gly	Ser	Gly	Pro	Thr	Pro	Leu	Leu	Ala
			20						25					30
Glu	Pro	Thr	Phe	Leu	Cys	Val	Ser	Ser	Arg	Pro	His	Asn	Pro	Leu
			35						40					45
Ser	Phe	Leu	Ser	Val	Leu	Pro	Cys	Ser	Arg	Gly	Pro	Gly	Pro	Ser
			50						55					60
Gly	Leu	Gln	Gly	Asp	Gly	Ala	Gly	Leu	Pro	Ala	His	Leu	Gly	Pro
			65						70					75
Leu	Ser	Cys	Ile	Cys	Leu	Pro	Ser	Leu	Leu	Cys	Asp	Leu	Gly	Glu
			80						85					90
Arg	Gln	Cys	Pro	Leu	Trp	Ala	Val	Arg	Ser	Thr	Gln	Cys	Leu	Ile
			95						100					105
Ala	Gly	Lys	Lys	Val	Leu	Gln	Arg	Leu	Cys	Pro				
			110						115					

&lt;210&gt; 91

&lt;211&gt; 67

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2657146

&lt;400&gt; 91

Met	Ile	Cys	Gln	Cys	Leu	Arg	Leu	Leu	Leu	Val	Leu	Val	Thr	Leu
1				5					10					15
Leu	Ile	Cys	Phe	Ser	Pro	Asp	Arg	Leu	Thr	Cys	Pro	Leu	Asn	Ser
			20						25					30
Ala	Val	Val	Leu	Ala	Ser	Tyr	Ala	Val	Gln	Cys	Lys	Ser	Gln	Arg
			35						40					45
Glu	His	Phe	Thr	Asp	Gly	Gln	Val	Val	Leu	Ile	Ser	Val	Trp	Arg
			50						55					60
Lys	Ser	Leu	Val	Pro	Pro	Ala								
			65											

&lt;210&gt; 92

&lt;211&gt; 538

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2755786

&lt;400&gt; 92

Met	Ala	Gly	Ala	Arg	Ala	Ala	Ala	Ala	Ala	Ser	Ala	Gly	Ser
1				5				10					15

Ser	Ala	Ser	Ser	Gly	Asn	Gln	Pro	Pro	Gln	Glu	Leu	Gly	Leu	Gly
				20					25					30
Glu	Leu	Leu	Glu	Glu	Phe	Ser	Arg	Thr	Gln	Tyr	Arg	Ala	Lys	Asp
				35					40					45
Gly	Ser	Gly	Thr	Gly	Gly	Ser	Lys	Val	Glu	Arg	Ile	Glu	Lys	Arg
				50					55					60
Cys	Leu	Glu	Leu	Phe	Gly	Arg	Asp	Tyr	Cys	Phe	Ser	Val	Ile	Pro
				65					70					75
Asn	Thr	Asn	Gly	Asp	Ile	Cys	Gly	His	Tyr	Pro	Arg	His	Ile	Val
				80					85					90
Phe	Leu	Glu	Tyr	Glu	Ser	Ser	Glu	Lys	Glu	Lys	Asp	Thr	Phe	Glu
				95					100					105
Ser	Thr	Val	Gln	Val	Ser	Lys	Leu	Gln	Asp	Leu	Ile	His	Arg	Ser
				110					115					120
Lys	Met	Ala	Arg	Cys	Arg	Gly	Arg	Phe	Val	Cys	Pro	Val	Ile	Leu
				125					130					135
Phe	Lys	Gly	Lys	His	Ile	Cys	Arg	Ser	Ala	Thr	Leu	Ala	Gly	Trp
				140					145					150
Gly	Glu	Leu	Tyr	Gly	Arg	Ser	Gly	Tyr	Asn	Tyr	Phe	Phe	Ser	Gly
				155					160					165
Gly	Ala	Asp	Asp	Ala	Trp	Ala	Asp	Val	Glu	Asp	Val	Thr	Glu	Glu
				170					175					180
Asp	Cys	Ala	Leu	Arg	Ser	Gly	Asp	Thr	His	Leu	Phe	Asp	Lys	Val
				185					190					195
Arg	Gly	Tyr	Asp	Ile	Lys	Leu	Leu	Arg	Tyr	Leu	Ser	Val	Lys	Tyr
				200					205					210
Ile	Cys	Asp	Leu	Met	Val	Glu	Asn	Lys	Lys	Val	Lys	Phe	Gly	Met
				215					220					225
Asn	Val	Thr	Ser	Ser	Glu	Lys	Val	Asp	Lys	Ala	Gln	Arg	Tyr	Ala
				230					235					240
Asp	Phe	Thr	Leu	Leu	Ser	Ile	Pro	Tyr	Pro	Gly	Cys	Glu	Phe	Phe
				245					250					255
Lys	Glu	Tyr	Lys	Asp	Arg	Asp	Tyr	Met	Ala	Glu	Gly	Leu	Ile	Phe
				260					265					270
Asn	Trp	Lys	Gln	Asp	Tyr	Val	Asp	Ala	Pro	Leu	Ser	Ile	Pro	Asp
				275					280					285
Phe	Leu	Thr	His	Ser	Leu	Asn	Ile	Asp	Trp	Ser	Gln	Tyr	Gln	Cys
				290					295					300
Trp	Asp	Leu	Val	Gln	Gln	Thr	Gln	Asn	Tyr	Leu	Lys	Leu	Leu	Leu
				305					310					315
Ser	Leu	Val	Asn	Ser	Asp	Asp	Asp	Ser	Gly	Leu	Leu	Val	His	Cys
				320					325					330
Ile	Ser	Gly	Trp	Asp	Arg	Thr	Pro	Leu	Phe	Ile	Ser	Leu	Leu	Arg
				335					340					345
Leu	Ser	Leu	Trp	Ala	Asp	Gly	Leu	Ile	His	Thr	Ser	Leu	Lys	Pro
				350					355					360
Thr	Glu	Ile	Leu	Tyr	Leu	Thr	Val	Ala	Tyr	Asp	Trp	Phe	Leu	Phe
				365					370					375
Gly	His	Met	Leu	Val	Asp	Arg	Leu	Ser	Lys	Gly	Glu	Glu	Ile	Phe
				380					385					390
Phe	Phe	Cys	Phe	Asn	Phe	Leu	Lys	His	Ile	Thr	Ser	Glu	Glu	Phe
				395					400					405
Ser	Ala	Leu	Lys	Thr	Gln	Arg	Arg	Lys	Ser	Leu	Pro	Ala	Arg	Asp
				410					415					420
Gly	Gly	Phe	Thr	Leu	Glu	Asp	Ile	Cys	Met	Leu	Arg	Arg	Lys	Asp
				425					430					435
Arg	Gly	Ser	Thr	Thr	Ser	Leu	Gly	Ser	Asp	Phe	Ser	Leu	Val	Met



	440		445		450
Glu Ser Ser Pro Gly Ala Thr Gly Ser Phe Thr Tyr Glu Ala Val					
	455		460		465
Glu Leu Val Pro Ala Gly Ala Pro Thr Gln Ala Ala Trp Leu Ala					
	470		475		480
Ala Leu Ser Asp Arg Glu Thr Arg Leu Gln Glu Val Arg Ser Ala					
	485		490		495
Phe Leu Ala Ala Tyr Ser Ser Thr Val Gly Leu Arg Ala Val Ala					
	500		505		510
Pro Ser Pro Ser Gly Ala Ile Gly Gly Leu Leu Glu Gln Phe Ala					
	515		520		525
Arg Gly Val Gly Leu Arg Ser Ile Ser Ser Asn Ala Leu					
	530		535		

<210> 93  
 <211> 58  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2831245

<400> 93														
Met Glu Met Lys Gly Ser Arg Val Trp Leu Leu Leu Leu Phe Met														
1	5						10							15
Trp Lys Ala Arg Pro Thr Phe Phe Gln Ser Cys Val Val Pro Phe														
	20						25							30
Ile Leu Ser Pro Gln Asn Cys Val Gln Thr His Ser Leu Gly Pro														
	35						40							45
Gly Val Trp Leu Gly Val Phe Pro Ser Gly Ser Leu His														
	50						55							

<210> 94  
 <211> 119  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3116250

<400> 94														
Met Lys Val Leu Ile Ser Ser Leu Leu Leu Leu Pro Leu Met														
1	5						10							15
Leu Met Ser Met Val Ser Ser Ser Leu Asn Pro Gly Val Ala Arg														
	20						25							30
Gly His Arg Asp Arg Gly Gln Ala Ser Arg Arg Trp Leu Gln Glu														
	35						40							45
Gly Gly Gln Glu Cys Glu Cys Lys Asp Trp Phe Leu Arg Ala Pro														
	50						55							60

```

Arg Arg Lys Phe Met Thr Val Ser Gly Leu Pro Lys Lys Gln Cys
      65                      70                      75
Pro Cys Asp His Phe Lys Gly Asn Val Lys Lys Thr Arg His Gln
      80                      85                      90
Arg His His Arg Lys Pro Asn Lys His Ser Arg Ala Cys Gln Gln
      95                      100                     105
Phe Leu Lys Gln Cys Gln Leu Arg Ser Phe Ala Leu Pro Leu
      110                     115

```

<210> 95  
 <211> 128  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3129630

```

<400> 95
Met Ala Tyr Ser Thr Val Gln Arg Val Ala Leu Ala Ser Gly Leu
  1      5      10      15
Val Leu Ala Leu Ser Leu Leu Leu Pro Lys Ala Phe Leu Ser Arg
      20      25      30
Gly Lys Arg Gln Glu Pro Pro Pro Thr Pro Glu Gly Lys Leu Gly
      35      40      45
Arg Phe Pro Pro Met Met His His His Gln Ala Pro Ser Asp Gly
      50      55      60
Gln Thr Pro Gly Ala Arg Phe Gln Arg Ser His Leu Ala Glu Ala
      65      70      75
Phe Ala Lys Ala Lys Gly Ser Gly Gly Gly Ala Gly Gly Gly Gly
      80      85      90
Ser Gly Arg Gly Leu Met Gly Gln Ile Ile Pro Ile Tyr Gly Phe
      95     100     105
Gly Ile Phe Leu Tyr Ile Leu Tyr Ile Leu Phe Lys Val Ser Arg
     110     115     120
Ile Ile Leu Ile Ile Leu His Gln
     125

```

<210> 96  
 <211> 124  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 007632

```

<400> 96
Met Tyr Lys Leu Ala Ser Cys Cys Leu Leu Phe Ile Gly Phe Leu
  1      5      10      15
Asn Pro Leu Leu Ser Leu Pro Leu Leu Asp Ser Arg Glu Ile Ser

```

	20		25		30									
Phe	Gln	Leu	Ser	Ala	Pro	His	Glu	Asp	Ala	Arg	Leu	Thr	Pro	Glu
	35								40					45
Glu	Leu	Glu	Arg	Ala	Ser	Leu	Leu	Gln	Ile	Leu	Pro	Glu	Met	Leu
	50								55					60
Gly	Ala	Glu	Arg	Gly	Asp	Ile	Leu	Arg	Lys	Ala	Asp	Ser	Ser	Thr
	65								70					75
Asn	Ile	Phe	Asn	Pro	Arg	Gly	Asn	Leu	Arg	Lys	Phe	Gln	Asp	Phe
	80								85					90
Ser	Gly	Gln	Asp	Pro	Asn	Ile	Leu	Leu	Ser	His	Leu	Leu	Ala	Arg
	95								100					105
Ile	Trp	Lys	Pro	Tyr	Lys	Lys	Arg	Glu	Thr	Pro	Asp	Cys	Phe	Trp
	110								115					120
Lys	Tyr	Cys	Val											

&lt;210&gt; 97

&lt;211&gt; 182

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1236968

&lt;400&gt; 97

Met	Trp	Pro	Leu	Ser	Ser	Asp	Ser	Ser	Trp	Ser	Leu	Trp	Ile	Ser
1				5					10					15
Thr	Gly	Met	Ala	Pro	Ala	Pro	Ser	Ser	Ser	Thr	Arg	Ser	Phe	Ser
				20					25					30
Glu	Ser	Leu	Lys	Gln	Lys	Leu	Val	Arg	Val	Leu	Glu	Glu	Asn	Leu
				35					40					45
Ile	Leu	Ser	Glu	Lys	Ile	Gln	Gln	Leu	Glu	Glu	Gly	Ala	Ala	Ile
				50					55					60
Ser	Ile	Val	Ser	Gly	Gln	Gln	Ser	His	Thr	Tyr	Asp	Asp	Leu	Leu
				65					70					75
His	Lys	Asn	Gln	Gln	Leu	Thr	Met	Gln	Val	Ala	Cys	Leu	Asn	Gln
				80					85					90
Glu	Leu	Ala	Gln	Leu	Lys	Lys	Leu	Glu	Lys	Thr	Val	Ala	Ile	Leu
				95					100					105
His	Glu	Ser	Gln	Arg	Ser	Leu	Val	Val	Thr	Asn	Glu	Tyr	Leu	Leu
				110					115					120
Gln	Gln	Leu	Asn	Lys	Glu	Pro	Lys	Gly	Tyr	Ser	Gly	Lys	Ala	Leu
				125					130					135
Leu	Pro	Pro	Glu	Lys	Gly	His	His	Leu	Gly	Arg	Ser	Ser	Pro	Phe
				140					145					150
Gly	Lys	Ser	Thr	Leu	Ser	Ser	Ser	Ser	Pro	Val	Ala	His	Glu	Thr
				155					160					165
Gly	Gln	Tyr	Leu	Ile	Gln	Ser	Val	Leu	Asp	Ala	Ala	Pro	Glu	Pro
				170					175					180
Gly	Leu													

<210> 98  
 <211> 237  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1334153

<400> 98  
 Met Lys Gly Ile Leu Val Ala Gly Ile Thr Ala Val Leu Val Ala  
   1                  5                  10                  15  
 Ala Val Glu Ser Leu Ser Cys Val Pro Cys Asn Ser Trp Glu Lys  
                   20                  25                  30  
 Ser Cys Val Asn Ser Ile Ala Ser Glu Cys Pro Ser His Ala Asn  
                   35                  40                  45  
 Thr Ser Cys Ile Ser Ser Ser Ala Ser Ser Ser Leu Glu Thr Pro  
                   50                  55                  60  
 Val Arg Leu Tyr Gln Asn Met Phe Cys Ser Ala Glu Asn Cys Ser  
                   65                  70                  75  
 Glu Glu Thr His Ile Thr Ala Phe Thr Val His Val Ser Ala Glu  
                   80                  85                  90  
 Glu His Phe His Phe Val Ser Gln Cys Cys Gln Gly Lys Glu Cys  
                   95                  100                 105  
 Ser Asn Thr Ser Asp Ala Leu Asp Pro Pro Leu Lys Asn Val Ser  
                  110                 115                 120  
 Ser Asn Ala Glu Cys Pro Ala Cys Tyr Glu Ser Asn Gly Thr Ser  
                  125                 130                 135  
 Cys Arg Gly Lys Pro Trp Lys Cys Tyr Glu Glu Glu Gln Cys Val  
                  140                 145                 150  
 Phe Leu Val Ala Glu Leu Lys Asn Asp Ile Glu Ser Lys Ser Leu  
                  155                 160                 165  
 Val Leu Lys Gly Cys Ser Asn Val Ser Asn Ala Thr Cys Gln Phe  
                  170                 175                 180  
 Leu Ser Gly Glu Asn Lys Thr Leu Gly Gly Val Ile Phe Arg Lys  
                  185                 190                 195  
 Phe Glu Cys Ala Asn Val Asn Ser Leu Thr Pro Thr Ser Ala Pro  
                  200                 205                 210  
 Thr Thr Ser His Asn Val Gly Ser Lys Ala Ser Leu Tyr Leu Leu  
                  215                 220                 225  
 Ala Leu Ala Ser Leu Leu Leu Arg Gly Leu Leu Pro  
                  230                 235

<210> 99  
 <211> 160  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1396975

<400> 99  
 Met Arg Pro Gly Pro Met Leu Gln Ala Arg Val Ser Ile Pro Ala

1	5	10	15
Ala Leu Gly Thr	Leu Phe Pro Arg Pro	Gly Trp Ala Pro	Gly Glu
20	25	30	
Val Ser Ser Glu	Ile Ser Ser Arg Asp	Leu Leu Asn Pro	His Pro
35	40	45	
Ser Thr Pro Ser	Cys Cys Ser Gln Ser	Trp Ser Pro Met	Ser Val
50	55	60	
Leu Glu Pro Asp	Ser Arg Gly Pro Pro	Pro Ile Ser Leu	Thr His
65	70	75	
Thr Gly Ile His	Thr Pro Gln Lys Thr	Ser Gln Met Arg	Pro Asp
80	85	90	
Ser Gly Ser Arg	Gly Met Cys Phe Cys	Pro Cys Lys Gly	Phe Gly
95	100	105	
Glu Gly Gly Asn	Ile Val Glu Ala Gly	Lys Ser Pro Gln	Thr Cys
110	115	120	
Ala His Ala Pro	Pro Ala Leu Arg Phe	His Ser Ala Phe	Ser Glu
125	130	135	
Cys Pro Cys Cys	Thr Gln Thr Thr Gly	Gln Glu Arg Pro	Ser Leu
140	145	150	
Pro Leu Gln Pro	Leu Ser Leu Pro Phe	Asn	
155	160		

&lt;210&gt; 100

&lt;211&gt; 148

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1501749

&lt;400&gt; 100

Met Ala Ala Ser	Pro Ala Arg Pro	Ala Val Leu Ala	Leu Thr Gly
1	5	10	15
Leu Ala Leu Leu	Leu Leu Cys Trp	Gly Pro Gly Gly	Ile Ser
20	25	30	
Gly Asn Lys Leu	Lys Leu Met Leu	Gln Lys Arg Glu	Ala Pro Val
35	40	45	
Pro Thr Lys Thr	Lys Val Ala Val	Asp Glu Asn Lys	Ala Lys Glu
50	55	60	
Phe Leu Gly Ser	Leu Lys Arg Gln	Lys Arg Gln Leu	Trp Asp Arg
65	70	75	
Thr Arg Pro Glu	Val Gln Gln Trp	Tyr Gln Gln Phe	Leu Tyr Met
80	85	90	
Gly Phe Asp Glu	Ala Lys Phe Glu	Asp Asp Ile Thr	Tyr Trp Leu
95	100	105	
Asn Arg Asp Arg	Asn Gly His Glu	Tyr Tyr Gly Asp	Tyr Tyr Gln
110	115	120	
Arg His Tyr Asp	Glu Asp Ser Ala	Ile Gly Pro Arg	Ser Pro Tyr
125	130	135	
Gly Phe Arg His	Gly Ala Ser Val	Asn Tyr Asp Asp	Tyr
140	145		

<210> 101  
<211> 170  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1575240

<400> 101  
Met Thr Pro Thr Lys Arg Glu Pro Pro Ala Ala Pro Leu Leu Leu  
1 5 10 15  
Arg Val Leu Pro Gln Leu Ser Ala Met Ser Leu Arg Leu Ser Thr  
20 25 30  
Arg Arg Glu Asp Met Ile Gly Gln Thr Ser Gly Met Cys Ser Phe  
35 40 45  
Cys Ser Phe Gln Asn Met Arg Gly Glu Ser Ile Trp Leu Leu Cys  
50 55 60  
Leu Glu Glu Glu Gly Ala Gly Leu Cys Gln Asn Ser Leu Asp Lys  
65 70 75  
Arg Phe Ser Gln Lys Glu Gly Cys Ser Asp Asp Lys Ser Pro Leu  
80 85 90  
His His Phe Pro Trp Leu Ser Asp Ala Pro Pro Ser Ser His Ala  
95 100 105  
Arg Thr Ser Glu Ile Arg Leu Pro Pro Asp Ile Thr Gln Pro Cys  
110 115 120  
Leu Thr Lys Arg Gln Trp Phe Ile Pro Ser Leu Gly Glu Lys Arg  
125 130 135  
Gly Asn Ala Lys Leu Leu His Gln Leu Leu Ile Leu Leu Pro Ala  
140 145 150  
Arg Asn Pro Gly Tyr Leu Gln Val Ser Leu Pro Leu Val Trp Ser  
155 160 165  
Trp Leu Ser Leu Phe  
170

<210> 102  
<211> 150  
<212> PRT  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1647884

<400> 102  
Met Gly Ala Ala Ala Trp Ala Arg Pro Leu Ser Val Ser Phe Leu  
1 5 10 15  
Leu Leu Leu Leu Pro Leu Pro Gly Met Pro Ala Gly Ser Trp Asp  
20 25 30  
Pro Ala Gly Tyr Leu Leu Tyr Cys Pro Cys Met Gly Lys Ala Ser  
35 40 45  
Gln Ala Leu Cys Ser Asp Gly Glu Thr Glu Ala Gly Arg Gly Lys  
50 55 60



Ala	Thr	Pro	Gln	Met	Arg	Pro	Glu	Thr	Pro	Ser	Gln	Val	Gln	Glu
			65						70					75
Arg	Thr	Ser	Glu	Arg	Asp	Gly	Ala	Cys	Ser	Ser	Pro	Leu	Cys	Leu
			80						85					90
Ser	Cys	Lys	Gly	Thr	Glu	Gly	Pro	Thr	Cys	Pro	Thr	Phe	His	Leu
			95						100					105
Thr	Asp	Glu	Lys	Thr	Glu	Ala	Gly	Arg	Gly	Tyr	Val	Thr	Cys	Leu
			110						115					120
Arg	Ser	Lys	Pro	Val	Gln	Gly	Pro	Val	Asn	Gly	Val	Ser	Gly	Ala
			125						130					135
Gly	Leu	Asp	Val	Thr	Asp	Pro	Arg	Trp	Leu	Leu	Val	Ile	Phe	His
			140						145					150

&lt;210&gt; 103

&lt;211&gt; 142

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1661144

&lt;400&gt; 103

Met	Gly	Cys	Leu	Val	Trp	Gly	Pro	Ser	Trp	Pro	Pro	Leu	Ser	Leu
1			5						10					15
Leu	Ala	Ser	Leu	Leu	His	Ser	Gly	Ile	Ala	Gly	Arg	Cys	Leu	Leu
			20						25					30
Cys	Leu	Phe	Lys	Gly	Leu	Ala	Ala	Ala	Ala	Ser	Leu	Gln	Ile	Arg
			35						40					45
Asp	Leu	Ala	Ser	Arg	Leu	Thr	Thr	Gly	Pro	Arg	Thr	Cys	Arg	Val
			50						55					60
Gln	Pro	Pro	Pro	His	Pro	Gln	Ser	Ser	Pro	Pro	Trp	Pro	Gly	Pro
			65						70					75
Pro	Gly	Ala	Glu	Thr	Cys	Arg	Pro	Leu	Ser	Arg	Thr	Val	Gly	Gly
			80						85					90
Val	Cys	Pro	Ser	Asp	Trp	Pro	Val	Ser	Trp	Leu	Leu	Leu	Pro	Pro
			95						100					105
Leu	Pro	Glu	Val	Val	Thr	Cys	Ser	Cys	Pro	Arg	Ile	Lys	Ala	Arg
			110						115					120
Pro	Glu	Arg	Thr	Pro	Glu	Leu	Leu	Cys	Ala	Trp	Gly	Gly	Arg	Gly
			125						130					135
Lys	His	Ser	Gln	Leu	Val	Ala								
			140											

&lt;210&gt; 104

&lt;211&gt; 110

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1685409

&lt;400&gt; 104

Met	Glu	Thr	Gly	Arg	Leu	Leu	Ser	Leu	Ser	Ser	Leu	Pro	Leu	Val
1				5					10					15
Leu	Leu	Gly	Trp	Glu	Tyr	Ser	Ser	Gln	Thr	Leu	Asn	Leu	Val	Pro
				20					25					30
Ser	Thr	Ser	Ile	Leu	Ser	Phe	Val	Pro	Phe	Ile	Pro	Leu	His	Leu
				35					40					45
Val	Leu	Phe	Ala	Leu	Trp	Tyr	Leu	Pro	Val	Pro	His	His	Leu	Tyr
				50					55					60
Pro	Gln	Gly	Leu	Gly	Asp	His	Ala	Ala	Glu	Ala	Glu	Lys	Gly	Lys
				65					70					75
Arg	Glu	Glu	Gly	Gly	Thr	Gln	Val	Ala	Leu	Trp	Leu	Arg	Val	Gln
				80					85					90
Pro	Ser	Cys	Pro	Ser	Pro	Val	Cys	Leu	Glu	Pro	Val	Pro	Pro	Arg
				95					100					105
Ser	Arg	Phe	Leu	Leu										
				110										

&lt;210&gt; 105

&lt;211&gt; 120

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1731419

&lt;400&gt; 105

Met	Ser	Arg	Ala	Gly	Met	Leu	Gly	Val	Val	Cys	Ala	Leu	Leu	Val
1				5					10					15
Trp	Ala	Tyr	Leu	Ala	Val	Gly	Lys	Leu	Val	Val	Arg	Met	Thr	Phe
				20					25					30
Thr	Glu	Leu	Cys	Thr	His	His	Pro	Trp	Ser	Leu	Arg	Cys	Glu	Ser
				35					40					45
Phe	Cys	Arg	Ser	Arg	Val	Thr	Ala	Cys	Leu	Pro	Ala	Pro	Ala	Pro
				50					55					60
Trp	Leu	Arg	Pro	Phe	Leu	Cys	Pro	Met	Leu	Phe	Ser	Asp	Arg	Asn
				65					70					75
Pro	Val	Glu	Cys	His	Leu	Phe	Gly	Glu	Ala	Val	Ser	Asp	Pro	Val
				80					85					90
Cys	Lys	Gly	Leu	Leu	Pro	His	Tyr	Phe	Trp	His	Pro	Thr	Phe	Phe
				95					100					105
Pro	Val	Lys	Ala	Asn	Cys	Leu	Val	Ser	Phe	Cys	Pro	Thr	Thr	Val
				110					115					120

&lt;210&gt; 106

&lt;211&gt; 135

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2650265

&lt;400&gt; 106

Met	Ala	Arg	Phe	Trp	Val	Cys	Val	Ala	Gly	Ala	Gly	Phe	Phe	Leu
1				5					10					15
Ala	Phe	Leu	Val	Leu	His	Ser	Arg	Phe	Cys	Gly	Ser	Pro	Val	Leu
				20					25					30
Arg	Asn	Phe	Thr	Phe	Ala	Val	Ser	Trp	Arg	Thr	Glu	Lys	Ile	Leu
				35					40					45
Tyr	Arg	Leu	Asp	Val	Gly	Trp	Pro	Lys	His	Pro	Glu	Tyr	Phe	Thr
				50					55					60
Gly	Thr	Thr	Phe	Cys	Val	Ala	Val	Asp	Ser	Leu	Asn	Gly	Leu	Val
				65					70					75
Tyr	Ile	Gly	Gln	Arg	Gly	Asp	Asn	Ile	Pro	Lys	Ile	Leu	Val	Phe
				80					85					90
Thr	Glu	Asp	Gly	Tyr	Phe	Leu	Arg	Ala	Trp	Asn	Tyr	Thr	Val	Asp
				95					100					105
Thr	Pro	His	Gly	Ile	Phe	Ala	Ala	Ser	Thr	Leu	Tyr	Glu	Gln	Ser
				110					115					120
Val	Trp	Ile	Thr	Asp	Val	Gly	Ser	Gly	Met	Tyr	Ser	Asn	Ile	Tyr
				125					130					135

&lt;210&gt; 107

&lt;211&gt; 301

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2677129

&lt;400&gt; 107

Met	Leu	Met	Ile	Ile	Ile	Ile	Glu	Pro	Phe	Ser	Val	Leu	Ile	Leu
1				5					10					15
Phe	Lys	Ser	Gly	Ile	Leu	Ala	Asp	Phe	Phe	Ala	Leu	Leu	Leu	Leu
				20					25					30
Ile	Asn	Phe	Phe	Leu	Val	Ser	Phe	Phe	Leu	Ala	Tyr	Pro	Leu	Phe
				35					40					45
Asn	Asn	Gln	Ile	Asn	Ser	Arg	Ser	Met	Asn	Glu	Ile	Lys	Asn	Leu
				50					55					60
Gln	Tyr	Leu	Pro	Arg	Thr	Ser	Glu	Pro	Arg	Glu	Val	Leu	Phe	Glu
				65					70					75
Asp	Arg	Thr	Arg	Ala	His	Ala	Asp	His	Val	Gly	Gln	Gly	Phe	Asp
				80					85					90
Trp	Gln	Ser	Thr	Ala	Ala	Val	Gly	Val	Leu	Lys	Ala	Val	Gln	Phe
				95					100					105
Gly	Glu	Trp	Ser	Asp	Gln	Pro	Arg	Ile	Thr	Lys	Asp	Val	Ile	Cys
				110					115					120
Phe	His	Ala	Glu	Asp	Phe	Thr	Asp	Val	Val	Gln	Arg	Leu	Gln	Leu
				125					130					135
Asp	Leu	His	Glu	Pro	Pro	Val	Ser	Gln	Cys	Val	Gln	Trp	Val	Asp
				140					145					150

Glu	Ala	Lys	Leu	Asn	Gln	Met	Arg	Arg	Glu	Gly	Ile	Arg	Tyr	Ala	
				155					160					165	
Arg	Ile	Gln	Leu	Cys	Asp	Asn	Asp	Ile	Tyr	Phe	Ile	Pro	Arg	Asn	
				170					175					180	
Val	Ile	His	Gln	Phe	Lys	Thr	Val	Ser	Ala	Val	Cys	Ser	Leu	Ala	
				185					190					195	
Trp	His	Ile	Arg	Leu	Lys	Gln	Tyr	His	Pro	Val	Val	Glu	Ala	Thr	
				200					205					210	
Gln	Asn	Thr	Glu	Ser	Asn	Ser	Asn	Met	Asp	Cys	Gly	Leu	Thr	Gly	
				215					220					225	
Lys	Arg	Glu	Leu	Glu	Val	Asp	Ser	Gln	Cys	Val	Arg	Ile	Lys	Thr	
				230					235					240	
Glu	Ser	Glu	Glu	Ala	Cys	Thr	Glu	Ile	Gln	Leu	Leu	Thr	Thr	Ala	
				245					250					255	
Ser	Ser	Ser	Phe	Pro	Pro	Ala	Ser	Glu	Leu	Asn	Leu	Gln	Gln	Asp	
				260					265					270	
Gln	Lys	Thr	Gln	Pro	Ile	Pro	Val	Leu	Lys	Val	Glu	Ser	Arg	Leu	
				275					280					285	
Asp	Ser	Asp	Gln	Gln	His	Asn	Leu	Gln	Glu	His	Ser	Thr	Thr	Ser	
				290					295					300	
Val															

&lt;210&gt; 108

&lt;211&gt; 103

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3151073

&lt;400&gt; 108

Met	Ser	Phe	Val	Pro	Gly	Leu	Leu	Leu	Cys	Phe	Val	Leu	Leu	Leu	
1				5					10					15	
Cys	Val	Ser	Pro	Val	Tyr	Leu	Pro	Ser	Arg	Ser	Pro	Ser	Thr	Phe	
				20					25					30	
Pro	Ile	Ser	Glu	Pro	Leu	Ser	Phe	Ile	Gly	Met	Ser	Ala	Trp	Pro	
				35					40					45	
Gln	Cys	Ser	Pro	Ile	Tyr	Ser	Gln	Thr	Pro	Gly	Leu	Ala	Tyr	Glu	
				50					55					60	
Pro	Ser	Ser	Phe	Pro	Lys	Arg	Arg	Tyr	Trp	Val	Cys	Thr	Leu	His	
				65					70					75	
Glu	Ile	Lys	Trp	Glu	Cys	Pro	Arg	Ser	Arg	Arg	Thr	Ser	Asp	Ala	
				80					85					90	
Val	His	Ala	Asn	Lys	Leu	Gly	Leu	Pro	Leu	Lys	Ile	Ile			
				95					100						

&lt;210&gt; 109

&lt;211&gt; 95

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3170095

&lt;400&gt; 109

Met	Lys	Phe	Leu	Leu	Leu	Val	Leu	Ala	Ala	Leu	Gly	Phe	Leu	Thr
1				5					10					15
Gln	Val	Ile	Pro	Ala	Ser	Ala	Gly	Gly	Ser	Lys	Cys	Val	Ser	Asn
			20						25					30
Thr	Pro	Gly	Tyr	Cys	Arg	Thr	Cys	Cys	His	Trp	Gly	Glu	Thr	Ala
			35						40					45
Leu	Phe	Met	Cys	Asn	Ala	Ser	Arg	Lys	Cys	Cys	Ile	Ser	Tyr	Ser
			50						55					60
Phe	Leu	Pro	Lys	Pro	Asp	Leu	Pro	Gln	Leu	Ile	Gly	Asn	His	Trp
			65						70					75
Gln	Ser	Arg	Arg	Arg	Asn	Thr	Gln	Arg	Lys	Asp	Lys	Lys	Gln	Gln
			80						85					90
Thr	Thr	Val	Thr	Ser										
			95											

&lt;210&gt; 110

&lt;211&gt; 113

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3475168

&lt;400&gt; 110

Met	Ser	Pro	Ser	Pro	Arg	Trp	Gly	Phe	Leu	Cys	Val	Leu	Phe	Thr
1				5					10					15
Ala	Val	His	Pro	Ala	Pro	Ser	Thr	Ala	Pro	Val	Gln	Asp	Lys	Cys
			20						25					30
Pro	Val	Asn	Thr	Trp	Glu	Ala	Met	Gln	Ala	Ser	Ser	Gln	Gln	Leu
			35						40					45
Leu	Gln	Thr	Asp	Pro	Arg	Pro	Lys	Pro	Phe	Leu	Leu	Pro	Pro	Leu
			50						55					60
Pro	Pro	Leu	Leu	Leu	Ile	Ser	Ala	Gly	Thr	Glu	Val	Ser	Ser	Leu
			65						70					75
Val	Phe	Gln	Lys	Ser	Pro	Leu	His	Thr	Gln	Pro	Glu	Gly	Ala	Ile
			80						85					90
Lys	Thr	Ala	Gly	Gln	Pro	Thr	Ser	Val	His	Ser	Lys	Val	Leu	Ser
			95						100					105
Lys	Gly	Ser	Leu	Leu	Leu	Gly	Glu							
			110											

&lt;210&gt; 111

&lt;211&gt; 234

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3836893

&lt;400&gt; 111

```

Met Arg Lys Thr Arg Leu Trp Gly Leu Leu Trp Met Leu Phe Val
 1           5           10           15
Ser Glu Leu Arg Ala Ala Thr Lys Leu Thr Glu Glu Lys Tyr Glu
          20           25           30
Leu Lys Glu Gly Gln Thr Leu Asp Val Lys Cys Asp Tyr Thr Leu
          35           40           45
Glu Lys Phe Ala Ser Ser Gln Lys Ala Trp Gln Ile Ile Arg Asp
          50           55           60
Gly Glu Met Pro Lys Thr Leu Ala Cys Thr Glu Arg Pro Ser Lys
          65           70           75
Asn Ser His Pro Val Gln Val Gly Arg Ile Ile Leu Glu Asp Tyr
          80           85           90
His Asp His Gly Leu Leu Arg Val Arg Met Val Asn Leu Gln Val
          95          100          105
Glu Asp Ser Gly Leu Tyr Gln Cys Val Ile Tyr Gln Pro Pro Lys
          110          115          120
Glu Pro His Met Leu Phe Asp Arg Ile Arg Leu Val Val Thr Lys
          125          130          135
Gly Phe Ser Gly Thr Pro Gly Ser Asn Glu Asn Ser Thr Gln Asn
          140          145          150
Val Tyr Lys Ile Pro Pro Thr Thr Thr Lys Ala Leu Cys Pro Leu
          155          160          165
Tyr Thr Ser Pro Arg Thr Val Thr Gln Ala Pro Pro Lys Ser Thr
          170          175          180
Ala Asp Val Ser Thr Pro Asp Ser Glu Ile Asn Leu Thr Asn Val
          185          190          195
Thr Asp Ile Ile Arg Val Pro Val Phe Asn Ile Val Ile Leu Leu
          200          205          210
Ala Gly Gly Phe Leu Ser Lys Ser Leu Val Phe Ser Val Leu Phe
          215          220          225
Ala Val Thr Leu Arg Ser Phe Val Pro
          230

```

&lt;210&gt; 112

&lt;211&gt; 119

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 4072159

&lt;400&gt; 112

```

Met Val Leu Pro Leu Pro Trp Leu Ser Arg Tyr His Phe Leu Arg
 1           5           10           15
Leu Leu Leu Pro Ser Trp Ser Leu Ala Pro Gln Gly Ser His Gly
          20           25           30
Cys Cys Ser Gln Asn Pro Lys Ala Ser Met Glu Glu Gln Thr Asn
          35           40           45

```

```

Ser Arg Gly Asn Gly Lys Met Thr Ser Pro Pro Arg Gly Pro Gly
      50                      55                      60
Thr His Arg Thr Ala Glu Leu Ala Arg Ala Glu Glu Leu Leu Glu
      65                      70                      75
Gln Gln Leu Glu Leu Tyr Gln Ala Leu Leu Glu Gly Gln Glu Gly
      80                      85                      90
Ala Trp Glu Ala Gln Ala Leu Val Leu Lys Ile Gln Lys Leu Lys
      95                      100                     105
Glu Gln Met Arg Arg His Gln Glu Ser Leu Gly Gly Gly Ala
      110                     115

```

<210> 113  
 <211> 200  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 1003916

```

<400> 113
Met Ala Ser Ser Leu Thr Cys Thr Gly Val Ile Trp Ala Leu Leu
  1      5      10      15
Ser Phe Leu Cys Ala Ala Thr Ser Cys Val Gly Phe Phe Met Pro
      20      25      30
Tyr Trp Leu Trp Gly Ser Gln Leu Gly Lys Pro Val Ser Phe Gly
      35      40      45
Thr Phe Arg Arg Cys Ser Tyr Pro Val His Asp Glu Ser Arg Gln
      50      55      60
Met Met Val Met Val Glu Glu Cys Gly Arg Tyr Ala Ser Phe Gln
      65      70      75
Gly Ile Pro Ser Ala Glu Trp Arg Ile Cys Thr Ile Val Thr Gly
      80      85      90
Leu Gly Cys Gly Leu Leu Leu Leu Val Ala Leu Thr Ala Leu Met
      95      100     105
Gly Cys Cys Val Ser Asp Leu Ile Ser Arg Thr Val Gly Arg Val
      110     115     120
Ala Gly Gly Ile Gln Phe Leu Gly Gly Leu Leu Ile Gly Ala Gly
      125     130     135
Cys Ala Leu Tyr Pro Leu Gly Trp Asp Ser Glu Glu Val Arg Gln
      140     145     150
Thr Cys Gly Tyr Thr Ser Gly Gln Phe Asp Leu Gly Lys Cys Glu
      155     160     165
Ile Gly Trp Ala Tyr Tyr Cys Thr Gly Ala Gly Ala Thr Ala Ala
      170     175     180
Met Leu Leu Cys Thr Trp Leu Ala Cys Phe Ser Gly Lys Lys Gln
      185     190     195
Lys His Tyr Pro Tyr
      200

```

<210> 114



<211> 225  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2093492

<400> 114

Met Gly Phe Arg Leu Glu Gly Ile Phe Pro Ala Ala Leu Leu Pro		
1	5	10 15
Leu Leu Leu Thr Met Ile Leu Phe Leu Gly Pro Leu Met Gln Leu		
20	25	30
Ser Met Asp Cys Pro Cys Asp Leu Ala Asp Gly Leu Lys Val Val		
35	40	45
Leu Ala Pro Arg Ser Trp Ala Arg Cys Leu Thr Asp Met Arg Trp		
50	55	60
Leu Arg Asn Gln Val Ile Ala Pro Leu Thr Glu Glu Leu Val Phe		
65	70	75
Arg Ala Cys Met Leu Pro Met Leu Ala Pro Cys Met Gly Leu Gly		
80	85	90
Pro Ala Val Phe Thr Cys Pro Leu Phe Phe Gly Val Ala His Phe		
95	100	105
His His Ile Ile Glu Gln Leu Arg Phe Arg Gln Ser Ser Val Gly		
110	115	120
Asn Ile Phe Leu Ser Ala Ala Phe Gln Phe Ser Tyr Thr Ala Val		
125	130	135
Phe Gly Ala Tyr Thr Ala Phe Leu Phe Ile Arg Thr Gly His Leu		
140	145	150
Ile Gly Pro Val Leu Cys His Ser Phe Cys Asn Tyr Met Gly Phe		
155	160	165
Pro Ala Val Cys Ala Ala Leu Glu His Pro Gln Arg Arg Pro Leu		
170	175	180
Leu Ala Gly Tyr Ala Leu Gly Val Gly Leu Phe Leu Leu Leu Leu		
185	190	195
Gln Pro Leu Thr Asp Pro Lys Leu Tyr Gly Ser Leu Pro Leu Cys		
200	205	210
Val Leu Leu Glu Arg Ala Gly Asp Ser Glu Ala Pro Leu Cys Ser		
215	220	225

<210> 115  
 <211> 155  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2108789

<400> 115

Met Ser Gly Leu Leu Ile Pro Pro Leu Pro Gly Trp Val Leu Gly		
1	5	10 15
Pro Leu Met Trp Ala Cys Arg Pro Pro Gln Asp Glu Pro Ser Gly		
20	25	30

```

Thr Asp Pro Pro Pro Pro Arg Leu Gln Pro His His Val Ser Gly
      35                      40                      45
Leu Gly Leu Gly Gln Ala Trp Ala Gln Ser Trp Ala Pro Arg Gly
      50                      55                      60
Ser Pro Pro Leu Thr Trp Leu Leu Pro Thr Leu Pro Leu Lys Asp
      65                      70                      75
Gly Pro Ala Ala Arg Leu Pro Pro Pro Pro His Thr Thr Leu Gly
      80                      85                      90
Gly Leu Ser His Pro Pro Gln Pro Arg Ser Ala Gln Thr Asp Pro
      95                      100                     105
His Ser Ile Pro Arg Pro Ala Ala Gln Val Arg Gly Pro Val Leu
     110                      115                     120
Pro Gly Ala Trp Ala Thr Pro Tyr Ala Ile Ser Ser Glu Gln Pro
     125                      130                     135
Gly Pro Thr Asp Pro His Ala Leu Ser Tyr Val Pro Phe Ser Pro
     140                      145                     150
Asp Phe Phe Cys Thr
     155

```

&lt;210&gt; 116

&lt;211&gt; 468

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2171401

&lt;400&gt; 116

```

Met Gly Arg Gly Trp Gly Phe Leu Phe Gly Leu Leu Gly Ala Val
  1      5      10      15
Trp Leu Leu Ser Ser Gly His Gly Glu Glu Gln Pro Pro Glu Thr
      20      25      30
Ala Ala Gln Arg Cys Phe Cys Gln Val Ser Gly Tyr Leu Asp Asp
      35      40      45
Cys Thr Cys Asp Val Glu Thr Ile Asp Arg Phe Asn Asn Tyr Arg
      50      55      60
Leu Phe Pro Arg Leu Gln Lys Leu Leu Glu Ser Asp Tyr Phe Arg
      65      70      75
Tyr Tyr Lys Val Asn Leu Lys Arg Pro Cys Pro Phe Trp Asn Asp
      80      85      90
Ile Ser Gln Cys Gly Arg Arg Asp Cys Ala Val Lys Pro Cys Gln
      95      100     105
Ser Asp Glu Val Pro Asp Gly Ile Lys Ser Ala Ser Tyr Lys Tyr
     110     115     120
Ser Glu Glu Ala Asn Asn Leu Ile Glu Glu Cys Glu Gln Ala Glu
     125     130     135
Arg Leu Gly Ala Val Asp Glu Ser Leu Ser Glu Glu Thr Gln Lys
     140     145     150
Ala Val Leu Gln Trp Thr Lys His Asp Asp Ser Ser Asp Asn Phe
     155     160     165
Cys Glu Ala Asp Asp Ile Gln Ser Pro Glu Ala Glu Tyr Val Asp
     170     175     180
Leu Leu Leu Asn Pro Glu Arg Tyr Thr Gly Tyr Lys Gly Pro Asp

```

	185		190		195
Ala Trp Lys Ile	Trp Asn Val Ile Tyr	Glu Glu Asn Cys Phe	Lys		
	200		205		210
Pro Gln Thr Ile	Lys Arg Pro Leu Asn	Pro Leu Ala Ser Gly	Gln		
	215		220		225
Gly Thr Ser Glu	Glu Asn Thr Phe Tyr	Ser Trp Leu Glu Gly	Leu		
	230		235		240
Cys Val Glu Lys	Arg Ala Phe Tyr Arg	Leu Ile Ser Gly Leu	His		
	245		250		255
Ala Ser Ile Asn	Val His Leu Ser Ala	Arg Tyr Leu Leu Gln	Glu		
	260		265		270
Thr Trp Leu Glu	Lys Lys Trp Gly His	Asn Ile Thr Glu Phe	Gln		
	275		280		285
Gln Arg Phe Asp	Gly Ile Leu Thr Glu	Gly Glu Gly Pro Arg	Arg		
	290		295		300
Leu Lys Asn Leu	Tyr Phe Leu Tyr Leu	Ile Glu Leu Arg Ala	Leu		
	305		310		315
Ser Lys Val Leu	Pro Phe Phe Glu Arg	Pro Asp Phe Gln Leu	Phe		
	320		325		330
Thr Gly Asn Lys	Ile Gln Asp Glu Glu	Asn Lys Met Leu Leu	Leu		
	335		340		345
Glu Ile Leu His	Glu Ile Lys Ser Phe	Pro Leu His Phe Asp	Glu		
	350		355		360
Asn Ser Phe Phe	Ala Gly Asp Lys Lys	Glu Ala His Lys Leu	Lys		
	365		370		375
Glu Asp Phe Arg	Leu His Phe Arg Asn	Ile Ser Arg Ile Met	Asp		
	380		385		390
Cys Val Gly Cys	Phe Lys Cys Arg Leu	Trp Gly Lys Leu Gln	Thr		
	395		400		405
Gln Gly Leu Gly	Thr Ala Leu Lys Ile	Leu Phe Ser Glu Lys	Leu		
	410		415		420
Ile Ala Asn Met	Pro Glu Ser Gly Pro	Ser Tyr Glu Phe His	Leu		
	425		430		435
Thr Arg Gln Glu	Ile Val Ser Leu Phe	Asn Ala Phe Gly Arg	Ile		
	440		445		450
Ser Thr Ser Val	Lys Glu Leu Glu Asn	Phe Arg Asn Leu Leu	Gln		
	455		460		465
Asn Ile His					

&lt;210&gt; 117

&lt;211&gt; 403

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2212530

&lt;400&gt; 117

Met Ser Thr Ser Thr Ser Pro Ala Ala Met Leu Leu Arg Arg Leu	
1 5 10 15	
Arg Arg Leu Ser Trp Gly Ser Thr Ala Val Gln Leu Phe Ile Leu	
20 25 30	
Thr Val Val Thr Phe Gly Leu Leu Ala Pro Leu Ala Cys His Arg	

	35		40		45
Leu Leu His Ser Tyr Phe Tyr Leu Arg His Trp His Leu Asn Gln					
	50		55		60
Met Ser Gln Glu Phe Leu Gln Gln Ser Leu Lys Glu Gly Glu Ala					
	65		70		75
Ala Leu His Tyr Phe Glu Glu Leu Pro Ser Ala Asn Gly Ser Val					
	80		85		90
Pro Ile Val Trp Gln Ala Thr Pro Arg Pro Trp Leu Val Ile Thr					
	95		100		105
Ile Ile Thr Val Asp Arg Gln Pro Gly Phe His Tyr Val Leu Gln					
	110		115		120
Val Val Ser Gln Phe His Arg Leu Leu Gln Gln Cys Gly Pro Gln					
	125		130		135
Cys Glu Gly His Gln Leu Phe Leu Cys Asn Val Glu Arg Ser Val					
	140		145		150
Ser His Phe Asp Ala Lys Leu Leu Ser Lys Tyr Val Pro Val Ala					
	155		160		165
Asn Arg Tyr Glu Gly Thr Glu Asp Asp Tyr Gly Asp Asp Pro Ser					
	170		175		180
Thr Asn Ser Phe Glu Lys Glu Lys Gln Asp Tyr Val Tyr Cys Leu					
	185		190		195
Glu Ser Ser Leu Gln Thr Tyr Asn Pro Asp Tyr Val Leu Met Val					
	200		205		210
Glu Asp Asp Ala Val Pro Glu Glu Gln Ile Phe Pro Val Leu Glu					
	215		220		225
His Leu Leu Arg Ala Arg Phe Ser Glu Pro His Leu Arg Asp Ala					
	230		235		240
Leu Tyr Leu Lys Leu Tyr His Pro Glu Arg Leu Gln His Tyr Ile					
	245		250		255
Asn Pro Glu Pro Met Arg Ile Leu Glu Trp Val Gly Val Gly Met					
	260		265		270
Leu Leu Gly Pro Leu Leu Thr Trp Ile Tyr Met Arg Phe Ala Ser					
	275		280		285
Arg Pro Gly Phe Ser Trp Pro Val Met Leu Phe Phe Ser Leu Tyr					
	290		295		300
Ser Met Gly Leu Val Glu Leu Val Gly Arg His Tyr Phe Leu Glu					
	305		310		315
Leu Arg Arg Leu Ser Pro Ser Leu Tyr Ser Val Val Pro Ala Ser					
	320		325		330
Gln Cys Cys Thr Pro Ala Met Leu Phe Pro Ala Pro Ala Ala Arg					
	335		340		345
Arg Thr Leu Thr Tyr Leu Ser Gln Val Tyr Cys His Lys Gly Phe					
	350		355		360
Gly Lys Asp Met Ala Leu Tyr Ser Leu Leu Arg Ala Lys Gly Glu					
	365		370		375
Arg Ala Tyr Val Val Glu Pro Asn Leu Val Lys His Ile Gly Leu					
	380		385		390
Phe Ser Ser Leu Arg Tyr Asn Phe His Pro Ser Leu Leu					
	395		400		

&lt;210&gt; 118

&lt;211&gt; 131

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2253036

&lt;400&gt; 118

Met	Glu	Arg	Cys	Phe	His	Cys	Phe	Pro	Val	His	Leu	Val	Phe	Asn
1				5					10					15
Leu	Val	Gln	Ser	Phe	Ser	Pro	Ile	Ser	Gly	Val	Glu	Ser	Cys	Leu
				20					25					30
Leu	Pro	Gln	Cys	Asp	Lys	Cys	Trp	Pro	Met	Val	Tyr	Arg	Ser	Cys
				35					40					45
Asp	Ala	Ser	Arg	Gly	Leu	Val	Asn	Ala	Cys	Ile	Leu	Gly	Phe	Val
				50					55					60
Leu	Leu	Glu	Cys	Ser	Phe	Val	Gly	Ala	Leu	Asn	Asn	Tyr	Val	Arg
				65					70					75
Ser	Leu	Ala	Thr	Leu	Leu	Glu	Arg	Thr	His	Gly	Gly	Lys	Arg	Leu
				80					85					90
Lys	Leu	Cys	Glu	Glu	Ser	Gln	Ala	Ser	His	Pro	Ser	Phe	Ser	Ala
				95					100					105
Glu	Pro	Arg	His	Gln	Pro	Thr	Cys	Gln	Leu	Asn	Ala	Thr	Val	Arg
				110					115					120
Val	Ile	Thr	Ser	Lys	Ile	Thr	Arg	Lys	Thr	Thr				
				125					130					

&lt;210&gt; 119

&lt;211&gt; 556

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2280161

&lt;400&gt; 119

Met	Ala	Ala	Ala	Ala	Trp	Leu	Gln	Val	Leu	Pro	Val	Ile	Leu	Leu
1				5					10					15
Leu	Leu	Gly	Ala	His	Pro	Ser	Pro	Leu	Ser	Phe	Phe	Ser	Ala	Gly
				20					25					30
Pro	Ala	Thr	Val	Ala	Ala	Ala	Asp	Arg	Ser	Lys	Trp	His	Ile	Pro
				35					40					45
Ile	Pro	Ser	Gly	Lys	Asn	Tyr	Phe	Ser	Phe	Gly	Lys	Ile	Leu	Phe
				50					55					60
Arg	Asn	Thr	Thr	Ile	Phe	Leu	Lys	Phe	Asp	Gly	Glu	Pro	Cys	Asp
				65					70					75
Leu	Ser	Leu	Asn	Ile	Thr	Trp	Tyr	Leu	Lys	Ser	Ala	Asp	Cys	Tyr
				80					85					90
Asn	Glu	Ile	Tyr	Asn	Phe	Lys	Ala	Glu	Glu	Val	Glu	Leu	Tyr	Leu
				95					100					105
Glu	Lys	Leu	Lys	Glu	Lys	Arg	Gly	Leu	Ser	Gly	Lys	Tyr	Gln	Thr
				110					115					120
Ser	Ser	Lys	Leu	Phe	Gln	Asn	Cys	Ser	Glu	Leu	Phe	Lys	Thr	Gln
				125					130					135
Thr	Phe	Ser	Gly	Asp	Phe	Met	His	Arg	Leu	Pro	Leu	Leu	Gly	Glu
				140					145					150

Lys	Gln	Glu	Ala	Lys	Glu	Asn	Gly	Thr	Asn	Leu	Thr	Phe	Ile	Gly	
				155					160					165	
Asp	Lys	Thr	Ala	Met	His	Glu	Pro	Leu	Gln	Thr	Trp	Gln	Asp	Ala	
				170					175					180	
Pro	Tyr	Ile	Phe	Ile	Val	His	Ile	Gly	Ile	Ser	Ser	Ser	Lys	Glu	
				185					190					195	
Ser	Ser	Lys	Glu	Asn	Ser	Leu	Ser	Asn	Leu	Phe	Thr	Met	Thr	Val	
				200					205					210	
Glu	Val	Lys	Gly	Pro	Tyr	Glu	Tyr	Leu	Thr	Leu	Glu	Asp	Tyr	Pro	
				215					220					225	
Leu	Met	Ile	Phe	Phe	Met	Val	Met	Cys	Ile	Val	Tyr	Val	Leu	Phe	
				230					235					240	
Gly	Val	Leu	Trp	Leu	Ala	Trp	Ser	Ala	Cys	Tyr	Trp	Arg	Asp	Leu	
				245					250					255	
Leu	Arg	Ile	Gln	Phe	Trp	Ile	Gly	Ala	Val	Ile	Phe	Leu	Gly	Met	
				260					265					270	
Leu	Glu	Lys	Ala	Val	Phe	Tyr	Ala	Glu	Phe	Gln	Asn	Ile	Arg	Tyr	
				275					280					285	
Lys	Gly	Glu	Ser	Val	Gln	Gly	Ala	Leu	Ile	Leu	Ala	Glu	Leu	Leu	
				290					295					300	
Ser	Ala	Val	Lys	Arg	Ser	Leu	Ala	Arg	Thr	Leu	Val	Ile	Ile	Val	
				305					310					315	
Ser	Leu	Gly	Tyr	Gly	Ile	Val	Lys	Pro	Arg	Leu	Gly	Val	Thr	Leu	
				320					325					330	
His	Lys	Val	Val	Val	Ala	Gly	Ala	Leu	Tyr	Leu	Leu	Phe	Ser	Gly	
				335					340					345	
Met	Glu	Gly	Val	Leu	Arg	Val	Thr	Gly	Tyr	Phe	Ser	Tyr	Pro	Leu	
				350					355					360	
Thr	Leu	Ile	Val	Asn	Leu	Ala	Leu	Ser	Ala	Val	Asp	Ala	Cys	Val	
				365					370					375	
Ile	Leu	Trp	Ile	Phe	Ile	Ser	Leu	Thr	Gln	Thr	Met	Lys	Leu	Leu	
				380					385					390	
Lys	Leu	Arg	Arg	Asn	Ile	Val	Lys	Leu	Ser	Leu	Tyr	Arg	His	Phe	
				395					400					405	
Thr	Asn	Thr	Leu	Ile	Leu	Ala	Val	Ala	Ala	Ser	Ile	Val	Phe	Ile	
				410					415					420	
Ile	Trp	Thr	Thr	Met	Lys	Phe	Arg	Ile	Val	Thr	Cys	Gln	Ser	Asp	
				425					430					435	
Trp	Arg	Glu	Leu	Trp	Val	Asp	Asp	Ala	Ile	Trp	Arg	Leu	Leu	Phe	
				440					445					450	
Ser	Met	Ile	Leu	Phe	Val	Ile	Met	Val	Leu	Trp	Arg	Pro	Ser	Ala	
				455					460					465	
Asn	Asn	Gln	Arg	Phe	Ala	Phe	Ser	Pro	Leu	Ser	Glu	Glu	Glu	Glu	
				470					475					480	
Glu	Asp	Glu	Gln	Lys	Glu	Pro	Met	Leu	Lys	Glu	Ser	Phe	Glu	Gly	
				485					490					495	
Met	Lys	Met	Arg	Ser	Thr	Lys	Gln	Glu	Pro	Asn	Gly	Asn	Ser	Lys	
				500					505					510	
Val	Asn	Lys	Ala	Gln	Glu	Asp	Asp	Leu	Lys	Trp	Val	Glu	Glu	Asn	
				515					520					525	
Val	Pro	Ser	Ser	Val	Thr	Asp	Val	Ala	Leu	Pro	Ala	Leu	Leu	Asp	
				530					535					540	
Ser	Asp	Glu	Glu	Arg	Met	Ile	Thr	His	Phe	Glu	Arg	Ser	Lys	Met	
				545					550					555	
Glu															

<210> 120  
 <211> 514  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2287485

<400> 120

Met	Ser	Trp	Pro	Arg	Arg	Leu	Leu	Leu	Arg	Tyr	Leu	Phe	Pro	Ala	1	5	10	15
Leu	Leu	Leu	His	Gly	Leu	Gly	Glu	Gly	Ser	Ala	Leu	Leu	His	Pro	20	25	30	
Asp	Ser	Arg	Ser	His	Pro	Arg	Ser	Leu	Glu	Lys	Ser	Ala	Trp	Arg	35	40	45	
Ala	Phe	Lys	Glu	Ser	Gln	Cys	His	His	Met	Leu	Lys	His	Leu	His	50	55	60	
Asn	Gly	Ala	Arg	Ile	Thr	Val	Gln	Met	Pro	Pro	Thr	Ile	Glu	Gly	65	70	75	
His	Trp	Val	Ser	Thr	Gly	Cys	Glu	Val	Arg	Ser	Gly	Pro	Glu	Phe	80	85	90	
Ile	Thr	Arg	Ser	Tyr	Arg	Phe	Tyr	His	Asn	Asn	Thr	Phe	Lys	Ala	95	100	105	
Tyr	Gln	Phe	Tyr	Tyr	Gly	Ser	Asn	Arg	Cys	Thr	Asn	Pro	Thr	Tyr	110	115	120	
Thr	Leu	Ile	Ile	Arg	Gly	Lys	Ile	Arg	Leu	Arg	Gln	Ala	Ser	Trp	125	130	135	
Ile	Ile	Arg	Gly	Gly	Thr	Glu	Ala	Asp	Tyr	Gln	Leu	His	Asn	Val	140	145	150	
Gln	Val	Ile	Cys	His	Thr	Glu	Ala	Val	Ala	Glu	Lys	Leu	Gly	Gln	155	160	165	
Gln	Val	Asn	Arg	Thr	Cys	Pro	Gly	Phe	Leu	Ala	Asp	Gly	Gly	Pro	170	175	180	
Trp	Val	Gln	Asp	Val	Ala	Tyr	Asp	Leu	Trp	Arg	Glu	Glu	Asn	Gly	185	190	195	
Cys	Glu	Cys	Thr	Lys	Ala	Val	Asn	Phe	Ala	Met	His	Glu	Leu	Gln	200	205	210	
Leu	Ile	Arg	Val	Glu	Lys	Gln	Tyr	Leu	His	His	Asn	Leu	Asp	His	215	220	225	
Leu	Val	Glu	Glu	Leu	Phe	Leu	Gly	Asp	Ile	His	Thr	Asp	Ala	Thr	230	235	240	
Gln	Arg	Met	Phe	Tyr	Arg	Pro	Ser	Ser	Tyr	Gln	Pro	Pro	Leu	Gln	245	250	255	
Asn	Ala	Lys	Asn	His	Asp	His	Ala	Cys	Ile	Ala	Cys	Arg	Ile	Ile	260	265	270	
Tyr	Arg	Ser	Asp	Glu	His	His	Pro	Pro	Ile	Leu	Pro	Pro	Lys	Ala	275	280	285	
Asp	Leu	Thr	Ile	Gly	Leu	His	Gly	Glu	Trp	Val	Ser	Gln	Arg	Cys	290	295	300	
Glu	Val	Arg	Pro	Glu	Val	Leu	Phe	Leu	Thr	Arg	His	Phe	Ile	Phe	305	310	315	
His	Asp	Asn	Asn	Asn	Thr	Trp	Glu	Gly	His	Tyr	Tyr	His	Tyr	Ser	320	325	330	
Asp	Pro	Val	Cys	Lys	His	Pro	Thr	Phe	Ser	Ile	Tyr	Ala	Arg	Gly	335	340	345	



```

Arg Tyr Ser Arg Gly Val Leu Ser Ser Arg Val Met Gly Gly Thr
      350                      355                      360
Glu Phe Val Phe Lys Val Asn His Met Lys Val Thr Pro Met Asp
      365                      370                      375
Ala Ala Thr Ala Ser Leu Leu Asn Val Phe Asn Gly Asn Glu Cys
      380                      385                      390
Gly Ala Glu Gly Ser Trp Gln Val Gly Ile Gln Gln Asp Val Thr
      395                      400                      405
His Thr Asn Gly Cys Val Ala Leu Gly Ile Lys Leu Pro His Thr
      410                      415                      420
Glu Tyr Glu Ile Phe Lys Met Glu Gln Asp Ala Arg Gly Arg Tyr
      425                      430                      435
Leu Leu Phe Asn Gly Gln Arg Pro Ser Asp Gly Ser Ser Pro Asp
      440                      445                      450
Arg Pro Glu Lys Arg Ala Thr Ser Tyr Gln Met Pro Leu Val Gln
      455                      460                      465
Cys Ala Ser Ser Ser Pro Arg Ala Glu Asp Leu Ala Glu Asp Ser
      470                      475                      480
Gly Ser Ser Leu Tyr Gly Arg Ala Pro Gly Arg His Thr Trp Ser
      485                      490                      495
Leu Leu Leu Ala Ala Leu Ala Cys Leu Val Pro Leu Leu His Trp
      500                      505                      510
Asn Ile Arg Arg

```

&lt;210&gt; 121

&lt;211&gt; 109

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2380344

&lt;400&gt; 121

```

Met Leu Trp Trp Leu Val Leu Leu Leu Leu Pro Thr Leu Lys Ser
  1          5          10          15
Val Phe Cys Ser Leu Val Thr Ser Leu Tyr Leu Pro Asn Thr Glu
      20          25          30
Asp Leu Ser Leu Trp Leu Trp Pro Lys Pro Asp Leu His Ser Gly
      35          40          45
Thr Arg Thr Glu Val Ser Thr His Thr Val Pro Ser Lys Pro Gly
      50          55          60
Thr Ala Ser Pro Cys Trp Pro Leu Ala Gly Ala Val Pro Ser Pro
      65          70          75
Thr Val Ser Arg Leu Glu Ala Leu Thr Arg Ala Val Gln Val Ala
      80          85          90
Glu Pro Leu Gly Ser Cys Gly Phe Gln Gly Gly Pro Cys Pro Gly
      95          100         105
Arg Arg Arg Asp

```

&lt;210&gt; 122

&lt;211&gt; 431

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2383171

&lt;400&gt; 122

Met	Ser	Trp	Val	Gln	Ala	Thr	Leu	Leu	Ala	Arg	Gly	Leu	Cys	Arg	1	5	10	15
Ala	Trp	Gly	Gly	Thr	Cys	Gly	Ala	Ala	Leu	Thr	Gly	Thr	Ser	Ile	20	25	30	
Ser	Gln	Val	Pro	Arg	Arg	Leu	Pro	Arg	Gly	Leu	His	Cys	Ser	Ala	35	40	45	
Ala	Ala	His	Ser	Ser	Glu	Gln	Ser	Leu	Val	Pro	Ser	Pro	Pro	Glu	50	55	60	
Pro	Arg	Gln	Arg	Pro	Thr	Lys	Ala	Leu	Val	Pro	Phe	Glu	Asp	Leu	65	70	75	
Phe	Gly	Gln	Ala	Pro	Gly	Gly	Glu	Arg	Asp	Lys	Ala	Ser	Phe	Leu	80	85	90	
Gln	Thr	Val	Gln	Lys	Phe	Ala	Glu	His	Ser	Val	Arg	Lys	Arg	Gly	95	100	105	
His	Ile	Asp	Phe	Ile	Tyr	Leu	Ala	Leu	Arg	Lys	Met	Arg	Glu	Tyr	110	115	120	
Gly	Val	Glu	Arg	Asp	Leu	Ala	Val	Tyr	Asn	Gln	Leu	Leu	Asn	Ile	125	130	135	
Phe	Pro	Lys	Glu	Val	Phe	Arg	Pro	Arg	Asn	Ile	Ile	Gln	Arg	Ile	140	145	150	
Phe	Val	His	Tyr	Pro	Arg	Gln	Gln	Glu	Cys	Gly	Ile	Ala	Val	Leu	155	160	165	
Glu	Gln	Met	Glu	Asn	His	Gly	Val	Met	Pro	Asn	Lys	Glu	Thr	Glu	170	175	180	
Phe	Leu	Leu	Ile	Gln	Ile	Phe	Gly	Arg	Lys	Ser	Tyr	Pro	Met	Leu	185	190	195	
Lys	Leu	Val	Arg	Leu	Lys	Leu	Trp	Phe	Pro	Arg	Phe	Met	Asn	Val	200	205	210	
Asn	Pro	Phe	Pro	Val	Pro	Arg	Asp	Leu	Pro	Gln	Asp	Pro	Val	Glu	215	220	225	
Leu	Ala	Met	Phe	Gly	Leu	Arg	His	Met	Glu	Pro	Asp	Leu	Ser	Ala	230	235	240	
Arg	Val	Thr	Ile	Tyr	Gln	Val	Pro	Leu	Pro	Lys	Asp	Ser	Thr	Gly	245	250	255	
Ala	Ala	Asp	Pro	Pro	Gln	Pro	His	Ile	Val	Gly	Ile	Gln	Ser	Pro	260	265	270	
Asp	Gln	Gln	Ala	Ala	Leu	Ala	Arg	His	Asn	Pro	Ala	Arg	Pro	Val	275	280	285	
Phe	Val	Glu	Gly	Pro	Phe	Ser	Leu	Trp	Leu	Arg	Asn	Lys	Cys	Val	290	295	300	
Tyr	Tyr	His	Ile	Leu	Arg	Ala	Asp	Leu	Leu	Pro	Pro	Glu	Glu	Arg	305	310	315	
Glu	Val	Glu	Glu	Thr	Pro	Glu	Glu	Trp	Asn	Leu	Tyr	Tyr	Pro	Met	320	325	330	
Gln	Leu	Asp	Leu	Glu	Tyr	Val	Arg	Ser	Gly	Trp	Asp	Asn	Tyr	Glu	335	340	345	
Phe	Asp	Ile	Asn	Glu	Val	Glu	Glu	Gly	Pro	Val	Phe	Ala	Met	Cys	350	355	360	

Met	Ala	Gly	Ala	His	Asp	Gln	Ala	Thr	Met	Ala	Lys	Trp	Ile	Gln
				365					370					375
Gly	Leu	Gln	Glu	Thr	Asn	Pro	Thr	Leu	Ala	Gln	Ile	Pro	Val	Val
				380					385					390
Phe	Arg	Leu	Ala	Gly	Ser	Thr	Arg	Glu	Leu	Gln	Thr	Ser	Ser	Ala
				395					400					405
Gly	Leu	Glu	Glu	Pro	Pro	Leu	Pro	Glu	Asp	His	Gln	Glu	Glu	Asp
				410					415					420
Asp	Asn	Leu	Gln	Arg	Gln	Gln	Gln	Gly	Gln	Ser				
				425					430					

&lt;210&gt; 123

&lt;211&gt; 142

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2396046

&lt;400&gt; 123

Met	Leu	Leu	Gly	Val	Arg	Ala	Val	Pro	Leu	Cys	Ser	Ala	Trp	Gln
1				5					10					15
Gly	Ala	Val	Gly	Leu	Val	Ser	Leu	Ala	Ile	Ser	Ile	Cys	Lys	His
				20					25					30
Gly	Leu	Ser	Ser	Gln	Gln	Asn	Leu	Val	Pro	Gly	Lys	Ser	Asn	Val
				35					40					45
Pro	Lys	Ala	Ser	Asp	Met	Pro	Arg	Cys	Pro	Pro	Val	Phe	Gln	Ser
				50					55					60
Pro	Asn	Leu	Thr	Pro	Phe	Pro	His	His	Thr	Lys	His	Thr	Ser	Gln
				65					70					75
Gly	Ser	His	Leu	Gly	Val	Pro	Pro	Pro	Ala	Pro	Met	Pro	Trp	Cys
				80					85					90
Pro	Gln	Ala	Gln	Gly	Phe	Gly	Leu	Ser	Cys	Gln	Ser	Leu	Asp	Ala
				95					100					105
Phe	Glu	Gly	Gln	Leu	Gly	Cys	Gly	Trp	Gly	Val	Gln	Ala	Ala	Gly
				110					115					120
Glu	Pro	Arg	Leu	Arg	Ile	Ile	His	Thr	Leu	Leu	Phe	Gly	Ala	Phe
				125					130					135
Val	Glu	Val	Ser	Arg	Ile	Pro								
				140										

&lt;210&gt; 124

&lt;211&gt; 643

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2456587

&lt;400&gt; 124

Met	Glu	Cys	Cys	Arg	Arg	Ala	Thr	Pro	Gly	Thr	Leu	Leu	Leu	Phe	1	5	10	15
Leu	Ala	Phe	Leu	Leu	Leu	Ser	Ser	Arg	Thr	Ala	Arg	Ser	Glu	Glu	20	25	30	
Asp	Arg	Asp	Gly	Leu	Trp	Asp	Ala	Trp	Gly	Pro	Trp	Ser	Glu	Cys	35	40	45	
Ser	Arg	Thr	Cys	Gly	Gly	Gly	Ala	Ser	Tyr	Ser	Leu	Arg	Arg	Cys	50	55	60	
Leu	Ser	Ser	Lys	Ser	Cys	Glu	Gly	Arg	Asn	Ile	Arg	Tyr	Arg	Thr	65	70	75	
Cys	Ser	Asn	Val	Asp	Cys	Pro	Pro	Glu	Ala	Gly	Asp	Phe	Arg	Ala	80	85	90	
Gln	Gln	Cys	Ser	Ala	His	Asn	Asp	Val	Lys	His	His	Gly	Gln	Phe	95	100	105	
Tyr	Glu	Trp	Leu	Pro	Val	Ser	Asn	Asp	Pro	Asp	Asn	Pro	Cys	Ser	110	115	120	
Leu	Lys	Cys	Gln	Ala	Lys	Gly	Thr	Thr	Leu	Val	Val	Glu	Leu	Ala	125	130	135	
Pro	Lys	Val	Leu	Asp	Gly	Thr	Arg	Cys	Tyr	Thr	Glu	Ser	Leu	Asp	140	145	150	
Met	Cys	Ile	Ser	Gly	Leu	Cys	Gln	Ile	Val	Gly	Cys	Asp	His	Gln	155	160	165	
Leu	Gly	Ser	Thr	Val	Lys	Glu	Asp	Asn	Cys	Gly	Val	Cys	Asn	Gly	170	175	180	
Asp	Gly	Ser	Thr	Cys	Arg	Leu	Val	Arg	Gly	Gln	Tyr	Lys	Ser	Gln	185	190	195	
Leu	Ser	Ala	Thr	Lys	Ser	Asp	Asp	Thr	Val	Val	Ala	Ile	Pro	Tyr	200	205	210	
Gly	Ser	Arg	His	Ile	Arg	Leu	Val	Leu	Lys	Gly	Pro	Asp	His	Leu	215	220	225	
Tyr	Leu	Glu	Thr	Lys	Thr	Leu	Gln	Gly	Thr	Lys	Gly	Glu	Asn	Ser	230	235	240	
Leu	Ser	Ser	Thr	Gly	Thr	Phe	Leu	Val	Asp	Asn	Ser	Ser	Val	Asp	245	250	255	
Phe	Gln	Lys	Phe	Pro	Asp	Lys	Glu	Ile	Leu	Arg	Met	Ala	Gly	Pro	260	265	270	
Leu	Thr	Ala	Asp	Phe	Ile	Val	Lys	Ile	Arg	Asn	Ser	Gly	Ser	Ala	275	280	285	
Asp	Ser	Thr	Val	Gln	Phe	Ile	Phe	Tyr	Gln	Pro	Ile	Ile	His	Arg	290	295	300	
Trp	Arg	Glu	Thr	Asp	Phe	Phe	Pro	Cys	Ser	Ala	Thr	Cys	Gly	Gly	305	310	315	
Gly	Tyr	Gln	Leu	Thr	Ser	Ala	Glu	Cys	Tyr	Asp	Leu	Arg	Ser	Asn	320	325	330	
Arg	Val	Val	Ala	Asp	Gln	Tyr	Cys	His	Tyr	Tyr	Pro	Glu	Asn	Ile	335	340	345	
Lys	Pro	Lys	Pro	Lys	Leu	Gln	Glu	Cys	Asn	Leu	Asp	Pro	Cys	Pro	350	355	360	
Ala	Ser	Asp	Gly	Tyr	Lys	Gln	Ile	Met	Pro	Tyr	Asp	Leu	Tyr	His	365	370	375	
Pro	Leu	Pro	Arg	Trp	Glu	Ala	Thr	Pro	Trp	Thr	Ala	Cys	Ser	Ser	380	385	390	
Ser	Cys	Gly	Gly	Gly	Ile	Gln	Ser	Arg	Ala	Val	Ser	Cys	Val	Glu	395	400	405	
Glu	Asp	Ile	Gln	Gly	His	Val	Thr	Ser	Val	Glu	Glu	Trp	Lys	Cys	410	415	420	

Met Tyr Thr Pro Lys Met Pro Ile Ala Gln Pro Cys Asn Ile Phe		
	425	430 435
Asp Cys Pro Lys Trp Leu Ala Gln Glu Trp Ser Pro Cys Thr Val		
	440	445 450
Thr Cys Gly Gln Gly Leu Arg Tyr Arg Val Val Leu Cys Ile Asp		
	455	460 465
His Arg Gly Met His Thr Gly Gly Cys Ser Pro Lys Thr Lys Pro		
	470	475 480
His Ile Lys Glu Glu Cys Ile Val Pro Thr Pro Cys Tyr Lys Pro		
	485	490 495
Lys Glu Lys Leu Pro Val Glu Ala Lys Leu Pro Trp Phe Lys Gln		
	500	505 510
Ala Gln Glu Leu Glu Glu Gly Ala Ala Val Ser Glu Glu Pro Ser		
	515	520 525
Phe Ile Pro Glu Ala Trp Ser Ala Cys Thr Val Thr Cys Gly Val		
	530	535 540
Gly Thr Gln Val Arg Ile Val Arg Cys Gln Val Leu Leu Ser Phe		
	545	550 555
Ser Gln Ser Val Ala Asp Leu Pro Ile Asp Glu Cys Glu Gly Pro		
	560	565 570
Lys Pro Ala Ser Gln Arg Ala Cys Tyr Ala Gly Pro Cys Ser Gly		
	575	580 585
Glu Ile Pro Glu Phe Asn Pro Asp Glu Thr Asp Gly Leu Phe Gly		
	590	595 600
Gly Leu Gln Asp Phe Asp Glu Leu Tyr Asp Trp Glu Tyr Glu Gly		
	605	610 615
Phe Thr Lys Cys Ser Glu Ser Cys Gly Gly Gly Val Gln Glu Ala		
	620	625 630
Val Val Ser Cys Leu Asn Lys Gln Thr Arg Glu Pro Cys		
	635	640

&lt;210&gt; 125

&lt;211&gt; 568

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2484813

&lt;400&gt; 125

Met Val Leu Leu His Trp Cys Leu Leu Trp Leu Leu Phe Pro Leu		
1	5	10 15
Ser Ser Arg Thr Gln Lys Leu Pro Thr Arg Asp Glu Glu Leu Phe		
	20	25 30
Gln Met Gln Ile Arg Asp Lys Ala Phe Phe His Asp Ser Ser Val		
	35	40 45
Ile Pro Asp Gly Ala Glu Ile Ser Ser Tyr Leu Phe Arg Asp Thr		
	50	55 60
Pro Lys Arg Tyr Phe Phe Val Val Glu Glu Asp Asn Thr Pro Leu		
	65	70 75
Ser Val Thr Val Thr Pro Cys Asp Ala Pro Leu Glu Trp Lys Leu		
	80	85 90
Ser Leu Gln Glu Leu Pro Glu Asp Arg Ser Gly Glu Gly Ser Gly		

	95		100		105
Asp Leu Glu Pro	Leu Glu Gln Gln Lys	Gln Gln Ile Ile Asn Glu			
	110		115		120
Glu Gly Thr Glu	Leu Phe Ser Tyr Lys	Gly Asn Asp Val Glu Tyr			
	125		130		135
Phe Ile Ser Ser	Ser Ser Pro Ser Gly	Leu Tyr Gln Leu Asp Leu			
	140		145		150
Leu Ser Thr Glu	Lys Asp Thr His Phe	Lys Val Tyr Ala Thr Thr			
	155		160		165
Thr Pro Glu Ser	Asp Gln Pro Tyr Pro	Glu Leu Pro Tyr Asp Pro			
	170		175		180
Arg Val Asp Val	Thr Ser Leu Gly Arg	Thr Thr Val Thr Leu Ala			
	185		190		195
Trp Lys Pro Ser	Pro Thr Ala Ser Leu	Leu Lys Gln Pro Ile Gln			
	200		205		210
Tyr Cys Val Val	Ile Asn Lys Glu His	Asn Phe Lys Ser Leu Cys			
	215		220		225
Ala Val Glu Ala	Lys Leu Ser Ala Asp	Asp Ala Phe Met Met Ala			
	230		235		240
Pro Lys Pro Gly	Leu Asp Phe Ser Pro	Phe Asp Phe Ala His Phe			
	245		250		255
Gly Phe Pro Ser	Asp Asn Ser Gly Lys	Glu Arg Ser Phe Gln Ala			
	260		265		270
Lys Pro Ser Pro	Lys Leu Gly Arg His	Val Tyr Ser Arg Pro Lys			
	275		280		285
Val Asp Ile Gln	Lys Ile Cys Ile Gly	Asn Lys Asn Ile Phe Thr			
	290		295		300
Val Ser Asp Leu	Lys Pro Asp Thr Gln	Tyr Tyr Phe Asp Val Phe			
	305		310		315
Val Val Asn Ile	Asn Ser Asn Met Ser	Thr Ala Tyr Val Gly Thr			
	320		325		330
Phe Ala Arg Thr	Lys Glu Glu Ala Lys	Gln Lys Thr Val Glu Leu			
	335		340		345
Lys Asp Gly Lys	Ile Thr Asp Val Phe	Val Lys Arg Lys Gly Ala			
	350		355		360
Lys Phe Leu Arg	Phe Ala Pro Val Ser	Ser His Gln Lys Val Thr			
	365		370		375
Phe Phe Ile His	Ser Cys Leu Asp Ala	Val Gln Ile Gln Val Arg			
	380		385		390
Arg Asp Gly Lys	Leu Leu Leu Ser Gln	Asn Val Glu Gly Ile Gln			
	395		400		405
Gln Phe Gln Leu	Arg Gly Lys Pro Lys	Ala Lys Tyr Leu Val Arg			
	410		415		420
Leu Lys Gly Asn	Lys Lys Gly Ala Ser	Met Leu Lys Ile Leu Ala			
	425		430		435
Thr Thr Arg Pro	Thr Lys Gln Ser Phe	Pro Ser Leu Pro Glu Asp			
	440		445		450
Thr Arg Ile Lys	Ala Phe Asp Lys Leu	Arg Thr Cys Ser Ser Ala			
	455		460		465
Thr Val Ala Trp	Leu Gly Thr Gln Glu	Arg Asn Lys Phe Cys Ile			
	470		475		480
Tyr Lys Lys Glu	Val Asp Asp Asn Tyr	Asn Glu Asp Gln Lys Lys			
	485		490		495
Arg Glu Gln Asn	Gln Cys Leu Gly Pro	Asp Ile Arg Lys Lys Ser			
	500		505		510
Glu Lys Val Leu	Cys Lys Tyr Phe His	Ser Gln Asn Leu Gln Lys			
	515		520		525

Ala Val Thr Thr Glu Thr Ile Lys Gly Leu Gln Pro Gly Lys Ser  
                   530                  535                  540  
 Tyr Leu Leu Asp Val Tyr Val Ile Gly His Gly Gly His Ser Val  
                   545                  550                  555  
 Lys Tyr Gln Ser Lys Val Val Lys Thr Arg Lys Phe Cys  
                   560                  565

<210> 126  
 <211> 125  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2493851

<400> 126  
 Met Trp Leu Val Gly Pro Ser Phe Leu Ser Cys Pro Leu Gly Lys  
   1                  5                  10                  15  
 Val Pro Pro Ala Gly Leu Leu Leu Ala Gly Ser Ser Gly Arg Gly  
                   20                  25                  30  
 Ala Arg Arg Pro Ala Thr Pro Arg His Trp Ser Ser Thr Thr Pro  
                   35                  40                  45  
 Gly Leu Arg Leu Glu Ala Pro Leu Cys Gln Leu Cys Pro Leu Gly  
                   50                  55                  60  
 Gly Thr Arg Gln Asp Cys Gln Pro Leu Ser Trp Gln Val Thr Ser  
                   65                  70                  75  
 Ala Phe Lys Leu Thr Val Pro Ser Pro Phe His Ala Pro Pro Arg  
                   80                  85                  90  
 Ser Trp Ser Cys Leu Leu Leu Gly Ile Phe Pro Gly Gln Ala Leu  
                   95                  100                 105  
 Ala Leu Glu Pro Trp His Leu Phe Leu Gly Ser Met Leu Pro Arg  
                  110                 115                 120  
 Cys Asp Gly Glu Cys  
                  125

<210> 127  
 <211> 196  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2495719

<400> 127  
 Met Ala Ala Leu Lys Ala Leu Val Ser Gly Cys Gly Arg Leu Leu  
   1                  5                  10                  15  
 Arg Gly Leu Leu Ala Gly Pro Ala Ala Thr Ser Trp Ser Arg Leu  
                   20                  25                  30  
 Pro Ala Arg Gly Phe Arg Glu Val Val Glu Thr Gln Glu Gly Lys



	35	40	45
Thr Thr Ile Ile Glu Gly Arg Ile Thr Ala Thr Pro Lys Glu Ser			
	50	55	60
Pro Asn Pro Pro Asn Pro Ser Gly Gln Cys Pro Ile Cys Arg Trp			
	65	70	75
Asn Leu Lys His Lys Tyr Asn Tyr Asp Asp Val Leu Leu Leu Ser			
	80	85	90
Gln Phe Ile Arg Pro His Gly Gly Met Leu Pro Arg Lys Ile Thr			
	95	100	105
Gly Leu Cys Gln Glu Glu His Arg Lys Ile Glu Glu Cys Val Lys			
	110	115	120
Met Ala His Arg Ala Gly Leu Leu Pro Asn His Arg Pro Arg Leu			
	125	130	135
Pro Glu Gly Val Val Pro Lys Ser Lys Pro Gln Leu Asn Arg Tyr			
	140	145	150
Leu Thr Arg Trp Ala Pro Gly Ser Val Lys Pro Ile Tyr Lys Lys			
	155	160	165
Gly Pro Arg Trp Asn Arg Val Arg Met Pro Val Gly Ser Pro Leu			
	170	175	180
Leu Arg Asp Asn Val Cys Tyr Ser Arg Thr Pro Trp Lys Leu Tyr			
	185	190	195
His			

&lt;210&gt; 128

&lt;211&gt; 214

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2614153

&lt;400&gt; 128

Met Val Leu Gly Gly Cys Pro Val Ser Tyr Leu Leu Leu Cys Gly		
1	5	10
Gln Ala Ala Leu Leu Leu Gly Asn Leu Leu Leu His Cys Val		
	20	25
Ser Arg Ser His Ser Gln Asn Ala Thr Ala Glu Pro Glu Leu Thr		
	35	40
Ser Ala Gly Ala Ala Gln Pro Glu Gly Pro Gly Gly Ala Ala Ser		
	50	55
Trp Glu Tyr Gly Asp Pro His Ser Pro Val Ile Leu Cys Ser Tyr		
	65	70
Leu Pro Asp Glu Phe Ile Glu Cys Glu Asp Pro Val Asp His Val		
	80	85
Gly Asn Ala Thr Ala Ser Gln Glu Leu Gly Tyr Gly Cys Leu Lys		
	95	100
Phe Gly Gly Gln Ala Tyr Ser Asp Val Glu His Thr Ser Val Gln		
	110	115
Cys His Ala Leu Asp Gly Ile Glu Cys Ala Ser Pro Arg Thr Phe		
	125	130
Leu Arg Glu Asn Lys Pro Cys Ile Lys Tyr Thr Gly His Tyr Phe		
	140	145
Ile Thr Thr Leu Leu Tyr Ser Phe Phe Leu Gly Cys Phe Gly Val		

	155		160		165
Asp Arg Phe Cys	Leu Gly His Thr Gly	Thr Ala Val Gly Lys	Leu		
	170		175		180
Leu Thr Leu Gly	Gly Leu Gly Ile Trp	Trp Phe Val Asp	Leu Ile		
	185		190		195
Leu Leu Ile Thr	Gly Gly Leu Met Pro	Ser Asp Gly Ser Asn	Trp		
	200		205		210
Cys Thr Val Tyr					

<210> 129  
 <211> 88  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2655184

<400> 129
Met Ala Cys Phe Ser Phe Phe Leu Cys Phe Leu Val His Leu Leu
1 5 10 15
Ile Lys Met Asn Pro Val Thr Glu Ser Pro Ser Cys Leu Phe Ser
20 25 30
Pro Pro Ser Glu Ser Ala Leu Ala Ser Gln Leu Ala Leu Ser Ala
35 40 45
Ser Cys Asp Gln Arg Ala Pro Phe Ser Leu Ala Gly Val Val Ser
50 55 60
His Asp Pro Gly Trp Pro Val Val Arg Leu His Arg Pro Leu Val
65 70 75
Pro Glu His Ala Val Phe Ser Gln Pro Ser Leu Gln Pro
80 85

<210> 130  
 <211> 260  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2848362

<400> 130
Met Pro Asp Pro Leu Phe Ser Ala Val Gln Gly Lys Asp Glu Ile
1 5 10 15
Leu His Lys Ala Leu Cys Phe Cys Pro Trp Leu Gly Lys Gly Gly
20 25 30
Met Glu Pro Leu Arg Leu Leu Ile Leu Leu Phe Val Thr Glu Leu
35 40 45
Ser Gly Ala His Asn Thr Thr Val Phe Gln Gly Val Ala Gly Gln
50 55 60
Ser Leu Gln Val Ser Cys Pro Tyr Asp Ser Met Lys His Trp Gly

	65		70		75
Arg Arg Lys Ala Trp Cys Arg Gln Leu Gly Glu Lys Gly Pro Cys					
	80		85		90
Gln Arg Val Val Ser Thr His Asn Leu Trp Leu Leu Ser Phe Leu					
	95		100		105
Arg Arg Trp Asn Gly Ser Thr Ala Ile Thr Asp Asp Thr Leu Gly					
	110		115		120
Gly Thr Leu Thr Ile Thr Leu Arg Asn Leu Gln Pro His Asp Ala					
	125		130		135
Gly Leu Tyr Gln Cys Gln Ser Leu His Gly Ser Glu Ala Asp Thr					
	140		145		150
Leu Arg Lys Val Leu Val Glu Val Leu Ala Asp Pro Leu Asp His					
	155		160		165
Arg Asp Ala Gly Asp Leu Trp Phe Pro Gly Glu Ser Glu Ser Phe					
	170		175		180
Glu Asp Ala His Val Glu His Ser Ile Ser Arg Ser Leu Leu Glu					
	185		190		195
Gly Glu Ile Pro Phe Pro Pro Thr Ser Ile Leu Leu Leu Leu Ala					
	200		205		210
Cys Ile Phe Leu Ile Lys Ile Leu Ala Ala Ser Ala Leu Trp Ala					
	215		220		225
Ala Ala Trp His Gly Gln Lys Pro Gly Thr His Pro Pro Ser Glu					
	230		235		240
Leu Asp Cys Gly His Asp Pro Gly Tyr Gln Leu Gln Thr Leu Pro					
	245		250		255
Gly Leu Arg Asp Thr					
	260				

&lt;210&gt; 131

&lt;211&gt; 295

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2849906

&lt;400&gt; 131

Met Gly Leu Pro Val Ser Trp Ala Pro Pro Ala Leu Trp Val Leu			
1	5	10	15
Gly Cys Cys Ala Leu Leu Leu Ser Leu Trp Ala Leu Cys Thr Ala			
	20	25	30
Cys Arg Arg Pro Glu Asp Ala Val Ala Pro Arg Lys Arg Ala Arg			
	35	40	45
Arg Gln Arg Ala Arg Leu Gln Gly Ser Ala Thr Ala Ala Glu Ala			
	50	55	60
Ser Leu Leu Arg Arg Thr His Leu Cys Ser Leu Ser Lys Ser Asp			
	65	70	75
Thr Arg Leu His Glu Leu His Arg Gly Pro Arg Ser Ser Arg Ala			
	80	85	90
Leu Arg Pro Ala Ser Met Asp Leu Leu Arg Pro His Trp Leu Glu			
	95	100	105
Val Ser Arg Asp Ile Thr Gly Pro Gln Ala Ala Pro Ser Ala Phe			
	110	115	120

```

Pro His Gln Glu Leu Pro Arg Ala Leu Pro Ala Ala Ala Ala Thr
125 130 135
Ala Gly Cys Ala Gly Leu Glu Ala Thr Tyr Ser Asn Val Gly Leu
140 145 150
Ala Ala Leu Pro Gly Val Ser Leu Ala Ala Ser Pro Val Val Ala
155 160 165
Glu Tyr Ala Arg Val Gln Lys Arg Lys Gly Thr His Arg Ser Pro
170 175 180
Gln Glu Pro Gln Gln Gly Lys Thr Glu Val Thr Pro Ala Ala Gln
185 190 195
Val Asp Val Leu Tyr Ser Arg Val Cys Lys Pro Lys Arg Arg Asp
200 205 210
Pro Gly Pro Thr Thr Asp Pro Leu Asp Pro Lys Gly Gln Gly Ala
215 220 225
Ile Leu Ala Leu Ala Gly Asp Leu Ala Tyr Gln Thr Leu Pro Leu
230 235 240
Arg Ala Leu Asp Val Asp Ser Gly Pro Leu Glu Asn Val Tyr Glu
245 250 255
Ser Ile Arg Glu Leu Gly Asp Pro Ala Gly Arg Ser Ser Thr Cys
260 265 270
Gly Ala Gly Thr Pro Pro Ala Ser Ser Cys Pro Ser Leu Gly Arg
275 280 285
Gly Trp Arg Pro Leu Pro Ala Ser Leu Pro
290 295

```

&lt;210&gt; 132

&lt;211&gt; 183

&lt;212&gt; PRT

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2899137

&lt;400&gt; 132

```

Met Ala Ala Ser Met Ala Arg Gly Gly Val Ser Ala Arg Val Leu
1 5 10 15
Leu Gln Ala Ala Arg Gly Thr Trp Trp Asn Arg Pro Gly Gly Thr
20 25 30
Ser Gly Ser Gly Glu Gly Val Ala Leu Gly Thr Thr Arg Lys Phe
35 40 45
Gln Ala Thr Gly Ser Arg Pro Ala Gly Glu Glu Asp Ala Gly Gly
50 55 60
Pro Glu Arg Pro Gly Asp Val Val Asn Val Val Phe Val Asp Arg
65 70 75
Ser Gly Gln Arg Ile Pro Val Ser Gly Arg Val Gly Asp Asn Val
80 85 90
Leu His Leu Ala Gln Arg His Gly Val Asp Leu Glu Gly Ala Cys
95 100 105
Glu Ala Ser Leu Ala Cys Ser Thr Cys His Val Tyr Val Ser Glu
110 115 120
Asp His Leu Asp Leu Leu Pro Pro Pro Glu Glu Arg Glu Asp Asp
125 130 135
Met Leu Asp Met Ala Pro Leu Leu Gln Glu Asn Ser Arg Leu Gly

```

	140		145		150
Cys Gln Ile Val	Leu Thr Pro Glu Leu	Glu Gly Ala Glu Phe Thr			
	155		160		165
Leu Pro Lys Ile	Thr Arg Asn Phe Tyr	Val Asp Gly His Val Pro			
	170		175		180
Lys Pro His					

<210> 133  
 <211> 113  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 2986229

<400> 133

Met Trp Arg Lys Pro Asp Val Leu Tyr Ser Val Ile Pro Val Thr	
1 5 10 15	
Ser Leu Phe Phe Leu Leu Ala Leu Asn Leu Pro Asp Val Phe Gly	
20 25 30	
Leu Val Val Leu Pro Leu Glu Leu Lys Leu Arg Ile Phe Arg Leu	
35 40 45	
Leu Asp Val Arg Ser Val Leu Ser Leu Ser Ala Val Cys Arg Asp	
50 55 60	
Leu Phe Thr Ala Ser Asn Asp Pro Leu Leu Trp Arg Phe Leu Tyr	
65 70 75	
Leu Arg Asp Phe Arg Gly Asp Phe Arg Asn Asp Ile Phe Thr Arg	
80 85 90	
Lys Gly Ser Tyr Cys Leu Asp Tyr Ser Ala His Gln Lys Phe Leu	
95 100 105	
Val Val Gly Phe Phe Cys Cys Lys	
110	

<210> 134  
 <211> 160  
 <212> PRT  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 3222081

<400> 134

Met Gln Arg Val Ser Gly Leu Leu Ser Trp Thr Leu Ser Arg Val	
1 5 10 15	
Leu Trp Leu Ser Gly Leu Ser Glu Pro Gly Ala Ala Arg Gln Pro	
20 25 30	
Arg Ile Met Glu Glu Lys Ala Leu Glu Val Tyr Asp Leu Ile Arg	
35 40 45	
Thr Ile Arg Asp Pro Glu Lys Pro Asn Thr Leu Glu Glu Leu Glu	

50	55	60
Val Val Ser Glu Ser Cys Val Glu Val Gln Glu Ile Asn Glu Glu		
65	70	75
Glu Tyr Leu Val Ile Ile Arg Phe Thr Pro Thr Val Pro His Cys		
80	85	90
Ser Leu Ala Thr Leu Ile Gly Leu Cys Leu Arg Val Lys Leu Gln		
95	100	105
Arg Cys Leu Pro Phe Lys His Lys Leu Glu Ile Tyr Ile Ser Glu		
110	115	120
Gly Thr His Ser Thr Glu Glu Asp Ile Asn Lys Gln Ile Asn Asp		
125	130	135
Lys Glu Arg Val Ala Ala Ala Met Glu Asn Pro Asn Leu Arg Glu		
140	145	150
Ile Val Glu Gln Cys Val Leu Glu Pro Asp		
155	160	

<210> 135  
 <211> 865  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221> misc\_feature  
 <223> Incyte Clone No: 443531

<400> 135  
 attcctcaat tttccagtct cccttgagct aagtgtggcc ctatgactca cttccagcca 60  
 tgaaaacaag tgcaaactctg ttaggagtat gttctggggc aatttttgcct ctccctgatga 120  
 agacaaaggc tgttgatcca ctgaaccac ccagacacta tgtgggtttct tgaatgtcct 180  
 acgtacattt tgatggatta cccaaggact atctgatgaa gaataataga gacatatataa 240  
 tacatatggg ctacatcttg gcaaaataaa gtaatcctga agtaaattct aaggatgttc 300  
 tgaattgaca cctcttaagc acaaccgaat gtcctgggtgg ctttgccctcc cactgggggct 360  
 ttttggtctct tgtttggccc cagcggctgc tgcagctctg tctgaattca cacaggagca 420  
 acatgatggg gctcagccct cgccgaagtg tcttgctgaa gagttgggag atgcttggac 480  
 tattcagata gaagccaact ggaagtacag ggcagtcaac acaaaccaga gaggcaaact 540  
 tttggccagt gagacatgga aagggagaag aaatacatte ttcttttctcc cctagagtga 600  
 ggaccaacct gagtcccagt cacctggaat cccctcagac gagegtccct tgagatccag 660  
 cacatggcag ccagegtgct gacgatccct tctgcctac tggctccttc ttatttctgc 720  
 ctccgtggaa ctgtattctc taatcaatat tagcacatac atattgcccc agactgtacc 780  
 tcctgggaac ccaggataaa gcactatcta aacattttgt cttggaattg taataaactt 840  
 caaaagaaaa atacaaaaaa aaaaa 865

<210> 136  
 <211> 706  
 <212> DNA  
 <213> Homo sapiens

<220>  
 <221>  
 <222> 11, 12  
 <223> a or g or c or t, unknown, or other  
 <220>

<221> misc\_feature

<223> Incyte Clone No: 632860

<400> 136

```
cggaccgtgg nnttggtaaa gccatttcc gaggatttta gggagaccta ggtggggcag 60
acactagaag tgtccagcct ccaagcccaa gagatgtggc cggcagggct gggcaggtcc 120
ttgctggctc agcctgctct ttgtctcttc atgggacccc agtggatcct gcagttctgc 180
tcttggtctg aaccacgcca gcttcgctgg agctggactg agccgccttt tacattattg 240
gactctctcg ggttgagagc tgcccaggac tcctgcagtt tcaccaccct tgttcctttg 300
actcttgact catcattcat gaccgttaac gtggttccat ttgtatggac ttcttctttc 360
ttcagagcat ttcagtatcc tgttacctcc ccatgcagaa caaagaatac tccacttttg 420
atagatgggg ttaccaggat tcaggctaca tggcctgagg caaggtcaca acatgagtga 480
cagaatgtgt cctggaagcc aggcatactc tgggggtgat ttggggcgct caacaaggct 540
tgatcgagct ttgggggtag atctagctat tccatgggga ttcttttcag aattgctgtt 600
ttcggtaact aattccatga ccaggctcat ggcattggat gacattgcgc tacactgttg 660
ctcaccgggg tcaccggtcc tcacaggttg gatggcaagc atgttg 706
```

<210> 137

<211> 801

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 670010

<400> 137

```
acttctacat gggcctcctg ctgetgggtgc tcttctcag cctcctgccg gtggcctaca 60
ccatcatgtc cctcccaccc tcctttgact gcgggcccgtt cagggtgcaga gtctcagttg 120
cccgggagca cctcccctcc cgaggcagtc tgctcagagg gcctcggccc agaattccag 180
ttctggtttc atgccagcct gtaaaaggcc atggaacttt ggggtgaatca ccgatgccat 240
ttaagagggt tttctgccag gatggaaatg ttaggtcggt ctgtgtctgc gctgttcatt 300
tcagtagcca ccagccacct gtggccgttg agtgcttgaa atgaggaact gagaaaatta 360
atctctcatg tatttttctc atttatttat taatttttaa ctgatagttg tacatatttg 420
ggggtacatg tgatatttg atacatgtat acaatatata atgatcaaat cagggttaact 480
gggatatcca tcacatcaaa catttatatt ttattctttt tagacagagt ctactctgt 540
caccagggct ggagtgcagt ggtgccatct cagcttactg caacctctgc ctgccagggt 600
caagcgattc tcatgcctcc acctcccaag tagctgggac tacaggcatg caccacaatg 660
cccaactaat ttttgtattt ttagtagaga cgggggtttg ccatgttgcc caggctggcc 720
ttgaactcct ggcctcaaac aatccacttg cctcggcctc ccaaagtgtt atgattacag 780
gcgtgagcca ccgtgcctgg g 801
```

<210> 138

<211> 664

<212> DNA

<213> Homo sapiens

<220>

<221>

<222> 505, 518, 527, 540, 565, 566

<223> a or g or c or t, unknown, or other

<220>

<221> misc\_feature

<223> Incyte Clone No: 726498



&lt;400&gt; 138

```
cggacgcgtg ggctggaagg agctctggag tcggaatcag gatgtggagg ctgagaagaa 60
atctggctct accacctggg aaactggcat ggttgatatt gtcagtgttc agtcagggga 120
gcagagccat gatgagtctt acggaaataa ggttaaaaca tatgcttgaa atttggcatg 180
gcagacaagc cagagcttgt gaaaatctaa gaaaccaaac acgtgtagcc accaaagtgg 240
aaccacaaaa ggggaagatct acagaaatct gttgccttgc tgtagtcca ttaaagtagg 300
ttgtgcagtc aagcatcttg tgggtgggtct ggagctgttg ccagcatcag gaagacaagc 360
tgggtgctaa gtgaagaaat acacaatgta gaaactgtca ggcattctctg cccctggact 420
tcaccatata tgatgatgtt ctacagagtc gggcactgct tcacttttcg cttccaaatc 480
tcacacaaaa ttctctgtta ggcancceca gcttagance ttacaantga gggggatcan 540
ggaaatggag taccagata cccanngtga tatactttta tgccctcagt ttcttatctt 600
tcagtgggga taatatcttc ggatacaaaa gagtgtacat atataccctg tatttggtta 660
acta 664
```

&lt;210&gt; 139

&lt;211&gt; 1241

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 795064

&lt;400&gt; 139

```
ccaggcaata tctcaggata tgggaagtttc tgggttttatt taccctcag tgcccagagt 60
taaagtttca gaagagactt gtgcacataa gggcttcac tcaagtgtat tgcagtaatg 120
gctgaatcgg ggttaacatc ccttccagge acagcgagtt ggttctgctt tttgcctgta 180
agccaaagaa aagccacatc taaaaagcta ctactaaaag ccagaaagaa aagtggattt 240
gaactcagtg tcacagactc ttctgagtg tttaggggtca cagctagtgt aagaggcatg 300
aagaatagac atgcaaaaagg gaacgggtgc accagagacc cctgttttgg ctgacagacc 360
atatgtccca ccagctgggg aatctgacaa gaggacatag gtggcactct ttttttaaag 420
ctatttattg tatctatttt taaataaaat tgcccatcct cattcagctc ttagaacaaa 480
agcaaaaaac cctgtaaate aggagatata agcacatctg caccagaat aggcccatat 540
gatagggcaa cctgagctt aaacaatgac atcttcaagg gtagaactaa tctgaaaccc 600
ccttccagcc tctggaagac actggcctgc atcagttaga gtcagagcaa gtgtcacttc 660
acagggaaaa gaaggattat atagacttcc tatccctaga gtttataaat gtcaactata 720
taaaaaaagc tcaaaacagt gttaaaggaa tgaacagtag aattttaata ggctgtccaa 780
agaagccagg tctgctgtgg gcaagtatag cctaacccta gtcttgtaaa ataagccaga 840
aagggttact gagccacctt aagctagtac ctatatagta ggcaaaaagt acagaaatag 900
atgcaataag tgtggtgagt ctttgagcct acgagtcag ccaccagcca taagttgacc 960
tatcacttga gaacctctc agcaaagatg ccagaaaaca ttcaatcaag ttggcaaattg 1020
acacagggag ctggccctct gaccatcttc ctggcaaacc tggactggaa gggccatttg 1080
cagcactgtc ctggagctaa tacactgttt cactgcctct gccatataat gatgccagca 1140
ctagccagct ggtgggtatt tggaggaatc ctgcatgagg attgccaat aaggggcagg 1200
tacacatacc tggcaaagtg atgatgatgt gaattgtttc c 1241
```

&lt;210&gt; 140

&lt;211&gt; 750

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 570, 641

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 924925

&lt;400&gt; 140

```
tggagtgggg agaagagcat acgccaggag cctcctgcct caaagtgctc ccctaagtct 60
tcttctctct gtgctgacct caggggtgggc tgacccttcc ctcggtgtgg gggatgtggc 120
cctctcaggt gcccctactt gctttctgct tccttctggt gaagtcacc tccaacatta 180
acctgcccac cccacccccg tcatccctgg agaattccag ctttgtcgta tctcagagag 240
ggaatctaata tgttttttggg gggcaaaaga aagcaacggt taggtatcac ttctacttgg 300
accgcatgcc tttttatagc caaatttctg tgtatttctg aaatggattt cgcgttaatg 360
gatatttatg taataactag acttctcaga ttattgtgag aagggtcagg ttggaagggg 420
tgtaggaaga cgggtgaggg gtagtttttt tctgtcctag tttttttttt ttttattgtc 480
atctctgagg tggactttgt cacctgtggg tattggggcc aagtggactc agctccgggg 540
gagaaggctt ctctgccatt tcggtccaan ggtgactgac acaggcgta tttttgggac 600
tgtggaagca tcagatgcca gcactgactt cagaccagca ntccgggcta gaggaagatg 660
ggacctttca ggatggaaat accttggaat ttcttttggg cctcgggaaa cttgggcttt 720
ctctaccgac ttgccagat ttcatttcac 750
```

&lt;210&gt; 141

&lt;211&gt; 1235

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 962390

&lt;400&gt; 141

```
ccctcaggca gcccctccac aggacccctc tcctgcctgg acagctctgc tggctctccc 60
gtccctctga gaagaacaag gccatggggtc ggccctctgt gctgcccctg ctgctcctgc 120
tgcagccgcc agcatttctg cagcctgggtg gctccacagg atctgggtcca agctaccttt 180
atgggggtcac tcaaccaaaa cacctctcag cctccatggg tggctctgtg gaaatccctt 240
tctccttcta ttaccctctg gagttagcca tagttcccaa cgtgagaata tcctggagac 300
ggggccactt ccacgggcag tccttctaca gcacaaggcc gccttccatt cacaaggatt 360
atgtgaaccg gctctttctg aactggacag agggtcagga gagcggttc ctcaggatct 420
caaacctgcg gaaggaggac cagtctgtgt atttctgccg agtcgagctg gacaccggga 480
gatcaggagg gcagcagttg cagtcacatc aggggaccaa actcaccatc acccaggctg 540
tcacaaccac caccacctgg aggcccagca gcacaaccac catagccggc ctcagggtca 600
cagaaagcaa agggcactca gaatcatggc acctaagtct ggacactgcc atcagggttg 660
cattggctgt cgtgtgtctc aaaactgtca ttttgggact gctgtgcctc ctcctcctgt 720
ggtggaggag aaggaaagggt agcagggcgc caagcagtga cttctgacca acagagtgtg 780
gggagaaggg atgtgtatta gcccggagg acgtgatgtg agaccgctt gtgagtcctc 840
cacactcgtt cccatttggc aagatacatg gagagcacc tgaggacctt taaaaggcaa 900
agccgcaagg cagaaggagg ctgggtccct gaatcaccga ctggaggaga gttacctaca 960
agagccttca tccaggagca tccacactgc aatgatatag gaatgaggtc tgaactccac 1020
tgaattaaac cactggcatt tgggggctgt ttattatagc agtgcaaaga gttcctttat 1080
cctccccaag gatggaaaaa tacaatttat tttgcttacc atacaccctt tttctcctcg 1140
tccacatttt ccaatctgta tgggtggctgt cttctatggc agaaggtttt ggggaataaa 1200
tagcgtgaaa tgctgctgac acttaaaaaa aaaaa 1235
```

&lt;210&gt; 142

&lt;211&gt; 1834

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1259405

&lt;400&gt; 142

```
gacggaagtg cgggcggagg atccccagcc gggtecccaag cctgtgectg tgectgagcc 60
tgagcctgag cctgagcccg agccgggagc cggtecgagg ggctccgggc tgtgggaccg 120
ctgggcccc agcgatggcg accctgtggg gaggccttct tcggcttggc tccttgetca 180
gcctgtcgtg cctggcgctt tccgtgctgc tgctggcgca gctgtcagac gccgccaaga 240
atctcgagga tgtcagatgt aaatgtatct gccctcccta taaagaaaat tctgggcata 300
tttataataa gaacatatct cagaaagatt gtgattgect tcatgttgtg gagcccatgc 360
ctgtgcgggg gctgatgta gaagcatact gtctacgctg tgaatgcaaa tatgaagaaa 420
gaagctctgt cacaatcaag gttaccatta taatttatct ctccattttg ggccttctac 480
ttctgtacat ggtatatctt actctggttg agcccatact gaagaggcgc ctctttggac 540
atgcacagtt gatacagagt gatgatgata ttggggatca ccagcctttt gcaaatgcac 600
acgatgtgct agcccgctcc cgcagtcgag ccaacgtgct gaacaaggta gaatatgcac 660
agcagcgctg gaagcttcaa gtccaagagc agcgaaagtc tgtctttgac cggcatgttg 720
tcctcagcta attgggaatt gaattcaagg tgactagaaa gaaacaggca gacaactgga 780
aagaactgac tgggttttgc tgggtttcat tttaatacct tgttgatttc accaactggt 840
gctggaagat tcaaaaactgg aagcaaaaac ttgcttgatt ttttttctt gttaacgtaa 900
taatagagac attttttaaaa gcacacagct caaagtcagc caataagtct tttcctatct 960
gtgactttta ctaataaaaa taaatctgcc tgtaaattat cttgaagtcc tttacctgga 1020
acaagcactc tctttttcac cacatagtct taacttgact ttcaagataa ttttcagggt 1080
ttttgttgtt gttgtttttt gttgtttgt tttggtggga gaggggaggg atgcctggga 1140
agtggttaac aacttttttc aagtcacttt actaaacaaa cttttgtaaa tagaccttac 1200
cttctatctt cgagtctcat ttatattttg cagtgtagcc agcctcatca aagagctgac 1260
ttactcatct gacttttgca ctgactgtgt tatctgggta tctgctgtgt ctgcacttca 1320
tggtaaacgg gatctaaaat gcctggtggc ttttcacaaa aagcagattt tcttcatgta 1380
ctgtgatgtc tgatgcaatg catectagaa caaactggcc atttgctagt ttactctaaa 1440
gactaaacat agtcttggtg tgtgtggtct tactcatctt ctagtacctt taaggacaaa 1500
tcctaaggac ttggacactt gcaataaaga aattttatct taaacccaag cctccctgga 1560
ttgataatat atacacattt gtcagcattt ccggtcgtgg tgagaggcag ctgtttgagc 1620
tccaatgtgt gcagctttga actagggctg gggttgtggg tgctcttctt gaaaggctca 1680
accattattg gataactggc ttttttcttc ctctttggaa tgtaacaata aaaataattt 1740
ttgaaacatc catcagtgtg tctatctatg tctcctagtt ttttcctcct ccctcttttg 1800
ctgtataatg agagagaaga tctgatgaga taac 1834
```

&lt;210&gt; 143

&lt;211&gt; 1722

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1297384

&lt;400&gt; 143

```
tacgagaccc ggccgcaccc cgagtcacac agggcccccg ggccacggcg ttcgtctctc 60
ctgtgctgtc ctcaggcctc cgctcctgtt ttgggtggccc aggcctctccc ctgccccatc 120
ctcgtctccc cactccttg ggtcatgccc acccaccctt tcctgcctcc tccgtgtgaa 180
gacatccaac atccacgtga cttttccagc tccattttta aacagtgact gagattctag 240
aaaaactggc tgctaactgg cctgagccag gcaaacctga ttccaatccc tcctcctttt 300
ttaagtattt tgatggaaga ctcacctaatt ttgtgacctg aaactgttga agaaatagag 360
aggagggggc ccgttgatta cagagagcat ttgggatttt gtttggtttg gagatgatgc 420
ctaggttact gggtttgggg ggattgtttt cttttggggg ccttccccct ttactccttt 480
tcttccagag atcaagagct tctcttgcat cttcttccac tgggctctgg attaataat 540
```

```

taccCAAagg ctgcacctgc cgtgttgtct gggcttgcac cccagatgtg ttggagtatg 600
catggatgta gtgcttttta gaggagccac tgggcaaggc caccaagaac aaatgcatga 660
cattttatag ccaaggacgc ctgcctaaag tcttatgggc gtcccttggg gttggggggg 720
cacaaggttt tggaggaaga agacaacttc cctcattcca tcatcaccat ctctttctca 780
ctaggttctt tctagttttc aagcaatagt tctagcctgc cttggacaag ggggccccag 840
ttaaacaac taccatcca tgaggtgcca ggcagtcaaa aacagaagct tccccgactt 900
gtgagtccct gagatgtgct cttgttgttt ggcatttggg gtgacaggga gtgaccaga 960
ggccaccact gcttttcatg caggagttac agacactggg ttcttgaaa atggagagaa 1020
gcgcacttg cacagacgtc gtcaattaag tccaatttg ccacttggtt ttgagtacac 1080
tggaccctga ccactggctc ttgggcaaac gtccctctc acggggcgcc tccgccaagc 1140
cggcccagct gcacccctcc cttcctggag ggatggccag ggaaggagaa aacagagaac 1200
tgacaccttt gaaaccacag aatgtgttac atgcagactc gctcaagggc ataagttatt 1260
gtgaacgttt ttgccaatca ctgctcaaca gccctgctag attttgtatg atgctgaatt 1320
attatgcaga ctaattccac ccagttgaga cacaccatgc ttgttcaact gtatttattg 1380
aaactgtgga ttcttgcccg tgctgtccct tgtatttact ttaagcactg atcacttatt 1440
attcattcgg tatggttttc cctgtccctt gtacacattc tggatgaat ttgtaaaaat 1500
aacctgctac aaattggttg aatgtttctg tctgtggtgc gaaccagcat taacggatgg 1560
ggcacgtgcc caactgagga acaggagaag aaatcaccaa tttgggctct cagagctaag 1620
acacacttat tgattctgtt gcacattttg cactggttta tggcgattgt tttcttggac 1680
ggatagtgtt aaataaactt ctctgttctc taaaaaaaaa aa 1722

```

&lt;210&gt; 144

&lt;211&gt; 1741

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1299627

&lt;400&gt; 144

```

ttcgtccaa gcctcaggcc accggcttgg atggacgctc cgaggctacc cgtgcgtcca 60
ggggtcttgc ttccgaagtt ggtcctgctc tttgtctacg cagatgattg ccttgctcag 120
tgtggcaag attgcaaate ttactgctgt gatggaacca cgcctactg ttgtcctac 180
tacgcttata ttgggaatat cctctcgggc actgcaattg cgggcattgt ttttgaata 240
gtatttatca tgggggtcat tgctgggatt gccatatgca tctgcatgtg catgaagaac 300
cacaggcgga cccgcgtggg catcctcagg acgactcaca tcaacaccgt ctctcctat 360
cctggaccac caccctacgg tcacgaccac gagatggaat actgtgcaga cttgcctcct 420
ccatactccc ccaccccaca gggtcagca cagcgttctc caccctcc ttatcctgga 480
aacgcaagga aataatctat ctcccagaac agaacatgtg ccaatgggag atcttgctg 540
gaataaaatg cctctactca gaaacaggca ggaaagaatt gctccaagga atactttttg 600
gggtcagata atgtgtcagg tggaatatcc ctgctaggag atataggatt tctactctgc 660
tcaaagctga ccccatctgg agtattaatg tttggttcta tggaaccaca ttttaagaga 720
tctgctgatc cacctaagca cattcaggga agagtaatgt aattgacaaa atatctgata 780
atcatgttgt ttaagggcta ggtgaagaaa gtttcagtat tgatcctgga aaaaaagaag 840
atctaagtag gatgggagaa tgatttgccc cacacaagga agcaacttta ttctatatag 900
ctttaaaagt cagaactaga attgttcatt ctttcattca tcaataaatg tatttttgagt 960
gcctaagagt ttactatgtg cctagcactg tttgagggtc tgatggaagt tacaggatgg 1020
gtactctggt tttagtacaa gaaagagcaa tgactagatt gctttgtgaa gctcttggtt 1080
gagacacgct ccagaaggga taacaaaatc aaatagtaga tgggttcatt gggcctcaga 1140
agtctctgct gtatttttagg tgggtgtgaa gtgaatttct atatgtccag gagtgaatac 1200
aacagaaaga gttggatctt atttatttaa ttaggagggt aaaacaagac caaaaagact 1260
caacagccgc ttgaagccaa gaactcttca atgccagcta ctgccacctt aaaatcatct 1320
ggctttatag tggatcagaa taaaggttat tctaactgtg gggagaaaaa aaaaattgta 1380
tcaagttcca caggtagcag acacttcaact tccaagtaaa agatgagaaa tcaattattc 1440
ccacaggatt ttaggtcagg gagcaaaaat ctcaagaact gaccatgaag atacacaaca 1500

```

```

gactcgcaaa aataaagtgg gaaatgaagt tcagattccc ttctgtagat ttccttaaaa 1560
ctattatattt tttcttcttc gtaaaatttt gataatctgt tctcttaaaa aagttaatga 1620
cacaattaag atactgacat caaattggtg ccttttacca aaatgcaa atttatgaagt 1680
gcctaccttt atatgtataa agcattta ataaattct aatgtgccat aaaaaaaaaa 1740
a 1741

```

```

<210> 145
<211> 997
<212> DNA
<213> Homo sapiens

```

```

<220>
<221>
<222> 973
<223> a or g or c or t, unknown, or other

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 1306026

```

```

<400> 145
ggacaaccgt tgctgggtgt cccagggcct gaggcaggac ggtactccgc tgacaccttc 60
cctttcggcc ttgaggttcc cagcctggtg gccccaggac gttccggtcg catggcagag 120
tgctacggac gacgcctatg aagcccttag tcttcttagt tgctgttttg ctatggcctt 180
cgtctgtgcc ggcttatccg agcataactg tgacacctga tgaagagcaa aacttgaatc 240
attatataca agtttttagag aacctagtac gaagtgttcc ctctggggag ccaggtcgtg 300
agaaaaaatc taactctcca aaacatgttt attctatagc atcaaaggga tcaaaattta 360
aggagctagt tacacatgga gacgcttcaa ctgagaatga tgttttaacc aatcctatca 420
gtgaagaaac tacaactttc cctacaggag gcttcacacc ggaaatagga aagaaaaaac 480
acacggaaag tacccttctc tggtcgatca aaccaaaca tgtttccatt gttttgcatg 540
cagaggaacc ttatattgaa aatgaagagc cagagccaga gccggagcca gctgcaaac 600
aaactgaggc accaagaatg ttgccagttg ttactgaatc atctacaagt ccatatgtta 660
cctcatacaa gtcacctgtc accactttag ataagagcac tggcattgag atctctacag 720
aatcagaaga tgttcctcag ctctcaggtg aaactgcgat agaaaaaccc gagagttgga 780
agcaccagag agtgggatat gatgcatttg aaaaaattt agtattaatc acaatgcaca 840
ggcacttcta gtgacacagc acccagctat agagagatat gaaggggtac gagctcgaat 900
tcgaatcatg tcatagctgt ttctgtgtg aattggtatc gctcacaatg cacacacata 960
cgagcggaag ctnaattggt aagcgggggt gccatga 997

```

```

<210> 146
<211> 981
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte Clone No: 1316219

```

```

<400> 146
gttttaaat tacttaataa atataaaata ttgtatgttc ttaacttgaa gctcatattt 60
tcaagtaatt ccttgtctgg aattttctgt tgatctcatg ggtactaaga aacgaaatat 120
tctgttcatt ttcatTTTTA aagaatatcg ataacttgat gacccagaa ggagttggcc 180
ttaccactgc cttacgtgtt ctctgtaatg ttgcatgccc accacctcct gttgaaggtc 240
aacagaaaga tctgaaatgg aatcttgccg ttattcagct tttttctgct gaaggaatgg 300
acacgtttat tcgagttctg caaaaattga acagtattct gactcagcct tggaggctcc 360

```



```

atgtcaacat ggggactacc cttcacagag ttactactat ttcaatggct cgctgcacac 420
tcactcttct taaaactatg ttaacggaac tcctgagagg tggatccttt gagtttaagg 480
acatgcgtgt tccttcagcg cttgttactt tacatatgct cctgtgetct atccccctct 540
caggtcgttt ggatagtgat gaacagaaaa ttcagaatga tatcattgat attttactga 600
cttttacaca aggagttaat gaaaaactca caatctcaga agagactctg gccaataata 660
cttggtcttt aatgttaaaa gaagttcttt cttcaatctt gaaggttcct gaaggatttt 720
tttctggact catactcctt tcagagctgc tgcctcttcc attgcccattg caaacaactc 780
aggtatcact tccatataac atgcatctta taaatgactg cagtaacact ttttaaaaag 840
ccagtgattt tgtaaaaaaa caaaaaccct catctccctt cctcccaaaa agacataaaa 900
taaccggatg aggggggagat aaaactgaaa caagttggctc attgaggaaa tatgggggta 960
aaaattttta ataaattttt g

```

981

&lt;210&gt; 147

&lt;211&gt; 526

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1329031

&lt;400&gt; 147

```

ctgcaggccc acctgtctgc aaccagctg aggccatgcc ctccccaggg accgtctgca 60
gctcctgct cctcggcatg ctctggtgg acttggccat ggcaggctcc agcttcctga 120
gccctgaaca ccagagagtc cagcagagaa aggagtcgaa gaagccacca gccaaagctgc 180
agccccgagc tctagcaggc tggctccgcc cggaagatgg aggtcaagca gaaggggcag 240
aggatgaact ggaagtccgg ttcaacgccc cctttgatgt tggaaatcaag ctgtcagggg 300
ttcagtacca gcagcacagc caggccctgg ggaagtttct tcaggacatc ctctgggaag 360
aggccaaaga ggccccagcc gacaagtgat cgcccacaag ccttactcac ctctctctaa 420
gtttagaagc gctcatctgg cttttcgctt gcttctgcag caactccac gactgttgta 480
caagctcagg aggcgaataa atgttccaac ctggtaaaaa aaaaaa 526

```

&lt;210&gt; 148

&lt;211&gt; 2090

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1483050

&lt;400&gt; 148

```

gaggcgagg gagagtaggg tgctgtgggc tgagctagag ggtgaagctg gcggagcagg 60
aggatgggag tatgcagggt atagactaga gaacaagacc tctgtctccg tagcatcctg 120
gagcagtctg aatgccagaa tggataaccg ttttgctaca gcatttgtaa ttgcttggtg 180
gcttagcctc atttccacca tctacatggc agcctccatt ggcacagact tctgggatga 240
atatcgaagt ccagttcaag aaaattccag tgatttgaat aaaagcatct gggatgaatt 300
cattagtgat gaggcagatg aaaagactta taatgatgca ctttttcgat acaatggcac 360
agtgggattg tggagacggg gtatcaccat acccaaaaac atgcattggg atagcccacc 420
agaaaggaca gagtcatctg atgtgggtcac aaaatgtgtg agtttcacac taactgagca 480
gttcatggag aaatttggtg atccccgaaa ccacaatagc gggattgate tccttaggac 540
ctatctttgg cgttgccagt tcctttttacc ttttggtgag ttaggtttga tgtgctttgg 600
ggctttgatc ggactttgtg cttgcatttg ccgaagctta tatccacca ttgccacggg 660
cattctccat ctcttgagc gtctgtgtac actgggctca gtaagttgtt atgttgctgg 720
aattgaacta ctccaccaga aactagagct ccctgacaat gtatccgggtg aatttgatg 780

```

gtccttctgc ctggcttgtg tctctgctcc cttacagttc atggcttctg ctctcttcat 840  
ctgggctgct cacaccaacc ggaaagagta caccttaatg aaggcatatc gtgtggcatg 900  
agcaagaaac tgcttgcctt acaattgcc a tttttatttt tttaaaataa tactgatatt 960  
ttccccacct ctcaattgtt ttttaattttt atttgtggat ataccattttt attatgaaaa 1020  
tctattttat ttatacacat tcaccactaa atacacactt aataccacta aaatttatgt 1080  
ggtttacttt aagcgatgcc atctttcaaa taaactaatc taggtctaga cagaaagaaa 1140  
tgatagaga cttgacacaa atttatgaaa gaaaattggg agtaggaatg tgaccgaaaa 1200  
caagtgtgc taatgtctgt tagacttttc agtaaaacta aagtaactgt atctgttcaa 1260  
ctaaaaactc tatattagt tctttgggaa acctctcatc gtcaaaactt tatgttccact 1320  
ttgctgtgtg agatagccag tcaaccagca gtattagtgc tgttttcaaa gatttaagct 1380  
ctataaaatt gggaaattat ctaagatcat tttccctaag cattgacaca tagcttcatc 1440  
tgaggtgaga tatggcagct gtttgtatct gcactgtgtc tgtctacaaa aagtgaaaaa 1500  
tacagtgttt acttgaaatt ttaactttgt aactgcaaga attccagttc agccgggcga 1560  
ggattagtat tatttttaac tctccgtaag attttcagta ccaccaaat gttttggatt 1620  
ttttttcttt cctcttcaca taccaggggt attaaaagt tgccttcttt ttacattata 1680  
ttacagttac aaggtaaaat tcttcaactg ctatttattt attccagccc agtactataa 1740  
agaacgttcc accataatga cctccagag ctgggaaacc taccacaaga tctaaagttc 1800  
tggtgtcca ttaacctcca actatggtct ttatttcttg tggtaatatg atgtgccttt 1860  
ccttgcctaa atcccttctt ggtgtgtatc aacattattt aatgtcttct aattcagtca 1920  
tttttttata agtatgtcta taaacattga actttaaaaa acttatttat ttattccact 1980  
actgtagcaa ttgacagatt aaaaaaatgt aacttcataa tttcttacca taacctcaat 2040  
gtctttttta aaaaataaaa ttaaaaatga aaagagactc aaaaaaaaaa 2090

<210> 149

<211> 2403

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1514160

<400> 149

gggagagagc agcagagacc tcatcagcag accaaggaag tgggtgggtgc tccccctccc 60  
taagctccag ggtccctgaa tcttctgaaa tctcaaataa gtggaggcct cctgggggtgg 120  
cctgtcctgc aggggcccctg gaatgggggc aagcagctgg gtgggcagaa tgcagagtag 180  
actcggggga ggatcctttc actttccgct tccccctctg atgcatggag gatgggtgtga 240  
gcttttcagc agggcccgaa aggtacgcag gtgacgcctt agcagccccg cagctgggtgc 300  
tctgccccgc ggtactggcg ccatacgggc ctcccttgcg cgcctgagag cagcagcagt 360  
ctctgtcatc ccgtcgcccc ttacccccca cccagggcca ctgggcccct cccacaccac 420  
ctggggagct gagaagagga ggctggagta agggaggact tgatcatcca agaaatactt 480  
tttattgctg ggagtcttct gaacctcacc aaactgaggc cagagctgag ctcttggggg 540  
agttaattca gaggggagag gccagcacct cctcctcca tcgctcgctg tgtgccttaa 600  
actccatctc atgtccctcc ccataccctg gctttccctc cctccttgcg ccatacctggg 660  
ccagccagca gggctcctcc tctggctctt cagacctttc agccagtgtc gtcagtgcct 720  
ctgggagggg agggcatccc tgaggcacc gaatggctcc tcagggtgca gggaggcaga 780  
agcctggcca cagaggagcc tcctaaggca gcagctgcag caagcgcacc ctctccccac 840  
tctccccacg ccagagcggc ttccagagca gatgctgttt ccatacctct cgtcaaaacc 900  
attctcgctg ctgagcttga caatctgggc aaggcttgtg gggcgcttga caaacagaat 960  
ctgccctgtg ccgcctgggt ccgtggcctc cagcatgagc ctgcaggcag ggcgctgcgg 1020  
gaacctcagt gtgctgcccc agcccatgcc tccgggtctg ctgtgcatga atgagtgtc 1080  
acttgtcccg ggtttaggac gtggtcaagt gaacagcagg gtctaactgt gcttacttag 1140  
cccagttcaa acagaacaaa ggaaaaatat agaaagcaac atctgttgat catttaggtt 1200  
ttttttttaa ccaccatgtc actttgagtc cttcatgggt ttttgaacag catttatcaa 1260  
gaagaaaatg tgggcttttt cccctctccc gtgttttgtt tgtcctgtag atagaggag 1320  
gaaagccgtg cagtggcagg cgggaccccc tctggtggcg ggacccctc ttgcggtggg 1380



```

cttgcggggc cagccgggac ctgtcacttt attatttaag gagtgtgtgt gtagagtcgc 1440
tggcttatta acagtattgt gtgtgggttg ggtttttagt ttgttccttc tttttgaagt 1500
cccttcattt caatcettga ctctctctcc ccttcccttg cccagctctg ttgaatgctg 1560
ctgtgcgcgt gtgagggccg ctctgcacac agggcccttg ggttgtgtga actgaaattc 1620
tccctgtatt tgtgagactc gcaggagtc ccatctgtag cacaggcaat gccagtgcc 1680
tgctgcagcc tcagaaacca ggctctctac tccagcagca ggcagaaccg tgtctgtggt 1740
cggtgtgtgt ccacagctct gtctgccttg ttcttgggct tgagctggat agaggtgggg 1800
tctcttcacc ttccctgaat tcagaacaga cctgtgcct ggccccagtg tgccccaggc 1860
attccccagg ccttcattgg gagcccttgg tgttctgagc agcagggccc aggcagcaca 1920
tgagcagtgc ccaggggctc cctgcgtgag gacggcaagg tgcgatgtat gtctaactta 1980
ttgatggcag gcagccccct gtgcccccta agcctggccc tggttattgc tgagctctgt 2040
gctcagtgtc gcggcctggc cgtggctcgt ctgttccttt ggggggcccg ggcgggttgt 2100
gggaatcagt cttcacagac agacgtgagc caggcggagg actcgttcct tgcagaggtc 2160
agtcctcacc tgcaggtgtc ggggtggggg ggggcaagga ggggcaggca cacaccatgt 2220
ctgacctgaa cccgattctg gggagcatct tcccgtccg gccccacgac ctccacaggg 2280
ttacattgta atatatatgc cccagctaac ctgtctgatg gtggcatctt cctgcagaca 2340
tttcaaacad gtaactttta tatgaaaaaa aataaacaca gatgaaagct gaaaaaaaaa 2400
aaa
2403

```

&lt;210&gt; 150

&lt;211&gt; 431

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1603403

&lt;400&gt; 150

```

ggccaccggg acttcagtgt ctctccatc ccaggagcgc agtggccact atgggggtctg 60
ggctgcccct tgctctctc ttgacctcc ttggcagctc acatggaaca gggccgggta 120
tgactttgca actgaagctg aaggagtctt ttctgacaaa ttctctctat gagtccagct 180
tcttggaatt gcttgaaaag ctctgcctcc tctccatct ccttcaggg accagcgtca 240
ccctccacca tgcaagatct caacaccatg ttgtctgcaa cacatgacag ccattgaagc 300
ctgtgtcctt cttggcccgg gcttttgggc cggggatgca ggaggcaggc cccgaccctg 360
tctttcagca ggccccacc ctcttgagtg gcaataaata aaattcggtg tgctgaattc 420
aaaaaaaaa a
431

```

&lt;210&gt; 151

&lt;211&gt; 2109

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1652303

&lt;400&gt; 151

```

ttgtagcca agtgggagct attttctttt ttgtgcatat agatatttct taaatgaagc 60
tgctttcttg tcttttattt ctaaaagccc cttataccc cactttgtgc agcaaagatc 120
cccgctcagg tcacagcctg atttgtggcc aggcctggaca aattcctgag gcacaacttg 180
gcttcagttc agatttcaag ctgtgttggt gttgggacca gcagaaggca aacgtccagc 240
caacacacag gactgtaaga ggactctgag ctacgtgccc tgtgaagacc cccaggcttt 300
gtcataggag gtcgttcagc ttcccccagg tcagaggtga tttgatttgg ggaagactga 360
atattcacac ctaagtcgtg agcatatcct gagttttact tccttatggc ttgccctcca 420

```

```

agttctctct ctcatacaca cacacaccct tgetccagaa tcaccagaca cctccatggc 480
tccagctatg ggaacagctg cattggggct gcctttctgt ttggcttagg aacttctgtg 540
cttcttgtgg ctccactcgc gaggcagctc ggaggtgtgg actccgattg ggctgcaggc 600
agctctggga cggcacaggc cgggcgctct gatcagctcg tgtaaaacac accgtcttct 660
tggcctcctg gccagtcttt ctgcgaatag tctctctcct ggccagtga atgggggaag 720
ctgctggcac aggaaggaga ggcgatcccg gctgaggctt aggaaattgc tggagccggc 780
tccaagcaga taattcactg gggagggttt cagagtcaaa catcattctg cctgtgttgg 840
gggccagggt tgtcacacaa gcatctcaaa gtcaaaagcc atctggggct gctgcttctc 900
tttctcaggc tctggggaaa ggaatctccc tctctctca cttgattcca agtgtggtg 960
aattgtctgg agcactggga ctttttttct cttttccttg atggaccaac agtgcaaagt 1020
caatctcgcc atttaacttt caggtegatt tcttttctg atcagacatc tttgtgcccc 1080
cttttaggaag gaaaagaata cacctacgat gtgccaggca ctgtgttagg cgcttttata 1140
tagatctctg ttaggatgag actaagggat gaggacatct ctttataaaa ggcccctaag 1200
taatggataa acagaaacac ttagaggtga gaaggtctgt cttcaagatc caaggtaaga 1260
ttgccttcag tctgatgttt gttctcaagg acttatcccc tacaatatc tcccactcca 1320
tacttctcct tctacccccc catgtgctcc cgtgcactcc tcagatggtc agaggggtaa 1380
cccaagtcct tagagaattt ggggaccaat agaatatgtg atgtgtgaat tttctttaaa 1440
aaacttaagg agtctttgct accttctgct tgttgagttg ttttggcatt catattaaaa 1500
gccagcatct cactatttat tgacagggtg ggctgtgtgt gtgcgcatgt gtgtatacat 1560
ttccaggcgt gcctgtgtcc tgtagctttt taaaaggaaa ccagtcac cactatgaa 1620
tctggcatct tcttatgctt ctagtgtttt ggccatacat caaccaaggg gtttaattta 1680
tccaatgctt gacgacatgt tcaggagggg ctggatcaaa ttttgagagg gttatgggaa 1740
agggaggggg agaagaaatt gacatttatt ttattattta ttttaaagt ttacatcttc 1800
tttatgttgt atcaagcctg aatagaaact gatagcatta aaatactccg tctctctctc 1860
tcttctcgtc tctttttttt ttttttttaa atttaggata acacattttt gtttctaaag 1920
tgatttgtga tttgtgctgt ataaactgta taaaagggtc tgttttttaa ggtggatttt 1980
cattcctctg gggacagtgg tcgccaagac atctacattg taagagaaca cagtgggaga 2040
tctgtcctg attctcaaaa attattttct ctgtatgatt aaaagtttat tccattttaa 2100
aaaaaaaaa 2109

```

&lt;210&gt; 152

&lt;211&gt; 1114

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1693358

&lt;400&gt; 152

```

ggccggagca gctgtcaggc tgaagtcctg cgagcgacgc gcggcggggc ggccgagagga 60
aacgcggcgc cgggcccggc cgggccctgg agatgggtccc cggcgccgcg ggctggtgtt 120
gtctcgtgct ctggctcccc gcgtgcgtcg cggcccacgg cttccgtatc catgattatt 180
tgtactttca agtgetgagt cctggggaca ttcgatacat cttcagacc acacctgcca 240
aggactttgg tggatatctt cacacaaggt atgagcagat tcacctgtc cccgctgaac 300
ctccagaggc ctgcggggaa ctcagcaacg gtttcttcat ccaggaccag attgctctgg 360
tggagagggg gggtgtctcc ttcctctcca agactcgggt ggtccaggag cacggcgggc 420
gggcggtgat catctctgac aacgcagttg acaatgacag cttctacgtg gagatgatcc 480
aggacagtac ccagcgcaca gctgacatcc ccgcctctt cctgctcggc cgagacggct 540
acatgatccg ccgctctctg gaacagcatg ggctgccatg ggccatcatt tccatcccag 600
tcaatgtcac cagcatcccc acctttgagc tgetgcaacc gccctggacc ttctggtaga 660
agagtttgtc ccacattcca gccataagt actctgagct gggaagggga aaccaggaa 720
ttttgctact tggaaatttg agatagcatc tggggacaag tggagccagg tagaggaaaa 780
gggtttgggc gttgctaggc tgaaagggaa gccacaccac tggccttccc tccccaggg 840
cccccaaggg tgtctcatgc tacaagaaga ggcaagagac agggcccagg gcttctggct 900
agaacccgaa acaaaaggag ctgaaggcag gtggcctgag agccatctgt gacctgtcac 960

```

actcacctgg ctccagcctc ccctacccag ggtctctgca cagtgcacctt cacagcagtt 1020  
gttggagtgg tttaaagagc tgggtgttgg ggactcaata aaccctcact gacttttttag 1080  
caataaagct tctcatcagg gttaaaaaaa aaaa 1114

<210> 153

<211> 2192

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1707711

<400> 153

ggaactcatg agccaacagc tgaagaaacc cattgctaca gcttccagtt gaatgccggg 60  
gagaaacctg tccaatttta gcaggtttga agggaggatc ttcttcagtt gtagtttggg 120  
aggttccttg gtgtggetca tgaaatcaca gagctcagag ataccatctt gagaaatcct 180  
ccttggtatc atgaaactgg agcagaggaa ttgcaattta gcaggaggtc ctctactggt 240  
gataccctca ccttggggta atggctcctaa ccagagacca gggctctggaa gcttaatggt 300  
gagttggtga ctccagcctc tttctcctgg aggtcacaag atgatgattg cgtagatggt 360  
gcctgggtgca aagtgcacca aacagcaata gaaaggcata tgtataacca aactccaagt 420  
gataaccaga cccatctctc ctccaccttg acaaaagcag attatagtat acaaggtagg 480  
aattcctgtc ctatttgaga tgaactatat cctgtacctc tgtgctctgt gtctgcatga 540  
aggctcagcc ttttagaggca ctcccttctag ttgcattagt actgtcttct tgtggagttt 600  
ggtttgaaga ctggctcagc aagtggaggt ttcaatgtat ttttcagttg gctcatcagc 660  
cagcattggt gaatattcag tttaggggaa cagttctagg gagtgcagca tttttgggag 720  
cagaggaaaa ctctgctgat gtctcggtcct ggcaaacatt gagttatttt gagctgtgaa 780  
ggcagtcgtc tctgttacac agtggcagct cttgagttat gcactgtgaa gaatgagaag 840  
ggaaaagcaa aaattatcct tgtgaaatat ctgctgattg tgccctactc tttgcacctg 900  
acttttctca gttgtcctgg tgctaacaca ggagctacac cttgatcctc tcttggcatg 960  
aaaataaaac aaagggtttt gttgtgtgtg ttccattgcc catttccccc atgttgtctt 1020  
tcccttggct gatgcctcct ctgggtcaca ttgcttctta tctgaacac ttgacacctt 1080  
gagggtagaa tttagcgttt gggtttttacc tcttagcata tgcgtgttgg tatgtgaggg 1140  
tttcagtaca aatgctgctg tctatttctg tgcacttaac aatggaaccc aaacagaaga 1200  
gaataaagcc ttgataccaa aattgggaaa gaacatgtgt ccatttggac caaacgttgt 1260  
tggtttttaa aaaattttat tttgtttttt tgtttttgtt tttgtttttt ttcattctta 1320  
tatgtaccag tggcacttaa ccaaaagata cagtgcata gccatgtact gtgggtggga 1380  
cagatacagt ctccctggcc tataatgaaa ccactaggac tttatacagt tttccttaat 1440  
ttgttgacat ataaatggta aatttatatt aggcttatcc tgttttgaaa tgatggtagt 1500  
catctttctt actgctactt tcatgttget ttctagaaaa cagcatttca ttccaaaata 1560  
actaggatct gcatttagaa caagaatcat tatttgtcct gaccttttca gtcctacaga 1620  
gacgcacttg tggttctttt gtacttgcca tagatgtaac ctaaaaagtt ttggcatatt 1680  
taggtcagcc tagcggaact ttttttttca tttaaatgga gctgaataat ggagattttg 1740  
tgtctgcaaa attcctgaga tcattgaaaa agtaacaagc tgttccttgt ttctgataca 1800  
taaaattatt ttaagcattt tatcaatcat taaaatttac tgccagttgt gagtggcttt 1860  
ttaattaact tgtctttcat tgcacttcac tctgcctgtt ttcaagggga gtaagattgg 1920  
taacatttgg ggagactgta tctgtctact tagcgtggct gttttgaggg actgtcccat 1980  
cagtgaacaa actgcatggc cttggagaga gactctgggc tcttggctca gatgtgttca 2040  
tcaaatactc ctttcagagc tgttgtgggt gtaagtgaac tgatgtggcc aaaaatccaa 2100  
actgtgcagt tgcgttgtga caaacatgca atgtgctgta aaaattcaat acagttttaa 2160  
taaaatctct atattagtgc tgaaaaaaa aa 2192

<210> 154

<211> 913

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1738735

<400> 154

```
ctcgagcggc tcgagagcgg ggcaaactgc ttggcacctc ttcaataggt gacattcaat 60
gatagatctc tggcttcctg ctctgtttgt tctggttgcc ctggaaagcc tgctgctcag 120
cccatgcccc gggacttcct ccaccctcac caggacattc tttccatctc ttgtctcctg 180
tgtgcaagtc cttttctcct ggattccatg tcttgaatgt ttcttaattt acttcctcat 240
tttggcagag gatgtcctcc agttgttttc tgggaatgct aatatgcaag tgaaccagt 300
acctgcagtt ctgcccacac aggggttaata accaatcaga ttctctcttt tcaagatgg 360
taacataaca gacaccaaga aaggggaagag gagccgacag cagaggggga agctgaaaag 420
acgcacaaag aatggccata aaagatatga gcaaccccag ctttccagac agtcactttt 480
cccagtggtc atacctggtc tggaagattc cccatcatct cgaataaagc tgttggtgct 540
tttaactcca tggagagacc gaatggagtg agcccagcag ggcattgctg gcaagagagg 600
tcccccgagt cccaaataag aatttcaact agtataaaac gaggcagcga acccacacgt 660
ggaagtctga taccgcttgc agaaggaat tgaatagatg tctccctatt ggtaaggatg 720
tggttttatt gacttgaaat aacaaagccc gcaagcaaca actgatcatc cgcgggatgc 780
tgccacaagg aataattgag cactcattca gacacagggg aaaccactgc ctctttcagt 840
ctttctccca gattccaaca gtcagtgtta cagcatttca ccttggtcac ctccctgaga 900
agacgttgca ggg 913
```

<210> 155

<211> 480

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1749147

<400> 155

```
cttctgttca ggctgggatt acaggtgtga gccgctgcgc tcggccttct ttgattttat 60
attattagga gcaaaagtaa atgaagccca ggaaaacacc tttgggaaca aactcttct 120
ttgatggaat atgcagaggc ccttcctctc tgtgccgtgc ttgctcctct tacctgcccc 180
ggtgggtttg ggggtgttgg gtttcctccc tggagaagat gggggaggct gtcccactcc 240
cagctctggc agaatcaagc tgttgacgca gtgccttctt catccttctt tacgatcaat 300
cacagtctcc agaagatcag ctcaattgct gtgcagggtta aaactacaga accacatccc 360
aaaggtagct ggtaagaatg tttgaaagat cttccatttc taggaacccc agtcttgctt 420
ctccgcaatg gcacatgctt ccactccatc catactgcag tcgtcaaata aacagatatg 480
```

<210> 156

<211> 545

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1817722

<400> 156

```
caggctatta agaaaggcgg acccatgcac atgattttta aggttctgac aactgcattg 60
ctgttacaag ctgcttcagc tttagctaat tacattcatt tctccagtta ctccaaagat 120
```

```

ggaatagggg taccatttat gggaagtttg gcagaatttt ttgacatcgc ttcccaaatt 180
cagatgttat acttactttt gagtctatgc atggggttga caatagtcag aatgaagaag 240
tctcaaagca gacctctcca gtgggattct acacctgcat ccactggcat tgcagtattc 300
attgtcatga cacagagtgt ttgctactt tgggaacagt ttgaagatat cagtcacatcat 360
agctaccatt cacaccacaa cttagcaggg atcctcctaa ttgttctaag aatttgccta 420
gcattgtcat taggctgtgg actctatcag atcatcacag tggagagaag tacactcaaa 480
agggagttct acatcacatt tgccaaagta tggggttga aagaaaatgg tttattctga 540
ttatc                                         545

```

&lt;210&gt; 157

&lt;211&gt; 1746

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1831290

&lt;400&gt; 157

```

ttggcatcag cttgggcagg tgtgcgggct caggatgggg cggccgtggg gaggaaccct 60
ggactctcag catcacaaga ggcaacacca ggagccaaca tgagctcggg gactgaactg 120
ctgtggcccg gagcagcgt gctgggtgctg ttgggggtgg cagccagtct gtgtgtgcgc 180
tgctcacgcc caggtgcaaa gaggtcagag aaaatctacc agcagagaag tctgcgtgag 240
gaccaacaga gctttacggg gtcccggacc tactccttgg tcgggcaggc atggccagga 300
cccctggcgg acatggcacc cacaaggaag gacaagctgt tgcaattcta cccagcctg 360
gaggatccag catcttccag gtaccagaac ttcagcaaa gaagcagaca cgggtcggag 420
gaagcctaca tagaccccat tgccatggag tattacaact gggggcgggt ctcgaagccc 480
ccagaagatg atgatgccaa ttcctacgag aatgtgctca tttgcaagca gaaaaccaca 540
gagacaggtg cccagcagga gggcataggt ggctctgca gaggggacct cagcctgtca 600
ctggccctga agactggccc cacttctggt ctctgtccct ctgcctcccc ggaagaagat 660
gaggaatctg aggattatca gaactcagca tccatccatc agtggcgcgga gtccaggaag 720
gtcatggggc aactccagag agaagcatcc cctggcccgg tgggaagccc agacgaggag 780
gacggggaac cggattacgt gaatggggag gtggcagcca cagaagccta gggcagacca 840
agaagaaagg agccaaggca aagaggggacc actgtgctca tggaccatc gctgccttcc 900
aaggaccatt tcccagagct actcaacttt taagcccctg ccatgggttg tectggaagg 960
agaaccagcc accctgagga ccacctggcc atgcgtgcac agcctgggaa aagacagtta 1020
ctcacgggag ctgcaggccc gtcaccaagc cctctcccgga cccaggcttt gtggggcagg 1080
cacctggtag caagggtaac ccggctcctg gtatggacgg atgcgcagga tttaggataa 1140
gctgtcaccc agtccccata acaaaaccac tgtccaacac tggatatctgt gttcttttgt 1200
gctatgaatt tggattccta attgctattg ttggttgctg gggtttttaa tgattgataa 1260
gcttgtacag ttaacttata gagggggagc catatttaac attctggatt tcagagtaga 1320
gatttctgtg ttgtctccta gaaagcatta catgtagttt atttcagcat ccttggtggg 1380
tggggccctg gctctcttcc cctttggtgg gacctccctt ttctttgggc ttcagttcac 1440
tcaggaagaa atgaggctgt cgccatcttt atgtgcttcc agtggaaatg tcaactgcta 1500
cagacaatag tgcattgagag tctagagaag tagtgaccag aacagggcag agtaggtccc 1560
ctccatggcc ctgaatcctc ctctgctcca gggctggcct ctgcagagct gattaaacag 1620
tgttgtgact gtctcatggg aagagctggg gccagagggg accttgagtc agaaatgttg 1680
ccagaaaaag tatctcctcc aaccaaaca tctcaataaa accattttag ttgaaaaaaa 1740
aaaaaa                                         1746

```

&lt;210&gt; 158

&lt;211&gt; 2011

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens



&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1831477

&lt;400&gt; 158

```
ggagcacggc gctggggccg cccgcagcgc tcactcgctc gcactcagtc gcgggaggct 60
tccccgcgcc ggccgcgtcc cgcccgctcc ccggcaccag aagttcctct gcgcgtccga 120
cggcgacatg ggcgccccca cggccccgga ggccggcagc tggcgctggg gatccctgct 180
cttcgctctc ttccctggctg cgtccctagg tccgggtggca gccttcaagg tcgccacgcc 240
gtattccctg tatgtctgtc ccgaggggca gaacgtcacc ctcacctgca ggctcttggg 300
ccctgtggac aaagggcacg atgtgacctt ctacaagacg tggtagcgca gctcgagggg 360
cgaggtgcag acctgctcag agcgccggcc catccgcaac ctcaagttcc aggaccttca 420
cctgcaccat ggaggccacc aggctgccaa caccagccac gacctggctc agegccacgg 480
gctggagtcg gcctccgacc accatggcaa cttctccatc accatgcgca acctgacctt 540
gctggatagc ggccctctact gctgcctggg ggtggagatc aggcaccacc actcggagca 600
cagggctccat ggtgccatgg agctgcaggt gcagacaggc aaagatgcac catccaactg 660
tgtgggtgtac ccatactcct cccaggagag tgaaaacatc acggctgcag ccctggctac 720
gggtgcctgc atcgtaggaa tcctctgcct cccctcctc ctgctcctgg tctacaagca 780
aaggcaggca gcctccaacc gccgtgccc aagagctggg cgcatggaca gcaacattca 840
agggattgaa aaccccggtt ttgaagcctc accacctgcc caggggatac ccgaggccaa 900
agtcaggcac cccctgtcct atgtggccca gcggcagcct tctgagctct ggccggcatct 960
gctttcggag cccagcacc cctgtctcc tccaggcccc ggagacgtct tcttcccatc 1020
cctggacctt gtcctgaact ctccaaactt tgaggtcatc tagcccagct gggggacagt 1080
gggctgttgt ggctgggtct ggggcaggtg catttgagcc agggctggct ctgtgagtgg 1140
cctccttggc ctcggccctg gtccctccc tctgtctctg ggctcagata ctgtgacatc 1200
ccagaagccc agccctcaa cccctctgga tgctacatgg ggatgctgga cggctcagcc 1260
cctgttccaa ggattttggg gtgctgagat tctcccttag agacctgaaa ttcaccagct 1320
acagatgcca aatgacttac atcttaagaa gtctcagaac gtccagccct tcagcagctc 1380
tcgttctgag acatgagcct tgggatgtgg cagcatcagt gggacaagat ggacactggg 1440
ccaccctccc aggcaccaga cacagggcac ggtggagaga cttctcccc gtggccgcct 1500
tggtccccc gttttgccc aggtgtctct tctgtcagac ttctctttg taccacagtg 1560
gctctggggc caggcctgcc tgcccactgg ccacgcgcc cttccccagc tgcctcctac 1620
cagcagtttc tctgaagatc tgtcaacagg ttaagtcaat ctggggcttc cactgcctgc 1680
attccagtc ccagagcttg gtgggtcccga aacgggaagt acatattggg gcatggtggc 1740
ctccgtgagc aaatgggtgtc ttgggcaatc tgaggccagg acagatgttg cccacccac 1800
tgagatggt gctgagggag gtgggtgggg ccttctggga aggtgagtgg agaggggcac 1860
ctgccccccg ccctcccat cccctactcc cactgctcag cgcgggcat tgcaaggggtg 1920
ccacacaatg tcttgctcac cctgggacac ttctgagtat gaagcgggat gctattaaaa 1980
actacatggg gaaacaggtg caaaaaaaaaa a 2011
```

&lt;210&gt; 159

&lt;211&gt; 480

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 440

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1841607

&lt;400&gt; 159

```
cccacgcgtc cgaaaagaaa agaaaaaaga aaatggcctc atcttggttc agcctcagtt 60
```

ttcctccccct cagtctggct gggagcttag ctctttgggg tcattgctgt gtcaggctgg 120  
gttggttccct ttggtctgtt tctgccatgg cccagcgctt tccctctcag aatacataca 180  
atccccccct ctgctgggcg tggtagactca tgtctataat cccagctctt tgggaggcca 240  
gggcgggtgg atcacttgag cctaggagtt cgaaaccagc ctgagcaaca tggtgaaagc 300  
ccatctctac gaaaaatgca aaagttagcc aggcattggt gtgcacgtct gtagaccagc 360  
ctacttgga ggctgaggca ggaggatcct tgagcccagg aggcagaagc tgcagtgage 420  
tgtgatcgca ccactgctcn tcagcctggc gacagagcga gattccctca aaaaaaaaaa 480

<210> 160

<211> 542

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1852391

<400> 160

ttgaatcaac ataatgtatg tgaaagggct tagtccatga ttgggtgctt aatatgcccg 60  
tgttgctggg gtgagccaaa gggatgaagt tggcagtgtc tgctctgtcg tggagcagtc 120  
cccacgtggg aaggccagcg ggaaaccagg cctgctgaag tctccagcgc tggagcctc 180  
acggggggtta ggaaggagcc ttgggagcag ctctcagag cacagttgta cctcaattgt 240  
ggattttaga tgtttctgct tctcaatgtt ctctcttttt tctgctgc tggcctgct 300  
tttgacctc ttgctgtcta gggtagcaga tgaagctttc tacaacaac ccttcgctga 360  
cgtgattggt tatgtgtatg ttgcaaaact aattcctttt tctacatctg attctttcta 420  
cttttgttta gagttaatgc tcttttatg tcaccagttg ctttgctttt taaattattt 480  
caaattggca ctttgggggc tgcctaagaa ttgataagcg gggtagatc tgttgatgaa 540  
tc 542

<210> 161

<211> 1066

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1854555

<400> 161

ttaggctttc tgtatttgtc tgaatgcttt cacgggagtg tgtcgcactg gagcacagag 60  
gacactcgat cgtgcggcgc gcagggcggg gggccgccgc tgccctcccg cgggatggct 120  
ggcactgtgc tggagtcgg tgccggcggtg ttcattcttag cctgctctg ggtggcagtg 180  
ctgctgctgt gtgtgctgct gtccagagcc tccggggcgg cgaggttctc tgtcattttt 240  
ttattcttcg gtgctgtgat catcacatca gttctgttgc ttttcccgcg agctggtgaa 300  
tccccagccc cagaagtggg agttaagatt gtggatgact ttttcattgg ccgctatgtc 360  
ctgctggctt tccttagtgc catcttcctt ggaggcctct tcttggtttt aatccattat 420  
gttctggagc cgatctatgc caaaccactg cactcctact gaccactctt caggaaaacg 480  
aaaacctgtt ctctccttca ttgtgatgac attgatgagc aggaaggcac tattcagagc 540  
cttggttttg cagccctcat gccttaaggt tagaggagta tctgtccatc actaagacaa 600  
atctctggag tcctggcttc cagaaacagg attgccaaat tgcctctgtg gggctagatt 660  
cttaccagct taagaaggat attgctatct tcttagtacc cgtaccttag gatttccaac 720  
tgttttgaaa gggaaatagt aacagtgate tgcttagagt ggattttcac tcaagtcctt 780  
agtaagtggg ttttggggaa aaaagcacat gggcttctgg ttctttttga taatatataa 840  
aattattcat tatgaggttg cagttgtttg caaaggagag gcactcaaat ttgaaagggt 900  
attttaatgt gataatttgg aagacttact cagatgttgg tcattgacca ctctgtgcat 960



atatttctgc agagctctgt gaaggcaatg agtgtcactt ccctctgctc taataaagca 1020  
ataaataata gctaaagggc tgactttcac ttcgaaaaaa aaaaaa 1066

<210> 162  
<211> 1173  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1855755

<400> 162  
gtctcgctcc tgcccagccc gggcggctgc ccttgggtgc tcccttccct gcccgacacc 60  
cagaccgacc ttgaccgccc acctggcagg agcaggacag gacggccgga cgcggccatg 120  
gccgagctcc cggggccctt tctctgcggg gccctgctag gcttcctgtg cctgagtggg 180  
ctggccgtgg aggtgaaggc acccacagag ccgctgagca cgcacctggg gaagacagcc 240  
gagctgacct gcacctacag cacgtcgggt ggagacagct tcgccctgga gtggagcttt 300  
gtgcagcctg ggaaacctat ctctgagtc catccaatcc tgtacttcac caatggccat 360  
ctgtatccaa ctggttctaa gtcaaagcgg gtcagcctgc ttcagaacct cccacagtg 420  
ggggtggcca cactgaaact gactgacgtc caccctcag atactggaac ctacctctgc 480  
caagtcaaca acccaccaga tttctacacc aatgggttgg ggctaataca ccttactgtg 540  
ctggttcccc ccagtaatcc cttatgcagt cagagtggac aaacctctgt gggaggctct 600  
actgcactga gatgcagctc ttccgagggg gctcctaagc cagtgtacaa ctgggtgcgt 660  
cttggaaactt ttctacacc ttctcctggc agcatgggtc aagatgaggt gtctggccag 720  
ctcattctca ccaacctctc cctgacctcc tcgggcacct accgctgtgt ggccaccaac 780  
cagatgggca gtgcacacct tgagctgacc ctctctgtga ccgaacctc ccaaggccga 840  
gtggccggag ctctgattgg ggtgctcctg ggcgtgctgt tgctgtcagt tgcgtgcgtt 900  
tgcttggtca ggttccagaa agagaggggg aagaagccca aggagacata tgggggtagt 960  
gaccttcggg aggatgccat cgctcctggg atctctgagc acacttgtat gagggctgat 1020  
tctagcaagg ggttccctgga aagacctcg tctgccagca ccgtgacgac caccaagtcc 1080  
aagctcccta tggctcgtgtg acttctcccg atccctgagg gcggtgaggg ggaatatcaa 1140  
taattaaagt ctgtgggtac caaaaaaaaa aaa 1173

<210> 163  
<211> 890  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1861434

<400> 163  
ctcgagccgg agagatcctc taccgcagtc gtttgaggag gcggaactga agttttttct 60  
taattatcat gtgacgggtt ctggatttaa tggggggaaa agggcggaaa aggacaagga 120  
tccaaactgg cgaatttgct gatcttcgcg tccctctccg ctttccggcc ggcagcgtg 180  
ccaggggtata tttccttttt tccgatcctg caacagcctc tttaaactgt ttaaatagaga 240  
atgtccttgg ctgagagagt actactcacc tggtttttca cactactctt cttgatcatg 300  
ttggtgttga aactggatga gaaagcacct tggaaactgg tccatcatatt cattccagtc 360  
tggatatttg atactatcct tcttgcctg ctgattgtga aaatggctgg gcggtgtaag 420  
tctggctttg acctcgaca tggatcacac aatattaaaa aaaaagcctg gtacctcatt 480  
gcaatgttac ttaaattagc cttctgcctc gcactctgtg ctaaactgga acagtctact 540  
accatgaatc tatectatgt cttcattcct ttatgggctt tgctggctgg ggctttaaca 600  
gaactcggat ataatgtctt ttttgtgaga gactgacttc taagtacatc atctcctttc 660

tattgctggt caacaagtta ccattaaagt gttctgaatc tgtcaagctt caagaatacc 720  
agagaactga gggaaaatac caaatgtagt ttatactac ttccataaaa caggattggt 780  
gaatcacgga cttctagtcac acctacagct taattattca gcatttgagt tattgagatc 840  
cttattatct ctatgtaaata aaagtttggt ttggacctca aaaaaaaaaa 890

<210> 164

<211> 806

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1872334

<400> 164

tgcacagtg cccaggcaag cccaggagtt gacattttctc tgcccagcca tgggectcac 60  
cctgctcttg ctgctgctcc tgggactaga aggtcagggc atagttggca gcctccctga 120  
gggtgctgcag gcacccgtgg gaagctccat tctgggtgcag tgccactaca ggctccagga 180  
tgtcaaagct cagaagggtgt ggtgccgggt cttgccggag ggggtgccagc ccctgggtgtc 240  
ctcagctgtg gatcgagag ctccagcggg caggcgtagc tttctcacag acctgggtgg 300  
gggcctgctg cagggtggaaa tggttaccct gcaggaagag gatgctggcg agtatggctg 360  
catgggtggat ggggccaggg ggcccagat ttgacacaga gtctctctga acatactgcc 420  
cccaggtgag ttatcctagg ccagctacca ccccttagac ctaccctccc caccctcgcc 480  
tattgccagg gctcatgggt tcttgaggag tggggggcccc tggggaggag gcattccaag 540  
gagatattct cttgacagct ctgcagggag cggaaaccaa actgggtggg aagtctgaga 600  
taaatcagct gaaaaccatc cctttccccc ttccacacta ctgcgcttcc ccacaggaag 660  
gcattgctct cccactccag ggacttggcc tcttcttcca gcattttcaa catacttgat 720  
gctaacttat tttttaatta gaaatatttt aaacaatggt gaatctgagt gtataaaaca 780  
gaataatttt tgtagctcca gtgttt 806

<210> 165

<211> 1923

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1877230

<400> 165

tggcgggcaa gcagggtgct agtcacgggg cggcgcgagg ggcccagcc cagtcagggg 60  
tgtggccgcc gccaccgtaa ggctaggccg cgagcttagt cctgggagcc gcctccgtcg 120  
ccgccgtcag agccgcccta tcagattatc ttaacaagaa aaccaactgg aaaaaaaaaa 180  
gaaattcctt atcttcgcat ttttcgggtg tgttcacett ttatccctgt gctctgggaa 240  
agctatatgc aagaatggca tctctaagag gacttttgaa gaaataaaag aagaaatagc 300  
cagctgtgga gatgttgcta aagcaatcat caacctagct gtttatggta aagcccagaa 360  
cagatcctat gagcgattgg caettctggt tgatactggt ggaccagac tgagtggctc 420  
caagaacctg gaaaaagcca tccaaattat gtaccaaacc ctgcagcaag atgggctgga 480  
gaaagttcac ctggagccag tgagaatacc ccactgggag aggggagaag aatcagctgt 540  
gatgctggag ccaagaattc ataagatagc catcctgggt cttggcagca gcattgggac 600  
tcctccagaa ggcattacag cagaagttct ggtgggtgacc tctttcgatg aactgcagag 660  
aaggccctca gaagcaagag ggaagattgt tgtttataac caaccttaca tcaactactc 720  
aaggacggtg caataccgaa cgcagggggc ggtggaagct gccaaaggtg gggctttggc 780  
atctctcatt cgatccgtgg cctccttctc catctacagt cctcacacag gtattcagga 840  
ataccaggat ggcgtgcccc agattccaac agcctgtatt acgggtggaag atgcagaaat 900

```

gatgtcaaga atggcttctc atgggatcaa aattgtcatt cagctaaaga tgggggcaaa 960
gacctacca gatactgatt ccttcaacac tgtagcagag atcactggga gcaaatatcc 1020
agaacagggt gtactgggtca gtggacatct ggacagctgg gatgttgggc aggggtgcat 1080
ggatgatggc ggtggagcct ttatatcatg ggaagcactc tcacttatta aagatcttgg 1140
gctgcgtcca aagaggactc tgcggctggg gctctggact gcagaagaac aaggtggagt 1200
tgggtgccttc cagtattatc agttacacaa ggtaaatatt tccaactaca gtctgggtgat 1260
ggagtctgac gcaggaacct tcttaccac tgggctgcaa ttcactggca gtgaaaaggc 1320
cagggccatc atggaggagg ttatgagcct gctgcagccc ctcaatatca ctcaggctct 1380
gagccatgga gaaggacag acatcaactt ttggatccaa gctggagtgc ctggagccag 1440
tctacttgat gacttatata agtatttctt cttccatcac tcccacggag acaccatgac 1500
tgtcatggat ccaaagcaga tgaatgttgc tgctgctgtt tgggctgttg tttcttatgt 1560
tgttgacagc atggaagaaa tgctgcctag gtcctagaaa cagtaagaaa gaaacgtttt 1620
catgcttctg gccaggaatc ctgggtctgc aactttggaa aactcctctt cacataacaa 1680
tttcatccaa ttcacttcca aagcacaact ctatttcatg ctttctgtta ttatctttct 1740
tgatacttcc caaattctct gattctagaa aaaggaatca ttctccctc cctcccacca 1800
catagaatca acatatggta gggattacag tgggggcatt tctttatate acctcttaaa 1860
aacattgttt ccactttaaa agtaaacact taataaattt ttggaagatc aaaaaaaaaa 1920
aaa 1923

```

&lt;210&gt; 166

&lt;211&gt; 518

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1877885

&lt;400&gt; 166

```

ttgacaccag cagggtgaca tccgtatttg ctacttctct gctcccccac agttcctctg 60
gacttctctg gaccacagtc ctctgccaga cccctgccag accccagtc accatgatcc 120
atctgggtca catcctcttc ctgcttttgc tccagtggc tgcagctcag acgactccag 180
gagagagatc atcactccct gccttttacc ctggcacttc aggtcttctg tccggatgtg 240
ggctccctctc tctgccgctc ctggcaggcc tctggtctgc tgatgcggtg gcacgctgc 300
tcacgtggg ggcggtgttc ctgtgcgcac gccacgccc cagccccgcc caagaagatg 360
gcaaagtcta catcaacatg ccaggcaggg gctgaccctc ctgcagcttg gacctttgac 420
ttctgacctc ctcatcctgg atggtgtgtg gtggcacagg aacccccgcc ccaacttttg 480
gattgtaata aaacaattga aacacaaaa aaaaaaaa 518

```

&lt;210&gt; 167

&lt;211&gt; 1631

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1889269

&lt;400&gt; 167

```

gcgagctctc agcgggagcc gagacggtgc agggccggag aagcaccttc actcccagcc 60
tgcccccca tgctgcgct tctgtgctc ctgcgccct ggaggccct tcgggcccgc 120
ggctgcgctt ccgacggggc ggccgggggc tcagagatcc aagtgcgcgc cctggcgggt 180
ccggaccaag gctgtaggtt ccatgaggac aggccttgag tctgtcctgg tctctggaat 240
cacggtgtct agtagaggcc agcacacagc aaatatataa atgtacaaat gagtgaatga 300
agagaatctg attggcctta aggaacttac gcacttaaaa taattgggca gaagagaage 360

```

agtgaaggag tgcagaggca tcacctgaaa gtttacaagt ccttccactt tctctctgag 420  
gcagaaagag caaggggttt tctctccatt ttatgggttg gaaaattgag gcctgcctga 480  
gtgtgtgact tgtggcaagt cactctggtc atctagggca gaggcctccc agatcccagg 540  
cctcctgcct ccagtcceca gcccgagcc caggattagg cagagccagc tgctttcccg 600  
tggtgcctt gactccttac agggatcact gagattctga tgaacagacc ttctgcccgc 660  
aatgccttgg ggaatgtctt cgtcagttag ctgctggaaa ctctggccca gctgcgggag 720  
gaccggcaag tgcgtgtcct gctcttcaga agtggagtga agggcgtgtt ctgtgcaggt 780  
gcagacctga aggagcggga acagatgagt gaagcagagg tgggggtgtt tgtccagcga 840  
ctccggggcc tgatgaatga catcggtgag gatctgggtg taggggtggag gaggggggtt 900  
gggggtccct gccgatgaca gtcccgtac cccaccagc atctaaggag agtcttcttt 960  
ctgtttggag ttctgtgata agacagatga ctacccagg gggatggagg aggatgaccg 1020  
agggcagttc tctcagagag ggagttctgg ctcttcagct tttgtgtccc gcccaccct 1080  
cagggttcaa gcctggccat tccaaagcag ttaagtttcc ccaagcatgc tttcaagttt 1140  
tgacaattgc tgttaccttt gcctgagata ccccttcttg gttacttgaa cttttacttg 1200  
tccttcaagc cctccagtac ctctctctcc aggaagcctt cccaaccac cctctgagct 1260  
ttttattgga gactgatga tcttgggtca ataatgcctg atacacattt gtcttcccca 1320  
tgagactgag ccccatggga acaaaggcta tgtctgattc attctgtgtt cccagttccc 1380  
agcaccagc acagggcttg gcacaaagaa agggaggccc cagggaggcc agcggattag 1440  
gcctgaacag ggatcatcca gcccatctc ccattcctct tccctggctg attctgtaac 1500  
tttccctaaa gggaaaattg gcttctgaga taacctggct gcgggaagca gaggttgctg 1560  
tgagcagaga ttgtgccatt gcactccagc ctgggcaaca acagcgagac tccatctcaa 1620  
aaaaaaaaa a 1631

<210> 168

<211> 1548

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1890243

<400> 168

atgcgctcca gcagcctgtt tgggaagcag cagtctctcc ttcagatact gtgggactca 60  
tgctggagag gagccgccc cttccaggac ctgtgaataa gggctaata tgaggggttg 120  
tggggctctc tgtggggcaa aaaggtggta tgggggttag cactggctct cgttctcacc 180  
ggagaaggaa gtgttctagt gtggtttagg aaacatgttg ataaaggga ccatgaaaat 240  
gagaggagga aagacatcca gatcagctgt tttgcctgtt gctcagttga ctctgattgc 300  
atcctgtttt cctaattccc agactgttct gggcacggaa gggaccctgg atgtggagtc 360  
ttcccctttg gccctcctca ctggcctctg ggctagccca gagtccctta gcttgtacct 420  
cgtaacactc ctgtgtgtct gtccagcctt gcagtcagt caaggccagc aagctgatgt 480  
gactcttgcc ccatgcgaga tttttatacc tcaaacactg gcctgtgagc cctttccaag 540  
tcagtggaga gccctgaaag gagcctcact tgaatccagc tcagtgtctt ggggtggccc 600  
ctgcaggtgg cccctgacct tgcgttgtag cagggteccac ctgtgagcag gcccgccctg 660  
gggcctcttc ctggatgtgc cctctctgag ttctgtgtct tctcttgagg gcagggccca 720  
ggagaacaaa gtgtggaggc ctccgggagt ggcttttcca gctctcatgc cccgcagtgt 780  
ggaacaaggc agaaaaggat cctaggaaat aagtctcttg gcggtccttg agagtccctg 840  
tgaaatccag ccagtgtttt ttgtggtatg agaacaggca aaaagagatg ccccgagata 900  
gaaggggagc cttgtgttct tttcctgcag acgtgagatg aacactggag tgggcagagg 960  
tggcccagga ccatggcacc cttagagtgc agaagctggg gggagaggct gcttcgaagg 1020  
gcaggactgg ggataatcag aacctgcctg tcacctcagg gcactactga acaaacattt 1080  
cctgatggga actcctgcgg cagagcccag gctggggaag tgaactacc agggcagccc 1140  
ctttgtggcc caggataatc aacactgttc tctctgtacc atgagctcct ccaggagatt 1200  
atttaagtgt attgtatcat tggttttctg tgattgtcat aacattgttt ttgttattgt 1260  
tgggtgctgt gttatttatt attgtaattt cagtttgcct ctactggaga atctcagcag 1320  
gggtttcagc ctgactgtct ccttttctct accagactct acctctgaat gtgctgggaa 1380

cctcttggag cctgtcagga actcctcact gtttaaatat ttattttattg tgacaaatgg 1440  
agctggtttc ctagatatga atgatgtttg caatccccat tttcctgttt cagcatgtta 1500  
tattcttata aaataaaagc aaaagtcaaa tatgaaaaaa aaaaaaaa 1548

<210> 169  
<211> 616  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1900433

<400> 169  
gccagctcag gtgagccctc gccaaaggtga cctcgcagga cactgggtgaa ggagcagtga 60  
ggaacctgca gagtcacaca gttgctgacc aattgagctg tgagcctgga gcagatccgt 120  
gggctgcaga cccccgcccc agtgccctctc cccctgcagc cctgcccctc gaactgtgac 180  
atggagagag tgaccctggc ccttctccta ctggcaggcc tgactgcctt ggaagccaat 240  
gacctatttg ccaataaaga cgatcccttc tactatgact ggaaaaacct gcagctgagc 300  
ggactgatct gcggagggtc cctggccatt gctgggatcg cggcagttct gagtggcaaa 360  
tgcaaatata agagcagcca gaagcagcac agtccctgtac ctgagaaggc catcccactc 420  
atcactccag gctctgccac tacttgetga gcacaggact ggcctccagg gatggcctga 480  
agcctaacac tggccccccag cacctcctcc cctgggagge cttatectca aggaaggact 540  
tctctccaag ggcaggctgt taggcccctt tctgatcagg aggcttcttt atgaattaaa 600  
ctcgcaccac caccce 616

<210> 170  
<211> 1981  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1909441

<400> 170  
cagaacttct ttttgacacc atagattctt ctgaggtcaa cgttgcaaaa agcatagcaa 60  
agtttcttcg aaatgttaga tatcggtatc aaccactatt agaaagatgt aataacgtat 120  
ttttaagtaa tgtggaccac cttgatttgg attccatcag taaaatactt agtgtataca 180  
aatttctaca atttaatagt tttgaattta ttataatggc taaaaagaag ctaactgaaa 240  
tgattcctct gtgtaatcat cctgctagct ttgtaaaatt gtttgtagca ttgggaccca 300  
ttgcaggacc tgaagaaaag aaacaactta aatcaactat gttattgatg tcagaggacc 360  
taactggcga gcaagccctg gcagtgttgg gagcaatggg agatatggaa agcagaaact 420  
catgtctgat taaaagagtt acttcagttc tgcataaaca tttggatggc tataaaccat 480  
tagagttggt gaagataact caagaattga cttttctgca tttccaaagg aaggagtttt 540  
ttgcgaaact tagagaatta ctgcttagtt atttgaaaaa tagtttcata ccaactgagg 600  
tgtctgttct ggtccgtgct atttccctgc tcccttctcc tcacttggac gaagtgggga 660  
tatcccgaat tgaagccgtt ttaccacagt gtgacctaaa taacctgagt agttttgcca 720  
catctgtttt aagatggatt cagcatgate acatgtattt ggataatatg actgcgaaac 780  
aactgaaact acttcaaaaa ttagatcact atggctcgtc gagactacaa cacagcaaca 840  
gtttggatct gttacggaag gaacttaaat ctctcaaagg aaacacgttt cctgagtcac 900  
ttcttgaaga aatgattgct actttacagc atttcatgga tgatattaat tacataaatg 960  
ttggggagat tgcattcttt atttctagta ctgattacct cagtactttg ctactagata 1020  
ggatagcctc agtggctgtt cagcagattg aaaagatcca tccttttaca atccctgcta 1080  
ttattcgtcc attcagcgta ttgaactatg atccacctca aagggatgaa tttttgggaa 1140



```

cttgctgca acatcttaat tcttaacttag gtatattgga tecttttata ttagtgtttc 1200
ttggttttctc tttggccaca cttgaatatt ttccagaaga tctgctaaag gcaattttta 1260
acatcaaatt cttagctaga ttggattctc aacttgaaat tttatctcca tctcgaagtg 1320
caagagtcca gtttcatctt atggagttaa atagatcagt ctgcttgga tgccctgagt 1380
ttcagattcc atggtttcat gaccgcttct gtcaacaata taataaagg attggtggca 1440
tggatggaac acaacagcag atttttaaaa tgtagcaga ggtactagga ggaatcaatt 1500
gtgtaaaagc ctcggttctt acgccttatt accacaaagt agattttgag tgtatcttgg 1560
ataaaagaaa aaaacctctt ccgtatggaa gccataatat agcattggga caactaccag 1620
aaatgccctg ggaatcaaat atcgaaatag ttggatcaag gctgccacca ggggctgaaa 1680
ggattgcttt ggaatttttg gattcaaaag cactttgtag aaatatccct cacatgaaag 1740
gaaaatctgc tatgaaaaaa cgacatttgg aaattctggg gtatcgtgta attcagattt 1800
cccagtttga atggaactct atggcactgt caacaaagga tgctcggatg gactacctga 1860
gagaatgtat atttggagaa gtcaagtcac gtttgtagtt tttattttaa atgaatgtta 1920
tcgtgtgtta catttgacc tattttaata aagtggcctg tctcaattaa aaaaaaaaaa 1980
g

```

&lt;210&gt; 171

&lt;211&gt; 1492

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1932226

&lt;400&gt; 171

```

cttctgggtg aggagtttga gcttggctgg gtccagggcc cagcactgac tcccgtccct 60
gaggaggagg aagaagagga agagggggct ccgattggga cccctaggga tccctggagat 120
ggttgtectt cccccgacat ccctcctgaa cccctccaa cacacctgag gccctgccct 180
gccagccagc tccctggaact cctgtcccat ggctcctgg cggcctctc ctttgcaagt 240
gggtccctct ctggcctcct gcccctcctg ctgctgctgc tgcttccatt gctggcagcc 300
caggggtggg gtggcctgca ggcagcgtg ctggcccttg aggtggggct ggtgggtctg 360
ggggcctcct acctgctcct ttgtacagcc ctgcacctgc cctccagtct tttcctactc 420
ctggcccagg gtaccgcaact gggggccgtc ctgggcctga gctggcgccg aggcctcatg 480
ggtgttcccc tgggccttgg agctgcctgg ctcttagctt ggccaggcct agctctacct 540
ctggtggcta tggcagcggg gggcagatgg gtgcggcagc agggcccccg ggtgcgccgg 600
ggcatactct gactctgggt gcgggttctg ctgcgcctgt caccatggc cttccggggc 660
ctgcagggt gtggggctgt gggggaccgg ggtctgtttg cactgtacct caaaaccaac 720
aaggatggct tccgcagccg cctgcccgtc cctgggcccc ggcggcgtaa tccccgcacc 780
acceaacacc cattagctct gttggcaagg gtctgggtcc tgtgcaagg ctggaactgg 840
cgtctggcac gggccagcca gggtttagca tcccacttgc ccccgagggc catccacaca 900
ctggccagct ggggcctgct tcggggtgaa cggcccaccc gaatcccccg gctactacca 960
cgcagccagc gccagctagg gcccctgcc tcccgcagc cactgccagg gactctagcc 1020
gggcggaggt cagcacccg ccagtcctgg gccctgcccc cctggaggta gctgactcca 1080
gcccttccag cccaaatcta gagcattgag cactttatct cccacgactc agtgaagttt 1140
ctccagtcct tagtctctc ttttcaccca ccttctcag tttgtcact taccacagc 1200
ccagcccttc ggacctctag acaggcagcc tctcagctg tggagtccag cagtcaactc 1260
gtgttctcct ggcgtctctc ccctaagtta ttgctgttcg cccgctgtgt gtgctcatcc 1320
tcacctcat tgactcagc ctggggccag ggtgggtgga ggggtggga agtcatgttt 1380
tttttctcct ctttgatttt gtttttctgt ctcccttcca acctgtcccc tccccccac 1440
caaaaaaga aaaagacaaa cacaaataaa atatctgagc ggaaaaaaa aa 1492

```

&lt;210&gt; 172

&lt;211&gt; 1613

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1932647

&lt;400&gt; 172

```
ctcggaaattc ggctcgagac gggtcattgag cgcgggtatta ctgctggccc tcttgggggtt 60
catcctccca ctgccaggag tgcaggcgct gctctgccag tttgggacag ttcagcatgt 120
gtggaaggtg tccgacctac cccggcaatg gacccctaag aacaccagct gcgacagcgg 180
cttgggggtgc caggacacgt tgatgctcat tgagagcgga cccaagtga gcctgggtgct 240
ctccaagggc tgcacggagg ccaaggacca ggagccccgc gtcactgagc accggatggg 300
ccccggcctc tccctgatct cctacacctt cgtgtgccgc caggaggact tctgcaacaa 360
cctcgttaac tccctcccgc tttgggcccc acagccccc a gcagaccag gatccttgag 420
gtgccagtc tgcttgtcta tggaaggctg tctggagggg acaacagaag agatctgccc 480
caaggggacc acacactgtt atgatggcct cctcaggctc aggggaggag gcatcttctc 540
caatctgaga gtccagggat gcatgcccc gccaggttgc aacctgctca atgggacaca 600
ggaaattggg cccgtgggta tgactgagaa ctgcaatagg aaagattttc tgacctgtca 660
tcgggggacc accattatga cacacggaaa cttgggtcaa gaacccactg attggaccac 720
atcgaatacc gagatgtgcy aggtggggca ggtgtgtcag gagacgctgc tgctcataga 780
tgtaggactc acatcaacct tgggtggggac aaaaggctgc agcactgttg gggctcaaaa 840
tccccagaag accaccatcc actcagcccc tcttgggggtg cttgtggcct cctataacca 900
cttctgtctc tcggacctgt gcaatagtgc cagcagcagc agcgttctgc tgaactccct 960
ccctcctcaa gctgcccctg tcccaggaga ccggcagtggt cctacctgtg tgcagccctt 1020
tggaacctgt tcaagtggct cccccgaat gacctgcccc aggggagcca ctcatgttta 1080
tgatgggtac attcatctct caggaggtgg gctgtccacc aaaatgagca ttcagggtctg 1140
cgtggcccaa ccttccagct tcttgttgaa ccacaccaga caaatcgga tcttctctgc 1200
gcgtgagaag cgtgatgtgc agcctcctgc ctctcagcat gagggagggtg gggctgaggg 1260
cctggagtct ctcaattggg ggggtggggct ggcactggcc ccagcgtgtg ggtggggagt 1320
ggtttgcct tctgtctaac tctattaccc ccacgattct tcaccgctgc tgaccacca 1380
cactcaacct cctctgacc tcataacct atggccttgg acaccagatt ctttccatt 1440
ctgtccatga atcatcttcc ccacacacaa tcattcatat ctattcacct aacagcaaca 1500
ctggggagag cctggagcat ccggacttgc cctatgggag aggggagcgt ggaggagtgg 1560
ctgcatgtat ctgataatac agacctgtc ctttctccca aaaaaaaaaa aaa 1613
```

&lt;210&gt; 173

&lt;211&gt; 1622

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2124245

&lt;400&gt; 173

```
tgctcgcccc gctggccggc tccgcccctca cctcccggcc gcggctgccc tctgcccggg 60
ttgtccaaga tggaggggcg tccaccgggg tctctgccc tccggctcct gctgttcgtg 120
gcgtaccccg cctccggctg gctgacgacg ggcgcccccg agccgcccgc gctgtccgga 180
gccccacagg acggcatcag aattaatgta actacactga aagatgatgg ggacatatct 240
aaacagcagg ttgttcttaa cataacctat gagagtggac aggtgtatgt aaatgactta 300
cctgtaaata gtggtgtaac ccgaataagc tgtcagactt tgatagtga gaatgaaaat 360
cttgaaaatt tggaggaaaa agaataattt ggaattgtca gtgtaaggat tttagttcat 420
gagtggccta tgacatctgg ttcagtttg caactaattg tcattcaaga agaggtagta 480
gagattgatg gaaaacaagt tcagcaaaag gatgtcactg aaattgatat tttagttaag 540
aaccggggag tactcagaca ttcaactat accctccctt tggaagaaag catgctctac 600
```



tctatattctc gagacagtga catttttattt acccttccta acctctccaa aaaagaaagt 660  
gttagttcac tgcaaaccac tagccagtat cttatcagga atgtggaaac cactgtagat 720  
gaagatgttt tacctggcaa gttacctgaa actcctctca gagcagagcc gccatcttca 780  
tataaggtaa tgtgtcagtg gatggaaaag tttagaaaag atctgtgtag gttctggagc 840  
aacgttttcc cagtattctt tcagtttttg aacatcatgg tggttggaat tacaggagca 900  
gctgtggtaa taacctctt aaagggtgtt tccccagttt ctgaatacaa aggaattctt 960  
cagttggata aagtggacgt catacctgtg acagctatca acttatatcc agatgggtcca 1020  
gagaaaagag ctgaaaacct tgaagataaa acatgtattt aaaacgccat ctcatatcat 1080  
ggactccgaa gtagcctgtt gcctccaaat ttgccacttg aatataattt tctttaaatc 1140  
gttaagaatc agtttataca ctagagaaat tgctaaactc taagactgcc tgaaaattga 1200  
cctttacagt gccaagttaa agtttacctt attctcggcc ggggtgcagtg gctcatgcct 1260  
gtaatcccag gactttggga ggccaatgcg ggcggtcac gaggtcagat caagaccatc 1320  
ctgccaacat ggtgaaaccc tgtctctact aaaaaaata aaaaaattag ctgggtgtgg 1380  
cgggtgcacgc ctgtagtccc agctacttgg gaggtgagg caggagaatt gcttgaaccc 1440  
gggagggcga ggctgcagtg agccaggatc acgccactgc actccagcct gggtgacaga 1500  
gcgagactct gtttcaaaaa aaaaaaagtt gaccttatte tctaaaaggg ctggctatct 1560  
atatgatgaa ttgttaagga aaacttaaag tggacaagaa caggatgtga agagagggtga 1620  
tg 1622

&lt;210&gt; 174

&lt;211&gt; 1320

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2132626

&lt;400&gt; 174

gcgtgaccca gctgcggcgc gccagccatg gagactggag cgctgcggcg cccgcaactt 60  
ctcccgttgc tgctgctgct ctgcgggtggg tgtcccagag caggcggctg caacgagaca 120  
ggcatgttgg agaggctgcc cctgtgtggg aaggctttcg cagacatgat gggcaagggtg 180  
gacgtctgga agtgggtgcaa cctgtccgag ttcacgtgt actatgagag tttaccaaac 240  
tgcaccgaga tggaggccaa tgcgtgggc tgctactggc ccaacccctt ggcccagggc 300  
ttcatcacgc gcatccacag gcagttcttc tccaaactgca ccgtggacag ggtccacttg 360  
gaggaccccc cagacgaggt tctcatcccc ctgatcggtta taccgctcgt tctgactgtc 420  
gccatggctg gcctggtggg gtggcgcagc aaacgcaccg acacgctgct gtgaggggtcc 480  
cggtgagatg gagtgggtca cacctggcaa gctggaagaa agttccctgg ggatgggaga 540  
gcgggtgggt gctgccaate tccagctact gtggccacac cccacctggc catgggcaga 600  
cccctccctt cctgggctga cctgctccct cgaggccagc ctgctccctg gctgaggetc 660  
aggctatccg cccaagctct ttgctcatte tagggccagt ggaggaaaat gtgataaggc 720  
cagagcttgt gtgctgggca cagaaatcac ctgctgcate ctgtgctccg caggctgggc 780  
cggagcctct gcccgcaggt ttctatgctg tttcttagca cagaatccag cctagcctta 840  
gccgcagtct aggccctgct tggactagga ctcccttgctt gaccccatct ctgggttcctg 900  
ccctggctcc tgcaccagcc ccagctcctg cctacatcca ggcagaaaga taggcagggg 960  
ctcttggaag acgttccgtg ctgtgacctc cgagccctcc tgggtgggaag acagctggaa 1020  
aggctgggag gagaaggag ggggttggggg tttccaggag ccatgcgtgg cctgcagagt 1080  
ccattccatc atgatgctgt gcccgtatg ggctgtgtcc atgaccagag gctggagtgg 1140  
gggtgtgtta gagccctca ccgggacttg ctgtgcggat ggggcctggg cctccttcct 1200  
acaggggctc ctctgtgggt gaggggccct ctggaatggc atcccatgag cttgtggcct 1260  
ctatctgcta ccactgtgt tttatctgag taaagttacc ttacttcttg aaaaaaaaaa 1320

&lt;210&gt; 175

&lt;211&gt; 778

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2280639

<400> 175

```
gcgctccctc gctggcggac ggctgggagg cgggcccggg ccggggccgc ttggaatggc 60
gcctcctccg ccttcgcccc aactgcttct cctggcagcc ctgcgagagg tcctgggtcc 120
cagcgagggt atggctggac cggcggagga ggcgggagcc cattgtcccg agagcctgtg 180
gcctctgcct ccgcaggtgt caccaagagt gacctacaca cgagttagcc cagggcaggg 240
tgaggatgtc accttcctct accaccctg tgcccatccc tggctgaagc tccagcttgc 300
cctcctggcc tatgcttgta tggctaacct ttccctcacc cctgacttca gcctcacgca 360
ggatcggccc ctggtgctga ctgcatgggg gctggcggct gagatggcct gggtagagcc 420
agcctgggct gccactggc tgatgaggag ggcgaggagg aagcagagga agaagaaggc 480
atggatctac tgtgaaagcc ttccaggggc tgctccctcc gagccaactc ccggtagagg 540
gaggctgtgc cgaagagggt gtgtgcaggc cctggctctg gcctttgctc tgcggactgg 600
cggccccctg gcacagaggt gacatctcaa gggcccaggg agcctcttc tagtgggtgc 660
aagacgcgga tgctgcgggc tgcaattggg tcccagccca ctgcctcagc cctgaggttt 720
ccctctgctt ccccagttag cttgatggcc aagcattcca tggcgggcta tcctggtt 778
```

<210> 176

<211> 1477

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2292356

<400> 176

```
cctggcctgg ctgcctgggg cctggggagc tgcccgtgct tccagcccag tctccccctg 60
gctgctgccg gctgctggcc actcccacct cccaggcctg gcgtgaggcc cacagctgct 120
gttgacacac cctggtcatt gtgtgatggg gggaggcctg ggcctggccc gccctctctg 180
cagggcttca gacccctgcc cagccccagt atctgaagga accacagtgg agccaagccc 240
gcgatgtgga gaactcaggg ttccaggagc cctggccctg ctcttgccgg ctccgggtgg 300
ctttcagctc tctctgcaac ctgagctggg ggaggagcca ggcctcatgc ccagggtctg 360
gagtggggag cctgggtgtg acgcgtgccc aggcctgcac gtggaccgac caggggaggg 420
gccagagct ctggctgggt caccgcgacc ccgcccccat ctctccaga gccaccccag 480
gaaaagcccg gctggacgag gtcatggtg ccgctgccct tacaagcctg tccaccagcc 540
ctctccttct gggggcccca gttgcagcct tcagcccaga gcctggcctg gagccctgga 600
aggaggccct ggtgcggccc ccaggcagct acagcagcag cagcaacagt ggagactggg 660
gatgggacct ggccagtga cagtcctctc cgtccacccc gtcaccccca ctgccccccg 720
aggcagccca ctttctgttt ggggagccca ccctgagaaa aaggaagagc ccggcccagg 780
tcatgttcca gtgtctgtgg aagagctgcg ggaaggtgct gagcacggcg tcggcgatgc 840
agagacacat ccgctggtg cacctggggg gcggcggggc ctgggggtgc ggggggctg 900
cgggttggct ggggttgtta ggcccggcca ggccaccctc tcagctccca ctggttggct 960
gtgtctcccg caggaggcag gcagagcctg agcagagtga tggtagaggag gacttctact 1020
acacagagct ggatgttggg gtggacacgc tgaccgacgg gctgtccagc ctgactccag 1080
ttttccccga gggcttccat gccagcttgc ctccccccgc cctgaagctc cgcagacttg 1140
gtgggacccg ccaaccccgc cagtaccctt gaggagcgcc gggatttagt cgaggtcctt 1200
tgtcggcgcc cacggggaat attaatagct cccggggggg ggggaatactt ttgaaggcag 1260
ttgataaaaa attttcccc ccaaacagag ggagggccga gaataaagaa cccctccggg 1320
aaaaaacaca gtgggagaca tagagttgat tctccctggg tgagaaaaat ttgggtaaag 1380
cggcttcaag caatttcgca gagcaagatt tgcggcgccc ggaaccata aaggtggtaa 1440
aaccctgggg ggtccccaag agggggaagc tcaaccc 1477
```

<210> 177  
<211> 682  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2349310

<400> 177  
tctgaatggt ttggtgaata aatctgttct tcagcaaccc tacctgcttc tccaaactgc 60  
ctaaagagat ccagtactga tgacgctggt ctteccatctt tactccctgg aaactaacca 120  
cgttgtcttc ttctcttcac caccacccag gagctcagag atctaagctg ctttccatct 180  
tttctccag cccaggaca ctgactctgt acaggatggg gccgtcctct tgccctcttc 240  
tcattcctaat cccctctctc cagctgatca acctggggag tactcagtgt tccttagact 300  
ccgttatgga taagaagatc aaggatgttc tcaacagtct agagtacagt cctctccta 360  
taagcaagaa gctctcgtgt gctagtgtca aaagccaagg cagaccgtcc tctgacctg 420  
ctgggatggc tgtcactggc tgtgcttggt gctatggctg tggttcgtgg gatgttcagc 480  
tggaaccac ctgccactgc cagtgcagtg tgggtggactg gaccactgcc cgtgctgctc 540  
acctgacctg acagggagga ggctgagaac tcagttttgt gaccatgaca gtaatgaaac 600  
cagggtccca accaagaaat ctaactcaaa cgtcccactt catttggtcc attcctgatt 660  
cttgggtaat aaagacaaac tt 682

<210> 178  
<211> 1508  
<212> DNA  
<213> Homo sapiens

<220>  
<221>  
<222> 11, 139  
<223> a or g or c or t, unknown, or other

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2373227

<400> 178  
gcgtaacccc ntgatctggt gataaacgta ttacccgctt ttgagtgagc tgataccgct 60  
cgccgcagcc gaacgaccga gcgcagcgag tcagtgagcg agaaagcgga agagcgccca 120  
atacgcaaac cgcttctcnc cgcgcgttgg ccgattcatt aatcagcttg cacgacaggt 180  
ttcccactg gaaagcgggc agtgagcgca acgcaattaa tgtgagttag ctactcccc 240  
accccttcc ccgcgggcct cggttcaaac gaccgggtgg gtctacagcg gaagggaggg 300  
agcgaaggta ggaggcagg cttgcctcac tggccacct cccaaccca agagcccagc 360  
cccatggtcc ccgcgcggc cgcgctgctg tgggtcctgc tgctgaatct ggggtccccg 420  
gcggcggggg cccaaggcct gaccagact ccgaccgaaa tgcagcgggt cagtttacgc 480  
tttgggggccc ccatgaccgc cagctaccgc agcaccgccc ggactgggtc tccccggaag 540  
acaaggataa tcttagagga cgagaatgat gccatggccg acgccgaccg cctggctgga 600  
ccagcggctg ccgagctctt ggccgccacg gtgtccaccg gctttagccg gtcgtccgcc 660  
attaacgagg aggatgggtc ttcagaagag ggggttggtga ttaatgccgg aaaggatagc 720  
accagcagag agcttcccag tgcgactccc aatacagcgg ggagtccag cacgaggttt 780  
atagccaata gtcaggagcc tgaaatcagg ctgacttcaa gectgcgcg ctcccccggg 840  
aggtctactg aggacctgcc aggtcgcag gccacctga gccagtggtc cacacctggg 900  
tctacccga gccggtggcc gtcacctca cccacagcca tgccatctcc tgaggatctg 960  
cggctggtgc tgatgcctg gggccggtg cactgccact gcaagtcggg caccatgagc 1020

cggagccggt ctgggaagct gcacggcctt tccgggccc ttcgagttgg ggcgctgagc 1080  
cagctccgca cggagcacia gccttgacc tatcaacaat gtccctgcaa ccgacttcgg 1140  
gaagagtgcc ccttgacac aagtctctgt actgacacca actgtgctc tcagagcacc 1200  
accagtacca ggaccaccac taccctctc cccaccatcc acctcagaag cagtcccagc 1260  
ctgccacccg ccagccctg cccagccctg gctttttgga aacgggtcag gattggctg 1320  
gaggatattt ggaatagcct ctcttcagtg ttcacagaga tgcaaccaat agacagaaac 1380  
cagaggtaat ggccacttca tccacatgag gagatgtcag tatctcaacc tctcttgccc 1440  
tttcaatcct agcaccact agatattttt agtacagaaa aacaaaactg gaaaacaaaa 1500  
aaaaaaaa 1508

&lt;210&gt; 179

&lt;211&gt; 558

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2457682

&lt;400&gt; 179

ggagaaagga tggccggcct ggcggcgcggt ttggtcctgc tagctggggc agcggcgctg 60  
gcgagcggct cccagggcga ccgtgagccg gtgtaccgag actgcgtact gcagtgcgaa 120  
gagcagaact gctctggggg cgtcttgaat cacttccgct cccgccagcc aatctacatg 180  
agtctagcag gctggacctg tccggacgac tgtaagtatg agtgtatgtg ggtcaccgtt 240  
gggctctacc tccaggaagg tcacaaagtg cctcagttcc atggcaagtg gcccttctcc 300  
cggttcctgt tctttcaaga gccggcctcg gccgtggcct cgtttctcaa tggcctggcc 360  
agcctggtga tgctctgccc ctaccgcacc ttcgtgccag cctcctcccc catgtaccac 420  
acctgtgtgg ccttcgctg gctttctgga agatgacagc ctgtagctgc tgaaggaatc 480  
agaggacaag ttcaggctgg actgaagacc cttggagcga gtcttcccca gttggggata 540  
ctgccccgc cctgctgg 558

&lt;210&gt; 180

&lt;211&gt; 502

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2480426

&lt;400&gt; 180

cttggagtct gggaggagga aagcggagcc ggcagggagc gaaccaggac tgggggtgacg 60  
gcagggcagg gggcgccctg cccggggagaa gcgcgggggc tggagacca ccaactggag 120  
ggtccggagt agcagcgcc ccgaaggagg ccacggggga gccgggaggg gggactgcga 180  
gaggaccccc gcgtccgggc tcccggtgccc agcgtatga ggccactcct cgtcctgctg 240  
ctcctggggc tggcgcccg ctcgccccca ctggacgaca acaagatccc cagcctctgc 300  
ccgggactgc cgggacctcg aggggacccc gggccgcgag gagaggcggg acccgcgggg 360  
cccaccgggc tagccgggga gtgctcggtg cctcgcgat ccgccttcag cgccaagcgc 420  
tccgagatcc ggggtgcctc gctgtctgac gcacccttgc cttcgaccgc gtgctggtga 480  
acgagcaagg acattacgac gc 502

&lt;210&gt; 181

&lt;211&gt; 1659

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2503743

<400> 181

```
gctgtgcggc ggggcaggca tgggagccgc gcgctctctc ccggcgccca cacctgtctg 60
agcggcgcac gagccgcggc ccgggcgggc tgctcggcgc ggaacagtgc tcggcatggc 120
agggattcca gggctcctct tccttctctt ctttctgctc tgtgtgtgtg ggcaagtgag 180
cccttacagt gccccctgga aaccacttg gcctgcatac cgctccctg tcgtcttgcc 240
ccagtctacc ctcaatttag ccaagccaga ctttgagacc gaagccaaat tagaagtatc 300
ttcttcatgt ggacccaggt gtcataaggg aactccactg cccacttacg aagaggccaa 360
gcaatatctg tcttatgaaa cgctctatgc caatggcagc cgcacagaga cgcaggtggg 420
catctacatc ctacagcagta gtggagatgg ggcccaacac cgagactcag ggtcttcagg 480
aaagtctcga aggaagcggc agatttatgg ctatgacagc aggttcagca tttttgggaa 540
ggacttcctg ctcaactacc ctttctcaac atcagtgaag ttatccacgg gctgcaccgg 600
caccctggtg gcagagaagc atgtcctcac agctgccac tgcatcacg atggaaaaac 660
ctatgtgaaa ggaaccaga agcttcgagt gggcttctta aagcccaagt ttaaagatgg 720
tggtcgaggg gccaacgact ccacttcagc catgcccagc cagatgaaat ttcagtggat 780
ccgggtgaaa cgcacccatg tgcccaaggg ttggatcaag ggcaatgcca atgacatcgg 840
catggattat gattatgccc tcttggaact caaaaagccc cacaagagaa aatttatgaa 900
gattggggtg agccctcctg ctaagcagct gccagggggc agaattcact tctctggtta 960
tgacaatgac cgaccaggca atttggtgta tcgcttctgt gacgtcaaag acgagacctt 1020
tgacttgctc taccagcaat gcgatgccc gccagggggc agcgggtctg gggctctatg 1080
gaggatgtgg aagagacagc agcagaagtg ggagcgaaaa attattggca ttttttcagg 1140
gcaccagtgg gtggacatga atggttcccc acaggatttc aacgtggctg tcagaatcac 1200
tcctctcaa tatgccaga tttgctattg gattaaagga aactacctgg attgtaggga 1260
ggggtgacac agtgttccct cctggcagca attaagggtc ttcagtgtct tatttttagga 1320
gaggccaaat tgttttttgt cattggcgtg cacacgtgtg tgtgtgtgtg tgtgtgtgtg 1380
taagggtgtc tataatcttt tacctatttc ttacaattgc aagatgactg gctttactat 1440
ttgaaaactg gtttgtgtat catatcatat atcatttaag cagtttgaag gcatactttt 1500
gcatagaaat aaaaaaata ctgatttggg gcaatgagga atatttgaca attaatgtaa 1560
tcttcacgtt tttgcaaact ttgattttta tttcatctga acttgtttca aagatttata 1620
ttaaatattt ggcatacaag agatatgaaa aaaaaaaaaa 1659
```

<210> 182

<211> 2015

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2537684

<400> 182

```
aaaaacaaag gcaatgcatt ggcaagcctc acagcacaga gtgaccgctg cctggcgctt 60
cccagcactc ggtgtggaaa ggcccctacc tgctgtaaga ttatgggtcc atgaaagcag 120
taagctggac acagaggtgt agtgtgcggg acagagggcc ttgcagatgc ctttctgttg 180
gtgttttagt gttaaaatac ggagagtatg gaactcttca cctccatttt ctacagcggt 240
gtgaagcagc ctctagctt cggaagtacg gacactacgt cgcgttttca agcgtgtctg 300
ttctgcaggt aacagcatca agctgcacgt ggaagcatct cgcggttttc tagaaacagg 360
cattttctta tccctctccc gctccttttt ccacaaagg gaatttcata aatgtaatac 420
tagtaaaagt aatgaattac tgagtttata cagaaattta ggtaacttct cttttagtct 480
caagagcgag tcttgctttt taatgggtgc cgtttatgtt gctgcccgcc ctgtgtgcct 540
ggctcctctg ggtgccttgg tgtctgctgg tggctggcag tgggcgcagc ggaggagagt 600
```



tgtgctgcag ctcatacggg gtgtctgtca tctcagtcctg gagtaaatgc agtgtctgcc 660  
gggtgtctgat ggggttctgtc cctcgtatctt tctttgcctt ctatccatt gcctggctac 720  
cgctgcctgg cagccaaggg tggttggtcgc gaagctggga gtggcctctg gtggagcctg 780  
catcttgtct cgtctgectc tgctttacat ttggtgtact ttcgggcgtg gtggcagtaa 840  
aatgacaccg tgattgagct tgtcagcaga gctgaaagag aaagtagaag gatgtgcatt 900  
gtttcttgta agatatcttg catgtatctg tgtattcaaa ttcaaacaga gatggtttgt 960  
ccatttgtcc actgagaaat tataaactag ggacaagggg gaggaaaagt actgaaatac 1020  
agtttatgaa gcaagtgtgt ctcgggctgt gcttgccca ggagccccag cagcatctga 1080  
actgaggctt cttcagtcct gcaggaacag gatcatctgt ctcagcgggtg ggcagatgtt 1140  
ttcatagaca gccagggagt aaacactgtt ggctctgtgg gctgtatggc ctctgccata 1200  
aatagtacag agatgtggct gtgtctagta caacttttag acacagaaat ctgaatgaca 1260  
tatattgttc tgtgtcaaga aacttagatt ttttttttaa ctatttaaaa acgtgaaacc 1320  
tattcttagc tcacaggcca tggagaagct ggtggggacc agaccagct ccttagctgg 1380  
ctgggctggg gagggggcag tgacagtggc agctgctact cactgctcag tgtggaaaac 1440  
acaggacttg gcaatcacag cccgcagaac catcatgtgt ggcagaagcc tgagggatgc 1500  
ggtttcttgc ccacgtgctc tggttcatttt ctgttgtttt tctgcactta aagaattcac 1560  
atggaagcat gttttataaa atgaattacc agagaaacag agatgggccc agattctcag 1620  
aaatggctcc atgtgaccaa gttctgctgt ttgggtgaca gtgctttgaa gatctccttt 1680  
gaggatgtgc agtctttttt tttttttttt tttagatgg agtttgttgc ccaggctgga 1740  
gtgagtggca cagtctcggc tcaactgcaac ctccacctcc tgggttcaag cagttctcgt 1800  
gccgcagcct cccaagtage tgggactaca ggcatgcgc accacgccag gctaattttt 1860  
gtatttttag tagagatggg gtttcacat gtctcaaact cctgacctca ggcgatccac 1920  
ccacctcagc gtcccaaagt gctggggata taggggtgac caccgcacc tgcgccaaga 1980  
gtgggctttt aattagggac aaatccaatg gaagg 2015

&lt;210&gt; 183

&lt;211&gt; 740

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2593853

&lt;400&gt; 183

ctgctttcgt gaagacaaga tgaagttcac aattgtcttt gctggacttc ttggagtctt 60  
tctagctcct gccctageta actataatat caacgtcaat gatgacaaca acaatgctgg 120  
aagtgggcag cagtcagtga gtgtcaacaa tgaacacaat gtggccaatg ttgacaataa 180  
caacggatgg gactcctgga attccatctg ggattatgga aatggctttg ctgcaaccag 240  
actctttcaa aagaagacat gcattgtgca caaaatgaac aaggaagtca tgccctccat 300  
tcaateccctt gatgcactgg tcaaggaaaa gaagcttcag ggtaaggggac caggaggacc 360  
acctcccaag ggcctgatgt actcagtcac cccaaacaaa gtcgatgacc tgagcaagtt 420  
cggaaaaaac attgcaaaaa tgtgtcgtgg gattccaaca tacatggctg aggagatgca 480  
agaggcaagc ctgttttttt actcaggaac gtgctacacg accagtgtac tatggattgt 540  
ggacatttcc ttctgtggag acacgggtgga gaactaaaca attttttaaa gccactatgg 600  
atttagtcat ctgaatatgc tgtgcagaaa aaatatgggc tccagtgggt tttaccatgt 660  
cattctgaaa tttttctcta ctagtattgt ttgatttctt taagtttcaa taaaatcatt 720  
tagcattgaa aaaaaaaaaa 740

&lt;210&gt; 184

&lt;211&gt; 748

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

<221> misc\_feature

<223> Incyte Clone No: 2622354

<400> 184

```
ctgcaaccac ccagagccat ggctccccga ggctgcatcg tagctgtctt tgccattttc 60
tgcattctca ggctcctctg ctcacacgga gcccagtggt ccccatgac tccttacctg 120
atgctgtgcc agccacacaa gagatgtggg gacaagttct acgacccctt gcagcactgt 180
tgctatgatg atgccgtcgt gcccttggtc aggaccaga cgtgtggaaa ctgcaccttc 240
agagtctgct ttgagcagtg ctgcccctgg accttcattg tgaagctgat aaaccagaac 300
tgcgactcag cccggacctc ggatgacagg ctttgtcgca gtgtcagcta atggaacatc 360
aggggaacga tgactcctgg attctccttc ctgggtgggc ctggagaaag aggctggtgt 420
tacctgagat ctgggatgct gagtggctgt ttggggggcca gagaaacaca cactcaactg 480
cccattcat tctgtgacct gtctgaggcc caccctgcag ctgccctgag gagggccaca 540
ggctcccctc tagaattctg gacagcatga gatgcgtgtg ctgatggggg cccaggggact 600
ctgaaccctc ctgatgacct ctatggccaa catcaaccgc gcaccacccc aaggctggct 660
gggaaccctt cacccttctg tgagattttc catcatctca agttctcttc tatccaggag 720
caaagcacag gatcataata aatttatg 748
```

<210> 185

<211> 648

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2641377

<400> 185

```
cggtcagagg atccccaagt ctctgaccca ccttcctgcc tgctcctctc ctcccacatt 60
ggctcagatt ctttccccgc tgtctgtggg tccacactcc cagtggcacc tccaggagag 120
aatctgattg gctcagttcg ccagataact caactttccc attggctacc tttgggtcag 180
gtgatctcca ctagacctat cgcctatgcc tgatggtggg tcacatggtg caaatgttgc 240
ctgagagctt agtggattag ggatgtggct gggtcatgg ttgacgtccc tgctgctgag 300
cccttacggg tcaggctggg agaagggtacc atgttgtgtg actgggtcatt tgaggtcttg 360
cagctgttgc ttgctgggct tggcaggtgt tcaaagtgc catttttctg aagggttttt 420
ttctgagtat tcctcagatg tactccccctg gggccgacgg tctttccttc cacagggcga 480
tgcttcctta cttgcttgtg aatgtttcct tcatctccag gttgtctggg gacaattctg 540
tcttttgag gctggggcag gatttacaga gggtccatg ccagctcctt cctgccgggt 600
ccacttctgg tgtagggtaa acacctgcgc attcatgtcc tagtggtg 648
```

<210> 186

<211> 2110

<212> DNA

<213> Homo sapiens

<220>

<221>

<222> 1932

<223> a or g or c or t, unknown, or other

<220>

<221> misc\_feature

<223> Incyte Clone No: 2674857

<400> 186



```

cggeggccat ctttactcag ggcacagagg gtctctgcgg ccgtagcggc cggggctgcg 60
gtagccactt tagatttggg caaggacttt agattcgggc tctgttctgt ttccgccgtc 120
ctgcttcctg ccgaggctgg cccaggcagc cgcgcttcga aggacgccgc cgggagctgc 180
ggacatgcgt ggagtggcag tgctaacggc tgggtgtctcg cactgttggc ctgtgaaggt 240
acgtgaagct gaaagcctgg aatggctgga aaggggtcat caggcaggcg gcccctgctg 300
ctggggctgc tgggtggcgt agccactgtc cacctggtea tctgtcccta caccaaagtg 360
gaggagagct tcaacctgca ggccacacat gacctgctct accactggca agacctggag 420
cagtacgacc atcttgagtt ccccgagtc gtccccagga cgttcctcgg gccagtgggtg 480
atcgagctgt tctccagccc cgcggtttac gtgctttcgc tgtagaaat gtccaagttt 540
tactctcagc taatagttag aggagtgtt ggactcggcg tgatttttgg actctggacg 600
ttacaaaagg aagtgaagc gcaacttcggg gccatggtgg ccacatggt ctgctgggtg 660
acggccatgc agttccacct gatgttctac tgcacgcgga cactgcccac tgtgctggcc 720
ctgcctgtag tctgctggc cctcgcggcc tggctgcggc acgagtgggc ccgcttcac 780
tggctgtcag ccttcgccat catcgtgttc aggggtggagc tgtgcctgtt cctgggcctc 840
ctgctgctgc tggccttggg caaccgaaag gtttctgtag tcagagccct tcgccacgcc 900
gtcccgccag ggatcctctg tttaggactg acggttgcgt tggactctta tttttggcgg 960
cagctcactt ggccggaagg aaaggtgctt tggtaacaac ctgtcctgaa caaaagctcc 1020
aactggggga cctccccgct gctgtggtac ttctactcag cctgccccg cggcctgggc 1080
tgcagcctgc tcttcacccc cctgggcttg gtagacagaa ggacgcacgc gccgacgggtg 1140
ctggcactgg gcttcacggc actctactcc ctctgccac acaaggagct acgcttcac 1200
atctatgctt tccccatgct caacatcacg gctgccagag gctgctccta cctgctgaat 1260
aactataaaa agtcttggct gtacaaagcg gggctctctg ttgtgatcgg acacctcgtg 1320
gtgaatgccg cctactcagc cacggccctg tatgtgtccc atttcaacta cccaggtggc 1380
gtcgcaatgc agaggctgca ccagctggtg cccccccaga cagacgtcct tctgcacatt 1440
gacgtggcag ccgccacagc aggtgtgtct cggtttctcc aagtcaacag cgcctggagg 1500
tacgacaaga gggaggatgt gcagccgggg acaggcatgc tggcatacac acacatcctc 1560
atggaggcgg cccctgggct cctggccctc tacagggaca cacaccgggt cctggccagc 1620
gtcgtgggga ccacaggtgt gagtctgaac ctgacccaac tgccccctt caacgtccac 1680
ctgcagacaa agctgggtgt tctggagagg ctcccccggc cgtcctgagg gggaccaggc 1740
agccctcagc agccacaggc cttccaggag ctgttatcac taccagtttc tggcacaatt 1800
ccagcacaat tatgacaatt cagagaagca agtcaaagga ctggggcacc tgcctctgac 1860
agacaccaga ccaggtccag ggcctcctcc cacagcctca gctgggggct cttcagcaac 1920
caaagaacga anggggcccc aagttctttg tttgggcacc ccccggggta agccacttg 1980
cccccaaggg tttgatgggg ttgggcccag cttccagggg ctttcccttg gccggggttt 2040
gacttggtcc ggccccagga ttcaagggtt ggcccaattt cccattgaac ttaaatttcc 2100
agggaaaggc
2110

```

&lt;210&gt; 187

&lt;211&gt; 773

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2758485

&lt;400&gt; 187

```

cccggagccg gggagggagg gagcgagggt cggacaccgg cggcggtgc ctggcctttc 60
catgagcccc cggcggaccc tcccgcgcc cctctcgctc tgccctctccc tctgcctctg 120
cctctgcctg gccgcggctc tgggaagtgc gcagtcgggg tcgtgtaggg ataaaaagaa 180
ctgtaagggt gtcttttccc agcaggaact gaggaagcgg ctaacacccc tgcagtacca 240
tgtcactcag gagaaaggga ccgaaagtgc ctttgaagga gaatacacac atcacaagaa 300
tcctggaata tataaatgtg ttgtttgtgg aactccattg tttaagtcag aaaccaaat 360
tgactccggt tcaggttggc cttcattcca cgatgtgatc aattctgagg caatcacatt 420
cacagatgac ttttccctatg ggatgcacag ggtggaaaca agctgctctc agtgtgggtg 480
tcaccttggg cacatttttg atgatgggccc tcgtccaact gggaaaagat actgcataaa 540

```

ttegggtgcc ttgtctttta cacctgcgga tagcagtggc accgccgagg gaggcagtgg 600  
ggtcgccagc ccggcccagg cagacaaagc ggactctgag agtaatggag agtgatggaa 660  
acaaagtgtg cttaatgcac agcttattaa aaagatcaaa attgttatcc taatagatat 720  
atTTTTTcaa aaactataag ggcagttttg tgctattgta atttttcttc ctt 773

<210> 188

<211> 714

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2763296

<400> 188

gggagcctcc cacgctctcc agctcactcg gcaggcagcg gggaccaggg ctggcagggtt 60  
aagcctctgg ggggtggatcc tgaaagggtg tccagccgcc tggccctgcg tgggaccctc 120  
cacctggcag caggtgggtga cttccaagag tgactccgtc ggaggaaaat gactccccag 180  
tcgctgctgc agacgacact gttcctgctg agtctgctct tcctgggtcca aggtgcccac 240  
ggcagggggc acaggggaaga ctttcgcttc tgcagccagc ggaaccagac acacaggagc 300  
agcctccact actactgggtc catgcggctg caggcccggg gtggcccctc ccctctgaag 360  
agcaactcag acagcgccag gctccccatc agctcgggca gcacctcgtc cageccgcatc 420  
taggcctcca gccacactgc ccatgtaatg aagcagagat gcggcctcgt cgcacactgc 480  
ctgtagcccc cgaaccgggc ccagccccag gccagtaagc cgcagacttt agaaagccca 540  
acgaccatgg agagatgggc cgttgccatg gtggacggac tcccgggctg ggcttttgag 600  
attggcttag gggctactcg gctctcactc agctcccacg ggactcaaga atgcggcgcc 660  
atgctgcctt aggtactgtc cccacatctg tcccaacca gctggaggcc tggt 714

<210> 189

<211> 609

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2779436

<400> 189

eggccagggc gccgacagcc cgacctcacc aggagaacat gcagctcggc actgggctcc 60  
tgctggccgc cgtcctgagc ctgcagctgg ctgcagccga agccatatgg tgtcaccagt 120  
gcacgggctt cggagggtgc tcccatggat ccagatgcct gagggactcc acccactgtg 180  
tcaccactgc caccgggtc ctcagcaaca ccgaggattt gcctctggtc accaagatgt 240  
gccacatagg ctgccccgat atccccagcc tgggcctggg cccctacgta tccatcgctt 300  
gctgccagac cagcctctgc aaccatgact gacggctgcc ctcctccagg cccccggacg 360  
ctcagccccc acagccccc cagcctggcg ccagggtca cggccgcccc tccctcgaga 420  
ctggccagcc cacctctccc ggctctgca gccaccgtcc agcaccgctt gtcttaggga 480  
agtctgctg ggagtcttgc ctcaatctgc tgccgtccaa gcctggggcc catcgtgcct 540  
gccgcccctt caggtcccga cctccccaca ataaaatgtg attggatcgt gtggtacaaa 600  
aaaaaaaac 609

<210> 190

<211> 1088

<212> DNA

<213> Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2808528

&lt;400&gt; 190

```
tgtagaagac agcggcggtg ccatggcggc gtctctgggg caggtgttgg ctctgggtgct 60
ggtggccgct ctgtgggggtg gcacgcagcc gctgctgaag cgggcctccg ccggcctgca 120
gcggggttcat gagccgacct gggcccagca gttgctacag gagatgaaga ccctcttctt 180
gaatactgag tacctgatgc cttttctcct caaccagtgt ggatcccttc tctattacct 240
caccttggca tcgacagatc tgaccctggc tgtgcccata tgaactctc tggctatcat 300
cttcacactg attggtggga aggcccttgg agaagatatt ggtggaaaac gagcagttgc 360
tggcatggtg ctacccgtga taggaatttc actctgcata acaagctcag tgagtaagac 420
ccaggggcaa cagtctaccc tttgagtggg ccgaaccac ttccagctct gctgcctcca 480
ggaagccctt gggccatgaa gtgctggcag tgagcggatg gacctagcac ttccctctc 540
tggccttagc ttctctctct cttatgggga taacagctac ctcatggatc acaataagag 600
aacaagagtg aaagagtttt gtaaccttca agtgcgtgtc agctgcgggg atttagcaca 660
ggagactcta cgctcaccct cagcaacctt tctgccccag cagctctctt cctgctaaca 720
tctcaggctc ccagcccagc caccattact gtggcctgat ctggactatc atggtggcag 780
gttccatgga ctgcagaact ccagctgcat ggaaagggcc agctgcagac tttgagccag 840
aatgcaaac gggaggcctc tgggactcag tcagagcgct ttggctgaat gaggggtgga 900
accgagggaa gaaggtgcgt cggagtggca gatgcaggaa atgagctgtc tattagcctt 960
gcctgccccca cccatgaggt aggcagaaat cctcactgcc agccctctt aaacaggtag 1020
agagctgtga gccccagccc cactgactc cagcacacct ggcgagtagt agctgtcaat 1080
aaagctat 1088
```

&lt;210&gt; 191

&lt;211&gt; 1377

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2809230

&lt;400&gt; 191

```
gcgggacttc ctgtgtcgta tttccaagga ctccaaagcg aggccgggga ctgaaggtgt 60
gggtgtcgag ccctctggca gagggttaac ctgggtcaaa tgcacggatt ctcacctcgt 120
acagttacgc tctcccgcg caggtccgcy aggacttgaa gtccctgagcg ctcaagtttg 180
tccgtaggtc gagagaaggc catggagggt cgcgccaccg caccgcgag ctttctctgt 240
agagcattgt gcctatttcc ccgagtcttt gctgccgaag ctgtgactgc cgattcggaa 300
gtccttgagg agcgtcagaa gcggcttccc tacgtcccag agccctatta cccggaatct 360
ggatgggacc gcctccggga gctgtttggc aaagatgaac agcagagaat ttcaaaggac 420
cttgctaata tctgtaagac ggcagctaca gcaggcatca ttggctgggt gtatggggga 480
ataccagctt ttattcatgc taaacaacaa tacattgagc agagccaggc agaaatttat 540
cataaccggt ttgatgctgt gcaatctgca catcgtgctg ccacacgagg cttcattcgt 600
tatggctggc gctgggggtg gagaactgca gtgtttgtca ctatattcaa cacagtgaac 660
actagtctga atgtataccg aaataaagat gccttaagcc attttgtaat tgcaggagct 720
gtcacgggaa gtcttttttag gataaacgta ggcctgcgtg gcctggtggc tgggtggcata 780
attggagcct tgctgggcac tcctgtagga ggcctgctga tggcatttca gaagtactct 840
ggtgagactg ttcaggaaag aaaacagaag gatcgaaagg cactccatga gctaaaactg 900
gaagagtgga aaggcagact acaagttact gagcacctcc ctgagaaaat tgaaagtagt 960
ttacaggaag atgaacctga gaatgatgct aagaaaattg aagcactgct aaaccttctt 1020
agaaaccctt cagtaataga taaacaagac aaggactgaa agtgctctga acttgaaact 1080
cactggagag ctgaaggag ctgccatgtc cgatgaatgc caacagacag gccactcttt 1140
ggtcagcctg ctgacaaatt taagtgtgtg tacctgtgtg ggcagtggct tgcctctgtc 1200
tttttctttt ctttttaact aagaatgggg ctgtgtgact ctcactttac ttatccttaa 1260
```

atttaaatac atacttatgt ttgtattaat ctatcaatat atgcatacat gaatatatcc 1320  
accacactag attttaagca gtaaataaaa catttcgcaa aagattaaaa aaaaaaa 1377

<210> 192

<211> 985

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2816821

<400> 192

gcgggcccgcc gagtccgaga cctgtcccag gagctccagc tcacgtgacc tgtcactgcc 60  
tcccgcgcgc tcctgcccgc gccatgaccc agccggtgcc ccggtctctc gtgcccgcgc 120  
cgctggccct gggctcagcc gcaactggcg ccgcttctgc cactggcctc ttcttgggga 180  
ggcggtgccc cccatggcga ggccggcgag agcagtgcct gcttcccccc gaggacagcc 240  
gcctgtggca gtatcttctg agccgctcca tgccggagca cccggcgctg cgaagcctga 300  
ggctgtgac cctggagcag ccgcaggggg attctatgat gacctgcgag caggcccagc 360  
tcttggccaa cctggcgcgg ctcatccagg ccaagaaggc gctggacctg ggcaccttca 420  
cggtctactc cgccctggcc ctggccctgg cgctgcccgc ggacgggcgc gtggtgacct 480  
gcgaggtgga cgcgagccc ccggagctgg gacggccctt gtggaggcag gccgaggcgg 540  
agcacaagat cgacctccgg ctgaagcccg ccttggagac cctggacgag ctgctggcgg 600  
cgggcgaggc cggcaccttc gacgtggcgc tgggtgatgc ggacaaggag aactgctccg 660  
cctactacga gcgctgcctg cagctgctgc gacccgagg catcctcgcc gtcctcagag 720  
tcctgtggcg cgggaagggt ctgcaacctc cgaaagggga cgtggcggcc gagtgtgtgc 780  
gaaacctaaa cgaacgcac cgccgggacg tcagggtcta catcagctc ctgcccctgg 840  
gcgatggact caccttggcc ttcaagatct agggctggcc cctagttagt gggctcgagg 900  
gagggttgcc tgggaacccc aggaattgac cctgagtttt aaattcgaaa ataaagtggg 960  
gctgggacac acgaaaaaaa aaaaa 985

<210> 193

<211> 1310

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2817268

<400> 193

cccacgcgtc cgggttcacg taaagacagc gagatcctga gggccagccg ggaaggaggc 60  
gtggatatgg agctggctgc tgccaagtcc ggggcccgcg ccgctgccta gcgcgtcctg 120  
gggactctgt ggggacgcgc ccgcgcgcgc ggctcgggga cccgtagagc ccggcgctgc 180  
gcgcattggc ctgctctcgc gcccgcgcgt caccctcctg ctctctctca tggccgctgt 240  
tgtcagggtg caggagcagg ccagaccac cgactggaga gccaccctga agaccatccg 300  
gaacggcggt cataagatag acacgtacct gaacgcccgc ttggacctcc tgggaggcga 360  
ggacggtctc tgccagtata aatgcagtga cggatctaag cctttcccac gttatgggta 420  
taaaccctcc ccaccgaatg gatgtggctc tccactgttt ggtgttcate ttaacattgg 480  
tateccctcc ctgacaaagt gttgcaacca acacgacagg tgctatgaaa cctgtggcaa 540  
aagcaagaat gactgtgatg aagaattcca gtattgcctc tccaagatct gccgagatgt 600  
acagaaaaca ctaggactaa ctacgcatgt tcaggcatgt gaaacaacag tggagctctt 660  
gtttgacagt gttatacatt taggttgtaa accatatctg gacagccaac gagccgcatg 720  
cagggtgcat tatgaagaaa aaactgatct ttaaaggaga tgccgacagc tagtgacaga 780  
tgaagatgga agaacataac ctttgacaaa taactaatgt ttttacaaca taaaactgtc 840

ttatttttgt gaaaggatta ttttgagacc ttaaaataat ttatatcttg atgttaaaac 900  
ctcaaagcaa aaaaagttag ggagatagtg aggggagggc acgcttgtct tctcagggtat 960  
cttccccagc attgctccct tacttagtat gccaaatgtc ttgaccaata tcaaaaacaa 1020  
gtgcttgttt agcggagaat tttgaaaaga ggaatatata actcaatttt cacaaccaca 1080  
tttaccaaaa aaagagatca aatataaaat tcatcataat gtctgttcaa cattatctta 1140  
tttgaaaaat ggggaaatta tcacttacia gtatttgttt actatgaaat tttaaataca 1200  
catttatgcc tagaaggaac ggactttttt tttctatttt aattacacat aatatgtaat 1260  
taaagtacaa cataatatgt tgtttctctg tagcccggtg agcatatgag 1310

&lt;210&gt; 194

&lt;211&gt; 914

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2923165

&lt;400&gt; 194

cggtggccat gactgcggcc gtgttcttcg gctgcgcctt cattgccttc gggcctgcgc 60  
tcgcccttta tgtcttcacc atcgccaccg agccgttgcg tatcatcttc ctcacgcgcg 120  
gagctttctt ctggttggtg tctctactga tttcgctccct tgttttggtc atggcaagag 180  
tcattattga caacaaagat ggaccaacac agaaatatct gctgatcttt ggagcgtttg 240  
tctctgtcta tatccaagaa atgttccgat ttgcatatta taaactctta aaaaaagcca 300  
gtgaagggtt gaagagtata aaccaggtg agacagcacc ctctatgcga ctgctggcct 360  
atgtttcttg cttgggcttt ggaatcatga gtggagtatt ttcctttgtg aataccctat 420  
ctgactcctt ggggccaggc acagtgggca ttcattggaga ttctcctcaa ttcttccttt 480  
attcagcttt catgacgctg gtcattatct tgetgcatgt attctggggc attgtatttt 540  
ttgatggctg tgagaagaaa aagtggggca tctcctttat cgttctcctg acccacctgc 600  
tggtgtcagc ccagaccttc ataagttctt attatggaat aaacctggcg tcagcattta 660  
taatcctggt gctcatgggc acctgggcat tcttagctgc gggaggcagc tgccgaagcc 720  
tgaaactctg cctgctctgc caagacaaga actttcttct ttacaaccag cgctccagat 780  
aacctcaggg aaccagcact tcccaaaccg cagactacat ctttagagga agcacaactg 840  
tgcccttttc tgaaaatccc tttttctggt ggaattgaga aagaaataaa actatgcaga 900  
tatgaaaaaa aaaa 914

&lt;210&gt; 195

&lt;211&gt; 606

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2949822

&lt;400&gt; 195

ttttttaata atgcctttta gttggatggt aattatcctg ggttttctat gtggattatc 60  
aggtcagctt caaataatga acaccctctc ttctcttcca attgttttac ttgtttcttc 120  
ttcttgtctt atattagcca gaatgtcata tagtatattg accagtagct atgggtgggtg 180  
cgtttttata ttattggact taaaaagaaa tacatcaaaa gtttctccat taatgatgat 240  
gtttgtctata gggcattgat agatagcctt caaaaagtta agaaagttct tttctttcta 300  
gtcttcaagg ttaaaaagtt tttaaagatc ttaattgaat gtgaacttta tcaaatgcct 360  
ttgtgatgtc tatggagata atcatgtatt tgcttcttta atacattcct gtggtgaaat 420  
atgtgaataa gtgttctgat attgaattat ctttgcattt ctagaataag ccctaataag 480  
tactattcaa ggtatttttc tcaaacacct gattggactc tgtaagctca tatttcattg 540



agtggatttc cttctatgtt tgtcagtga attgcgctat aattcgcgtt gctgtcctca 600  
tctgaa 606

<210> 196

<211> 893

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2992192

<400> 196

ccaccccgga agtcggctgg ccattggcggc gccttggagg cgatggccca cggggctgct 60  
agcgtgctg cggccctgc tcacctgccg gcccctgcaa ggcacgacgc tgcaacggga 120  
tgtgctgctc tttgagcatg atcggggccg cttcttcacc atcctcgggc tgttctgcgc 180  
gggccagggc gtcttctggg cttccatggc tgtggcagcc gtgtcccggc ccccggttcc 240  
ggtgcagcct ctggatgcgg aggtcccaaa tctggtcccc ttcgacctgc gctccgcgct 300  
ctggcgctac ggtctggccg tcggctgcgg cggcatcgga gccctcgtac tcggtgctgg 360  
tcttctcttc tctctcgggt ctgtgcgctc agtgggtgctt cgagctggag ggcagcaggt 420  
gacctcacc actcatgccc cctttggctt gggggcccat ttcacagttc ctttgaagca 480  
ggtatcttgc atggcccacc ggggtgaagt ccctgccatg ctacctctga aagtcaaagg 540  
ccgacgcttc tatttctctt tggacaaaac tggacacttc cctaacacaa aactctttga 600  
caatactgtg ggtgcctacc ggagcttgtg aagaaatgac ctcaagtcac tcacctctcc 660  
aagaggagga taaaaactga accttgggga gccagggtgtg ttggttcaca cctgttgtaa 720  
tcccagcact ttgggagggt gaggcaggag cactgctcga gcccaggctg ggcaacatag 780  
cgagaccttg tctctattta caaaaaaaaa aaaaaaaaaa aacgccaatc ttagaatgga 840  
gtaacaacca gggtcacaca aggaggtcaa gattcattaa caacaaataa agg 893

<210> 197

<211> 1730

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2992458

<400> 197

ggccagaggc tgcccggctc ccggaagcag gctgtgaggg gcgggagcgc tgctggaacc 60  
cgagccggag ccggagccac agcggggagg gtggcctggc ggcctggagc cggacgtgtc 120  
cggggcgctc ccgcagaccg gggcagcagg tcgtccgggg gccaccatg ctggtgactg 180  
cctaccttgc ttttgtaggc ctctggcct cctgcctggg gctggaactg tcaagatgcc 240  
gggctaaacc ccttgaagg gcctgcagca atcctcctt ccttcgggtt caactggact 300  
tctatcaggt ctacttctg gccctggcag ctgattggct tcaggccccc tacctctata 360  
aactctacca gcattactac ttcttgaag gtcaaattgc catcctctat gtctgtggcc 420  
ttgcctctac agtcctcttt ggctagtgg cctcctccct tgtggattgg ctgggtcgca 480  
agaattcttg tgcctcttc tccctgactt actcactatg ctgcttaacc aaactctctc 540  
aagactactt tgtgctgcta gtggggcgag cacttgggtg gctgtccaca gccctgctct 600  
tctcagcctt cgaggcctgg tatatccatg agcacgtgga acggcatgac ttcctgctg 660  
agtggatccc agctaccttt gctcgagctg ccttctggaa ccatgtgctg gctgtagtgg 720  
cagggtgtgg agctgaggct gtagccagct ggatagggct ggggcctgta gcgccctttg 780  
tggctgccat cctctcctg gctctggcag gggccttggc ccttcgaaac tggggggaga 840  
actatgaccg gcagcgtgcc ttctcaagga cctgtgctgg aggcctgcgc tgccctctgt 900  
cggaccgccc cgtgctgctg ttgggcacca tacaagctct atttgagagt gtcattctca 960

tctttgtctt cctctggaca cctgtgctgg acccacacgg ggcccctctg ggcattatct 1020  
tctccagctt catggcagcc agcctgcttg gctcttccct gtaccgtatc gccacctcca 1080  
agaggtacca ccttcagccc atgcacctgc tgtcccttgc tgtgctcatc gtcgtcttct 1140  
ctctcttcat gttgactttc tctaccagcc caggccagga gagtccggtg gagtccttca 1200  
tagcctttct acttattgag ttggcttgtg gattatactt tcccagcatg agcttcctac 1260  
ggagaaaggt gatccctgag acagagcagg ctggtgtact caactggttc cgggtacctc 1320  
tgcactcact ggcttgccca gggctccttg tctccatga cagtgatega aaaacaggca 1380  
ctcgggaatat gttcagcatt tgctctgctg tcatggtgat ggctctgctg gcagtgggtg 1440  
gactcttcac cgtggttaagg catgatgctg agctgcgggt accttcacct actgaggagc 1500  
cctatgcccc tgagctgtaa cccactcca ggacaagata gctgggacag actcttgaat 1560  
tccagctatc cgggattgta cagatctctc tgtgactgac tttgtgactg tctgtggtt 1620  
tctcctgcca ttgctttgtg tttgggagga catgatgggg gtgatggact ggaaagaagg 1680  
tgccaaaagt tccctctgtg ttactcccat ttagaaaata aacactttta 1730

&lt;210&gt; 198

&lt;211&gt; 2029

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3044710

&lt;400&gt; 198

ccttgacaag tcagaagctt gaaagcaggg aaatccggat gtctcgggta tgaagtggag 60  
cagtgaagtgt gagcctcaac atagttccag aactctccat ccggactagt tattgagcat 120  
ctgcctctca taccaccagt ggccatctga ggtgtttccc tggctctgaa ggggtaggca 180  
cgatggccag gtgcttcagc ctggtgttgc ttctcacttc catctggacc acgaggctcc 240  
tggtccaagg ctctttgctg gcagaagagc tttccatcca ggtgtcatgc agaattatgg 300  
ggatcacctt tgtgagcaaa aaggcgaacc agcagctgaa tttcacagaa gctaaggagg 360  
cctgtaggct gctgggacta agtttggccg gcaaggacca agttgaaaca gccttgaaaag 420  
ctagctttga aacttgcagc tatggctggg ttggagatgg attcgtggtc atctctagga 480  
ttagcccaaa cccaagtgt gggaaaaatg ggggtgggtg cctgatttgg aaggttccag 540  
tgagccgaca gtttgcagcc tattgttaca actcatctga tacttggact aactcgtgca 600  
ttccagaaat taccaccacc aaagatccca tattcaacac tcaaactgca acacaaacaa 660  
cagaatttat tgtcagtgac agtacctact cgggtggcatc cccttactct acaatacctg 720  
cccctactac tactcctcct gctccagctt ccacttctat tccacggaga aaaaaattga 780  
tttgtgtcac agaagttttt atggaaacta gcaccatgtc tacagaaact gaaccatttg 840  
ttgaaaataa agcagcatte aagaatgaag ctgctgggtt tggaggtgtc cccacggctc 900  
tgctagtgtc tgctctctc ttctttggtg ctgcagctgg tcttggattt tgctatgtca 960  
aaaggatatgt gaaggccttc ccttttacia acaagaatca gcagaaggaa atgatcgaaa 1020  
ccaaagtagt aaaggaggag aaggccaatg atagcaaccc taatgaggaa tcaaagaaaa 1080  
ctgataaaaa cccagaagag tccaagagtc caagcaaac taccgtgcga tgcttggaag 1140  
ctgaagttta gatgagacag aaatgaggag acacacctga ggctgggttc tttcatgtct 1200  
cttaccctgc cccagctggg gaaatcaaaa gggccaaaga accaaagaag aaagtccacc 1260  
cttgggttct aactggaatc agctcaggac tgccattgga ctatggagtg caccaaagag 1320  
aatgcccttc tcttattgt aacctgtct ggatcctatc ctctacctc caaagcttcc 1380  
cacggccttt ctagcctggc tatgtcctaa taatatecca ctgggagaaa ggagttttgc 1440  
aaagtgcaag gacctaaaac atctcatcag tatccagtgg taaaaaggcc tcttggctgt 1500  
ctgaggctag gtgggttgaa agccaaggag tcaactgagac caaggcttct tctactgatt 1560  
ccgcagctca gaccttttct tcagctctga aagagaaaca cgtatcccac ctgacatgtc 1620  
cttctgagcc cggtaagagc aaaagaatgg cagaaaagtt tagccctga aagccatgga 1680  
gattctcata acttgagacc taatctctgt aaagctaaaa taaagaaata gaacaaggct 1740  
gaggatacga cagtacactg tcagcaggga ctgtaaacac agacagggtc aaagtgtttt 1800  
ctctgaacac attgagttgg aatcactgtt tagaacacac acacttactt tttctggtct 1860  
ctaccactgc tgatattttc tctaggaat atacttttac aagtaacaaa aataaaaact 1920



cttataaatt tctattttta tctgagttac agaaatgatt actaaggaag attactcagt 1980  
aatttgttta aaaagtaata aaattcaaca aacattttaa aaaaaaaaaa 2029

<210> 199  
<211> 543  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 3120415

<400> 199  
ccggcgctgg aggggagagg accgggtata agaagcctcg tggcettgcc cgggcagccg 60  
caggttcccc gcgcgccccg agcccccgcg ccatgaagct cgccgcccctc ctggggctct 120  
gcgtggccct gtcctgcagc tccgctgctg ctttcttagt gggctcggcc aagcctgtgg 180  
cccagcctgt cgctgcgctg gagtcggcgg cggaggccgg ggccgggacc ctggccaacc 240  
ccctcggcac cctcaaccgg ctgaagctcc tgcctgagcag cctgggcatc cccgtgaacc 300  
acctcataga gggctcccag aagtgtgtgg ctgagctggg tccccaggcc gtggggggccg 360  
tgaaggccct gaaggccctg ctggggggccc tgacagtgtt tggctgagcc gagactggag 420  
catctacacc tgaggacaag acgctgcccc cccgcgaggg ctgaaaaccc cgccgcgggg 480  
aggaccgtcc atccccctcc cccggccccct ctcaataaac gtggttaaga gcaaaaaaaaaa 540  
aaa 543

<210> 200  
<211> 531  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 126758

<400> 200  
gcaagtggaa ccactggctt ggtggatttt gctagatttt tctgattttt aaactcctga 60  
aaaatatccc agataactgt catgaagctg gtaactatct tctgctgggt gaccatcagc 120  
ctttgtagtt actctgctac tgccttcctc atcaacaaag tgccccctcc tgttgacaag 180  
ttggcacctt tacctctgga caacattctt ccctttatgg atccattaaa gcttcttctg 240  
aaaactctgg gcatttctgt tgagcacctt gtggaggggc taaggaagtg tgtaaatgag 300  
ctgggaccag aggtctctga agctgtgaag aaactgctgg aggcgctatc acacttggtg 360  
tgacatcaag ataaagagcg gaggtggatg gggatggaag atgatgctcc tatectccct 420  
gcctgaaacc tgttctacca attatagatc aaatgcccta aaatgtagtg acccgtgaaa 480  
aggacaaata aagcaatgaa tacattttaa ctcagaccat cgaatggaaa a 531

<210> 201  
<211> 491  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 674760

<400> 201

cttctcccat gactgccggc cagtttcctg cacttgtttc tctcgcttta ttgctggacg 60  
gtgggagaag ggcaagtgca agacggaatc gagggcacct ctgggtgttc tgtacctctt 120  
ttcttcttgc accttgggaa gtggaggacg tgggatggaa gaaggcctg gacctccctc 180  
cttctcctc cccaccttct cctaaggagc ttgccctgca gtaagcccca actttccctt 240  
cctcttttcc ctctatcaga gtcgtcgccc accccccttt cccaccgctc ccctaccccc 300  
gccttcctgc caagccgagg gcgacggtga tccccagctt agtaagaaaa gtaaataggc 360  
cgggcgcggt agctcacgcc tggaaatcca gcaactgtgg aggccgaggc gggcggatcg 420  
cttgagccca ggagatcagg ttggagacag cctaggcaac atggcgaaac cctgtctcta 480  
caaaaaaaaa a 491

&lt;210&gt; 202

&lt;211&gt; 1551

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1229438

&lt;400&gt; 202

ccggggggcc ggcggcggcc cgggcgggac gatgaagcgg cagaacgtgc gcacgctggc 60  
gctcatcgtg tgcaccttea cctacctgct ggtgggcgcc gcggtcttcg acgcgctgga 120  
gtcggagccc gagctgacgc agcggcagcg gctggagctg cggcagcagg agctgcgggc 180  
gcgctacaac ctcagccagg gcggctacga ggagctggag cgcgtcgtgc tgcgcctcaa 240  
gccgcacaag gccggcgtgc agtggcgctt cgccggctcc ttctacttcg ccatcaccgt 300  
catcaccacc atcggctacg ggcaacgcgc acccagcacg gatggcggca aggtgttctg 360  
catgttctac gcgctgctgg gcatcccgtc cacgctcgtc atgttccaga gcctgggcga 420  
gcgcatcaac accttgggtga ggtacctgct gcaccgcgcc aagaaggggc tgggcatgcy 480  
gcgcgcgcgc gtgtccatgg ccaacatggt gctcatcgcc ttcttctcgt gcatcagcac 540  
gctgtgcacg ggcgcgcgcg ctttctccca ctacgagcac tggaccttct tccaggccta 600  
ctactactgc ttcatacccc tcaccacat cggttcggc gactacgtgg cgctgcagaa 660  
ggaccaggcc ctgcagacgc agccgcagta cgtggccttc agcttcgtct acatccttac 720  
gggcctcacg gtcacggcg ctttctcaa cctcgtggtg ctgcgcttca tgaccatgaa 780  
cgccgaggac gagaagcgcg acgcgcagca ccgcgcgctg ctcacgcgca acgggcaggc 840  
gggcggcgcc ggagggggtg gcagcgcgca cactacggac accgcctcat ccacggcgcc 900  
agcgggcggc ggcggcttcc gcaacgtcta cgcggagggt ctgcacttcc agtccatgtg 960  
ctcgtgcctg tggtaacaaga gccgcgagaa gctgcagtac tccatcccca tgatcatccc 1020  
gcgggacctc tccacgtccg acacgtgcgt ggagcagagc cactcgtcgc cgggaggggg 1080  
cggccgctac agcgcacgc cctcgcgacg ctgcctgtgc agcggggcgc cacgctccgc 1140  
catcagctcg gtgtccacgg gtctgcacag cctgtccacc ttccgcggcc tcatgaagcg 1200  
caggagctcc gtgtgactgc cccgagggac ctggagcacc tgggggcgcg ggcgggggac 1260  
ccctgctggg aggccaggag actgcccctg ctgccttctg cccagtggga cccgcacaa 1320  
catccctcac cacttcccc cagcaccccc atctccgact gtgcctgctt gcaccagccg 1380  
gcaggaggcc gggctctgag gaccctggg gcccctatcg gagccctgca aattccgaga 1440  
aatgtgaaac ttggtggggt caggagggaa aggcagaagc tgggagcctc ctttcccttt 1500  
gaaaatctaa gaagctccca gtccctcagag accctgctgg taccagact a 1551

&lt;210&gt; 203

&lt;211&gt; 936

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1236935

&lt;400&gt; 203

```
gtcagtttag tgtttgtggc attcccgtg cttttatggc acttcagtca ttttttagca 60
cacttccatc catactacat gtgtcctttt ttccccttaa cttctctaata tgtgtttcctt 120
atcctttttct ttaaaacccat tgcttcatct gggagtgggtg gttcatgcct tggcctccca 180
aagtgtctggg attacaggcg tgagcaccgc gcccggccaa ctatagtgtt ttcaaaacat 240
gtgtacacat actctatgag gatgcaaatt gagatttcaa caaatatttc tcagtgaactt 300
acataaagcc gtgctttatc ttggcgctta gatgaatttt gtttggttgg ttttggtttt 360
ggttttacat atatectagg aacatagcag gtgatataga gtggtaaaga gcacacgtcc 420
actgttagta ggtattttta tgcacttggt ttctcatcta taaaataagg ataaaattag 480
tgccctacctc acaggatatt agggagatgg agagaatgct cagaacacaa cagggcctag 540
cacagaggaa gcacaatgct gaggaacgag aaactgcacc tgtaaattct gcagtcactt 600
taaattataa aacgagtatt tgatgtatga tcataacttt gctaagaagc catcagttat 660
aatggatgca tgaactgtag ccatccagtg agtagtgacc aggatggagg agctttatgg 720
agggggaaga aaggaacctc aaagctttcc gattcatttt gaatcatgag atgtctacat 780
gtaaaaattc tgccttggtg aactttgttt ataatgtttt agataatgca ttcacatggg 840
tcagatgtat gaatgtgata tattagttat ttgtttataa atatataattt tataaacata 900
tttataaata tataaatata tatttgggga acatat 936
```

&lt;210&gt; 204

&lt;211&gt; 432

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1359283

&lt;400&gt; 204

```
cgctgtcctg ctaaagcaga ggatcacagc tttaataaag accctaaata tttatcttgc 60
ctgtgggtcat gtatagctga acaatgcaca gcgaactcat ttagtttcca tgcgcttaac 120
tggtgtaact ctgcttttga gcctaattga aagcttgggg caggtggagg accggttctt 180
tagcactcac agacgattcc cacaccacac tcccatatcc ggtcttctct gccgagaatt 240
ctccctgccc aagaggtctg ggggtgcectg gacacgtgtg etcatctcct gtatttggag 300
atctggggct gggaagagaa tgtaaagcaa cctaaacagt aatttaagaa tggagaaaat 360
gggactaaat tattcagaca cgtttgagtg cctactcgct agcaggcatt ttccgctgcc 420
tataattatg ag 432
```

&lt;210&gt; 205

&lt;211&gt; 971

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1450703

&lt;400&gt; 205

```
gggagagagg ataaatagca gcgtggcttc cctggctcct ctctgcatcc ttcccgaact 60
tcccagcaat atgcatcttg cacgtctggt cggtccttgc tccctccttc tgctactggg 120
ggccctgtct ggatgggcgg ccagcgatga cccattgag aaggctattg aagggatcaa 180
ccgagggctg agcaatgcag agagagaggt gggcaaggcc ctggatggca tcaacagtgg 240
aatcacgcat gccggaaggg aagtggagaa ggttttcaac ggacttagca acatggggag 300
ccacaccggc aaggagtggg acaaaggcgt ccaggggctc aaccacggca tggacaagggt 360
tgcccatgag atcaaccatg gtattggaca agcaggaaag gaagcagaga agcttggcca 420
tgggggtcaac aacgctgctg gacaggccgg gaaggaagca gacaaagcgg tccaagggtt 480
```

```

ccacactggg gtccaccagg ctgggaagga agcagagaaa cttggccaag gggtaacca 540
tgctgctgac caggctggaa aggaagtggg gaagcttggc caaggtgccc accatgctgc 600
tgccacaggc ggggaaggagc tgcagaatgc tcataatggg gtcaaccaag ccagcaagga 660
ggccaaccag ctgctgaatg gcaaccatca aagcggatct tccagccatc aaggaggggc 720
cacaaccacg ccgttagcct ctggggcctc ggtcaacacg cctttcatca accttcccgc 780
cctgtggagg agcgtcgcca acatcatgcc ctaaactggc atccggcctt gctgggagaa 840
taatgtcgcc gttgtcacat cagctgacat gacctggagg gggtgggggt gggggacagg 900
tttctgaaat ccctgaaggg gggtgtactg ggatttgtga ataaacttga tacactaaaa 960
aaaaaaaaa a 971

```

&lt;210&gt; 206

&lt;211&gt; 1832

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1910668

&lt;400&gt; 206

```

cccagtttta tctgctcctg agactgagcc cagatcccca aatctaactc gatttacagt 60
tcaaggaagc tgatggggag ctgggcctta cccctgatgt aggaggggca cacagctggg 120
ggtgcagagc ccacctgggt acctgacccc caggggatga aaatgcaagg gtgagtctgc 180
ttgggcctga gagtttgatc tgcaggggca ggctcatctt ttctctcccc tgcttctctc 240
tccttctctc cccagagccc ccttgagccc ctctgcctat gtccctctgc ctccctccca 300
tgccccagt tgctgtggct tgattctgct accctgaccc caccatgtgc cagggtggcat 360
ctgccttact gccttccctg aggagctggg acatgctggg cagttgtcag atgtaaaggc 420
acagctggag cagagggcat gtcagtaatg attggtccct ggggaagggtc tggctggctc 480
cagcacagtg aggcatttag gtatctctcg gtgaccgttg gattcctgga agcagtagct 540
gttctgtttg gatctggtag gacagggctc agagggctag gcacggaggg aaggtcagag 600
gagaaggcag gcagggccca gtgagagggg agcatgcctt cccccaccct ggcttgtctc 660
tggtcacagg gcggttctgg gcacttgaac tcagggccga agcagaagca caggcccagt 720
cctggctgca agcacaatag cctgaatggg atttcaggtt aggcagggtg ggaggggagg 780
ctctctggct ttagttttgt tttgttttcc aaatcaagggt aacttgctcc cttctgccta 840
caggccttgg tcttggcttg tcctcaccca gtcggaactc cctaccactt tcaggagagt 900
ggtttttagc ccgtggggct gttctgttcc aagcagtgtg agaacatggc tggtagaggc 960
tctagctgtg tgcggggcct gaaggggagt ggggtctcgc ccaaagagca tctgcccatt 1020
tcccaccttc ccttctccca ccagaagctt gcctgagctg tttggacaaa aatccaaacc 1080
ccacttggct actctggcct ggcttcagct tggaaaccaa tacctaggct tacaggccat 1140
cctgagccag gggectcttg aaattctctt cctgatgggt ctttaggttt gggcacaaaa 1200
tataattgcc tctccctctc cccattttct ctcttgggag caatgggtcac agtccctggg 1260
acctgaaaag gtacctaggt ctaggccctt ctccctttc ccttctctc cctacccca 1320
gaactttggc tccctttccc ttctctctct ggtagctcca ggaggcctgt gatccagctc 1380
cctgcctagc atccatgacc tgttggatgt tacctccaat cagtttctctg tcctacctgc 1440
ctctttggct tggacctata tggccatgct ctggctctac ccttgggaag cctgatcccg 1500
gtgtgtggcc cagettgttc aggccttggg atgctgcac tccaggcaac tatgcacttt 1560
cccggggaga gaaccagtat gagaagtggg ggcagggcac acattcatct ttgtaggaag 1620
gtctggcctg gggtcgggtg aaggagggcc caggctcagtt ctggggctcc agtgacctgc 1680
tttgccattc tcctggtgcc gctgctgctc cctgtttctg gagctggatg ttccccagct 1740
ggcagttgag ctgctgagc caatgtgtct gtctttggta actgagtga ccataataaa 1800
ggggaacatt tggccctgtg aaaaaaaaaa aa 1832

```

&lt;210&gt; 207

&lt;211&gt; 567

&lt;212&gt; DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1955143

<400> 207

```
catagatcca taaatcatca tctgttgcaa aaaagcacat taattgattg gttgaatggg 60
gagattgaga tattttctttt ctcttcttct getcaggtgg gggcaacttt tgggggcaga 120
tgagttctgt tgccacaaaa gttatatagc acatttgggt tgcactgaat cagcgattct 180
caatcctggc catgcttttag aattatacaa gaaaaatctt caagtatcaa tactcagtc 240
ctatcctact gatccaattc atctatgata aagccagagc attgattttt aagttctgca 300
agtgattcta atatacagcc aaggctaaga actactgata tgttccaaac actcctattt 360
tggagataaa gaagttgagg ctgaggatga gaccttagca cataaagttc cataactagt 420
aacagaccga agttctgtcc ttacaaataa aaaaaaaaag gggcgggcgc cgacttagtg 480
gagcttcgtc ggccccggga atttatttcc cggaccggta ccttgcaggg ggttccaagc 540
ttttcactct atagtggagg ccgtatt 567
```

<210> 208

<211> 1303

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1961637

<400> 208

```
gggggacaat tccacccact cgagggetgc cccctcttcc ttagcagacg aaccagtaat 60
ggggggcaagg ctgggggcatc ccagcccaca caccctggat gccagcaag gccacagaaa 120
gagcctgatg tccatgatcc aggtggctct gagaagcttg gcctggacac ctgagcctgc 180
ggccgggtact cctgccttct ccccatctat cccaaggcc tctgcctctc agcctcttcc 240
atggtcgggt taggetgctg agttttctgt gcttccccaa gaaccagtgg gatcaatgcc 300
ggcggcctct gtgatgggtg ctgactaatc cgggatttca tgagtcagag gcaccacccc 360
tcaccccagc tgcctgctgc ttctgacgga tcttggtgct caggctgcct ggctctccga 420
gtgaggacgc agcctccata tttggtgcac tcaggcatgg ctgggacaag ccagctgccc 480
cagggttctt cccctgggtg ttctegcctg ctttctcadc tcaggggagg cagtggcacc 540
tccctctccc tgctgacatg aagagagcta tgatatgcca ctgctgcaa ctcacctct 600
gccccacct cgaaaccac agtcccagc ggagggccac tactcatccc cattgggttc 660
ccaggggagg ggtgttgtct ggaagggcag gttcagatgc agccttcag atttagaggc 720
actgggagga cagtggctga gtggaggcgc ccagacctgg gcaggcagca ggctcaggcc 780
cacacctgtg gatttttgaa accaaagccc agaagatgat gtttacttct ctctccctgg 840
ctctgccctt cttactgcaa accatgctgt gccttagggc ccttctcata gctgttcctc 900
atggccatga ctggaacagg gatgcaacct ctttctacac aagcacagtt agttgggtga 960
agtctttttt tttgtttgtt ttagacggag ttctactctt gttgcccagg ctggagtga 1020
gtggcggtgac cttggctcac tgcaacctcc aggccagcct cagcctccct agtagctggg 1080
actacagga cccactacca cgcctggcta attctttgta tttttagtag agatgggggt 1140
tgaccgtgtt agccaggatg gtctcgatct cctgacctcg tgatccaccc acctcggcct 1200
cccaaagtgc tgggattata ggtgtgagcc accgcgccgg gccggttgct ggcattctaa 1260
tgttctgtag gtggaatatt tccaataaac acaaggtcgc cac 1303
```

<210> 209

<211> 1355

<212> DNA

<213> Homo sapiens



&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1990762

&lt;400&gt; 209

```
gcagctcttt tctggaaatt tctcagggga tgtatctgaa gctccagggtc tctgagatac 60
tctggagggc ccgacctgtt ggagatgtgg ccaaccacat gggcctggag ctgggttcaa 120
accctgactt tggcactact tattagctgt gtgaccttgg gacagttaat taccactctg 180
caggtcagtt tcctcatctg tgagatggat gtaataatag ggtgtgatga gatgatccct 240
agtgagtcac tgggtgttgc gtggccacca ccattgttgt tactgggaga gttttggatt 300
tggaatcccg tgagcaggat tctattctgg ctgtgccatg tgccagctgg gcagctgtag 360
gaagtcactt cctctctgag ccttcacttc ccagtctcta aactggggct cacaaatgtc 420
gcattgcagt ttgggggtgg atcttttcta agaattggaca gaaaaaagat ggtcaactgt 480
aatgtgtggt gcacgtgag ctgtcactcc cgtgtgccct ggtctcctgc tggcctcact 540
gtggtttgac tcagacttgg actttcctgg aattctgaac tttgcctctc taagcaaagc 600
cccgccaggg ggtacactct gccttgtttt ccattggtgcc gtgtttccag ccctatccaa 660
caactggctt ctgacgggtt gctttttcac actgctgttc ctgcaaggct gtgtggcccc 720
atggttaagg gtgaggggtc tgcaaggggtc agccagatgc gagttccggt cctaggtcca 780
ccacttactg gtcagggtgac ctcaagtaag ttgcctaacc aaggcttaac ctcttaggag 840
ctcagttttt cttcctgtaa aatggggata ataatagtag ctacctcagg ggaatagggg 900
atgaaaaatg gtcttatgaa atccccctgg ccctaactgg caaaagccaa ctcagttaac 960
ggggctccat tatcactgtt gggacctggg cttgtgggag ctcaggagtc ttctcagacc 1020
tctcattgac tgtgccaggt ggaggaggtg tttgtattta ctgagagcaa ttgggccaat 1080
ggcccatagt ccttgagcac ccagctgacc caggccacag aggtctgctca tcttgggtctg 1140
gtgaccacag gaggtgtgtg ctgttgggat gaccctcccc agtgttggtta acaacagtcc 1200
caggccatgt cctgctggcc ttgagttccc ctgtcctctt gtgaatgtcc ctagagccat 1260
ggcctcaagg ttctgaagt tccaataat gtgacatgct gcccagacct cactacactc 1320
cttttttatt ttgagcctgg gtgacagagc aagac 1355
```

&lt;210&gt; 210

&lt;211&gt; 776

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1994131

&lt;400&gt; 210

```
gttcaactgcc atattcctag ggacaagtaa agttccctgt atattgtagg agctaagtgt 60
tgaatgaatg aatgggtggct gctattattg cttcaccttc accctccaag agtaatctcc 120
ccattctggg ttatagtttc tgtgtcact gcttgtgata atcgtaagta tatattgttg 180
agaacagtgc ctgttttctc tttccctgaa aacacatact ttgacgttgg ctgacatagt 240
tcactcagct gttectaacc actgatecct ctgtatcaca ggtatctcgg gggagctttg 300
tgcttggatg gatcaagttc atcatatgca gcaactcaaaa tggcagcatc cttcggacct 360
caccacgcga aactacgccc gccgacagaa acatctgcaa agatacagtc tgactcagtg 420
ggttgacagg aacatgcgaa gccaccatcg gttccagcgt ctcccagact tctcgtacag 480
ttaatttgtg tcatcccatc agcaatgaag gtccctatcc agggctcctgc ttggagcagc 540
atthcatgtt cttttgctgt tttgtgcttt gccgattttg gatttttatt ttcacaaaat 600
ttttatttaa aaaactcgtc accttttggg aatgccatt gccgacttga atttttttgt 660
atggagtccc cctgattttg tgtgtgtgtg tctgtgttta agcacgcgtt cggttggtat 720
agttttttat atgtattttt acattaaatt gaaggtagct gcctcctgga aagcag 776
```

&lt;210&gt; 211

&lt;211&gt; 817

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1997745

<400> 211

```
ggaggcgcta gaggagctgc cttcggaggc tcagggagtc cctttggagc tggttgtttc 60
cttggccctg cagcgactg ctcggggctc ccaaggaggt tgtgtgtatg gttcttaatt 120
catcaggaca aagaccccca gcatgtgtgt accctgggac ccgattttctc tgggcccaca 180
tctatctcca atacctcagc ctcagatcag accctttctt ttttgtcttt cttctcttaa 240
tttttaaattg cctcttttct tgagcattec atctctcttt ttgacctctc caggactggg 300
cttagctgtc cagagccctg ccggagggtg ctgggggctg tccctctgca ggcactgtgt 360
tttctcagg ggctgtctc agaacacccc tcctgtctcc tggggctcct caggagacca 420
tttcagctgg agtctcaggt ctcaaaaaca acttctccag gaggccaaaa aaagactggg 480
ttggcttctg gtcctcatga tggcttttat cctcctggga cactttgggt atattcatgg 540
gcattgtttc catctgtctt ttctacctgt gccaccctg ccctgattcc acggctgcct 600
caggcaggca ggcaaggagc taggccggtg cccggccctg gcagcaaggg gtctttgtgc 660
agttggagat gctgccgttg tggcagagcg tcctgcagcc ccgcttccat cagcaggctc 720
tgggggtgggg gctttgcagg ggatgctctc tgatgtttgt tccgttggtt aaataaaatg 780
cacttatttt tgtttttttt tttgcaaaaa aaaaaaa 817
```

<210> 212

<211> 484

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2009035

<400> 212

```
ttttctttta tatgtattat taaatgactg ttactctaca aacatatggt tgttattttt 60
acttttttga taccattata gtgtaggcatt ttcccagggt tttttggtaa caccattttc 120
ttaatgatat gatgttgcag ccagtggatt tattacagtc ttacttatta ttgctctact 180
gttggctcct tagtttgctt ttactcttc tatgtaatgc tgtaagaaat gactttttcc 240
ataaactatt ttccatatat tggatgtata atttaacaca ttctaaacat taatgttaaa 300
acagacataa agcataaaaa ccgagatata tatttgatca tataaaaatt taagctgggc 360
acagtggctc ataccctgta tcccagcact ttgggaggcc aaggtggggg tagactgggt 420
gagctcaggg gttcaagacc agcctgggaa catggtgaaa cccaactcta ccaaaaaaaaa 480
aaaa 484
```

<210> 213

<211> 509

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2009152

<400> 213

```
cccagtttat taccattaga ccataccttt ttgtccaatc atttaaaaca aatttttata 60
taataagttt tatttgtatg taataaattt tattatataa aaataagttt taatatatat 120
```



tatataaaaa gttttaataa atacctaata tattatttaa tatgataaaa cttatattaa 180  
atgaaatddd atgctgttct cttgtcaatc tgtcttttgt tatcttgctg gtgtgcctgt 240  
catgtgaggg actgcaatct gatatgccta ttttccacag tcaaagcaat tacaagagaa 300  
ttgttacaat taccagtta tgtcaagaga ttttttttta attcactaag gtagagataa 360  
ggagaatgta ttaaaatagg atatttttaata tataaatgca tgactgggga ggggggtattg 420  
tttttgaata aaatatgagg ttatttgcca tgacaaaaaa aaaaagaagt aggaaaatcc 480  
catggaaatt tatgttcctt ctaactttt 509

&lt;210&gt; 214

&lt;211&gt; 1130

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2061752

&lt;400&gt; 214

ggatttatca cattctgect tgaatcatag ggaacagcat gtgtagtgga atgaacacag 60  
gcctctgaat ccaagatatg agtttaaate ccagctttgg aggtgggttac ttaaagtctc 120  
agtgccttca ttcttcttcc tatataaagt agatattaca atatctaact tacagagtca 180  
ttgggagcta tacatgcagc gattgggttaa agcacctggc acatggcaag cgattagcaa 240  
atgctggtta cttctacttc tttctcttcc cttttcccag tctatcataa tttccttgag 300  
agcaggcacc atgtcttatt tacccttgta tttcccacag tacttcccat agtgagttac 360  
ccttagtaaa tactcagtaa gttgaattga atttaaatta cctgtaagtc ttaaaatgtg 420  
ggattaaatt aagaatatat tgtcctggaa atacccaaat gtctattgat ggatgaatgg 480  
ataaacaaaa tgtggtatac acataatgga atattattca gccttaaaaa ggaatgaaat 540  
tctgacatgt gctacaatat gatgaacctg gaagacatta tatgtgaaat aagccagaca 600  
gaaaaggaca aatactatat gattccactt atatgaagta cctagagtag tgtaattcat 660  
agaaacagaa agtacagggt gacatccaaa atctgaaatg agaaatgctc caaaaactga 720  
aactttttca atgccgacac gatgctcaaa gaaaatgcta attggagcat ttcagatttt 780  
ggatttttgg atttgggatg ctcaactggc ataatgtgaa tattccaaac tctgaaaaaa 840  
tctgaagtct aaaacacttc tggctcgaag gattttggat aaaggatact caatgtgcaa 900  
catgtagaat ggtggttgca aggtgggagg agagaatgga gagttactgt ttaatgatac 960  
aatgtttccg tttgggaaga tggaaagtgt tggagatgtg tgatggttat gggtgcgcaa 1020  
caatgggaag gtacttagta ctgcttaact gtgcacactt aaaaatggta aaaatgataa 1080  
attttgtgta tgtcttaaaa caataaaaga agttttttta aaaaaaaaaa 1130

&lt;210&gt; 215

&lt;211&gt; 1273

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2061933

&lt;400&gt; 215

atttctccc ttcagcaagc actcattaag gagtgaggct gagtatttta agatagagtg 60  
agatctgtga gtgattgaaa ggtgatattt aaaaacttgg atttcattcc agtgtcaggt 120  
ttgggtttta agttcctttg gtccaggga gggccaagc agccacagtt gccctaaate 180  
tccatcatta agtcttccag caaggttaag tgcagtatgg aaggagaagg gggaagagga 240  
cggtaacggc cccacactcc aggctgagaa agagtaatta ggaggcctga ggaggggccc 300  
aggaaaggct gttgggggtg gctgggggtg gtacccgagc gccttcccct cacctcaacc 360  
agagaagagc atccggttgc ttttttaaagc ttttagcctg ccctagcaag gacaaagcat 420

gtagattag agatgcttct gctgacgca ggggttctta ttgaaaaca tctatgatgg 480  
gggtggggtg ggaggagaca gggtgtggtt atgcaggaaa atcttgcct aaaaatatat 540  
gagtttgggg gtaaggggtg ggatagccaa gcaaaatcag taattatttt aaaatgaaca 600  
tatgtatttt tattaacttt tagttaaata cagattttac aacgaggtca gcataagcct 660  
aaatctatat agagggctaa ctccagcatt gtcttggtta ttgttagact ggattaaaaa 720  
caacctgtcc tgttttgtca gtccccagct tcttcgttta gaataaatta gacaaaaaga 780  
agaaacgtgc ttgtctctgt ataccgcag aatgaagtta ctgttggtta aactggattt 840  
tttcatttta ctagggtccg aagagtcag atgcttggtta gatgttcaat acgtgatttt 900  
ttttttaatt gaatgtgttc atttaaaatc ctccctaaca ttcttagaaa gacttcttct 960  
aataaataat ggaatcttag aggaaaagtg gttttttaaa agctaggga ctcctccact 1020  
aaaagtaacc attggaaacc tcgaatgagg gctaaagttt taatcataag agaaaaggca 1080  
gcataatgaa atgtgtacac atacatagtc agtgggtccat tttaggaagc cagtggcgct 1140  
tgataaagaa atgttaagag tagtgaggtt gaggaaggaa attgtgggga ttgaaatat 1200  
tctctttatg ttgtttctct tctgagtcat ggtaaaacaa taaattatca tctctaggtg 1260  
gaaaaaaaaa aaa 1273

&lt;210&gt; 216

&lt;211&gt; 1279

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2081422

&lt;400&gt; 216

ctttaacaga aggatggggg atagtcagat agtcggagga agtgggtgat ttgaacaagt 60  
tcagagcagg gaggaaggct gtgttgggga cttccagctt gctctcctca tgcataagc 120  
cactcattcc ctttctctct ccccccaccc ttcttccct cactttcttc ctttccctac 180  
ttctccttcc cctctgtgc agagctcttg gcaccagtc aagctgctcc cccctcaggg 240  
ccctctcagt gactgatgcc catgggtccc tctcctaca cccaaagacc ctggcttgcc 300  
catgtctctg atgagaattc aaaggagct gtgtttatat aacgtagagg gatttacctg 360  
tggtcttctc ttactcact tctcaaaac tgtacattta tggcatagga tgtcagtcct 420  
aaaagtttta ttatcaaaac agtaggtggc aagtaattat taccataaat ccagcagggt 480  
ctagagaagc caagtggag gagaaagcag gatagagtc accatgacca ttgattgttg 540  
ggcacattct ttctaagaaa cagattaatt ccattgtatc tgttctctgt taccataac 600  
cagcttatga ttagagtctt gagctcacia cttgggtctc taagaggtag tcagtgggtc 660  
gcgttcagc ttgaccacag cgtttgggtc ttctttaag tgtgtgttg taatgcttg 720  
attataaaag ccttaacacg gcccatttg atcagttccc tgccaactct tgtatcctc 780  
tttactaag ctttggtaca ctactagac tgttaacaac ggagaaaaac ctgtgggtac 840  
tgaatatgcc atatacaact tgctatttat tctgttccct gtttagaagg ccatggctac 900  
ccttaactat ctgaactctt cctgtcctgt aagactgagc tcaactggca taccctatag 960  
gctgcttctc ctaagcctcc ccatcttct tctcctcc ttctacttct ctcctacctc 1020  
cttttccctc tctccctac tcacctgctt tcttttgcc cctccacat cctcttcccc 1080  
cttcttgta tttttccatg tcaagaaatt tccagatata taggaatatg atggagaatg 1140  
ctgacaggca gttctttgag tagtcaaat aagatgtaat ggttgaattg tataatggca 1200  
atcacataaa ctacatatat aaagcttcta gcttagtaaa ctctaaatgt gtttttttaa 1260  
actaaagaat gaggggggg 1279

&lt;210&gt; 217

&lt;211&gt; 899

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2101278

&lt;400&gt; 217

```

tggtttggga atgcttcgaa ttttattttt tctactccca attaatcagg agttgatgat 60
cccatgagca ggaccgcctc catgattggg gagcatgcac ttgtgactgc agggtaagag 120
tgggaagata ggtttgtgga gtggcaccga caggactgtg attgtgtgtg ggctgcccc 180
acatttctct gggggatgct tatgtgagag tgggccagc gaaagagtta ccaagccacc 240
cacaccctta acactgttct ggatgagaga tgagagcaga ccggcttctc cccatcagtg 300
cattgtgcct gttgtacacc cctggaggag ccctggagcc agcccagggtg gggtaacaaa 360
tctttttaaa ttccatatgg ttgccagctt atttctttca cttgtttact gtaatatctg 420
gcgtgttttt atttatctaa ttttgtatct agttataacc atggtagggg tagtgaatat 480
atgacagggtg taatccctgg tgctgcagtg gaccttcttt tcttttggac aagataatac 540
tgtgagtttc cctccttctt tccctctaat ttgttttctt tttttcccca gcctcttgca 600
tccccctctt ttctaccctg tctacaact atcatatgca cagtcttctc tctttgtgtg 660
tgactgttac aaaatttcac ttttcaaaat cgaaatcagg tgtttgtctc aatgagggga 720
gatttttttt tttttttttt ttttaaattg tgagacttca gcagagtact ttccttttgg 780
tggtttcccc caaaaaccca tcagtctggg agagcattgg gaggggaaat catgttgcc 840
gggatgctgg tttctttgaa aattatataa aacgtatgta aaagggtccc ccatttggg 899

```

&lt;210&gt; 218

&lt;211&gt; 645

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2121353

&lt;400&gt; 218

```

caaagtgtct ggattacagg tatgagccac cgcaccgggc ctgttctatt tttctagtta 60
agggaaactga agctcagaga ggtgtcacca gcagggtgtc attcccatgc cagccttgcc 120
ccccggcttt tcccaggcag gctcctgcgt gcccaactggc tccagcctgg tctctgtct 180
cttggtgtgt tcaactcctg tctttgtccc gactctggcc ctgcttacag gggccactac 240
ctgctggtgc ctccataaca agcgtctggc gttgagaccc ctggcatggc aggggctttg 300
gggtctggtt tccacaaggc ttageccatg cagaacctcg ttttatttta actctttgcc 360
cctacaaaca aacagcagta cttgccagaa ccattcttgg gattcaggag ctcgggcgac 420
tgccttggcc tctggccgca cccaggaggg tgggggttga tctgtgtagt tgccaggccc 480
acaectgcca gcagggggct gactggatcc atgctttact gtgtttaatg ggggtaacag 540
gggtccctac agccctccca gctaaacatt tggaaacaaa caccagccct tttgtagtgg 600
atgcagaata aaattgttaa tccaatcacc tccaaaaaaa aaaaa 645

```

&lt;210&gt; 219

&lt;211&gt; 703

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2241736

&lt;400&gt; 219

```

ccacgcgtcc gctgtaaacc agaaaaatgt tggttatcta gaaaacttga gagagcatgt 60
agattaactt ttctctttgg agttctaaaa cattaactgg aaagattaga taatatacta 120
aatgtataca gaagtataca gactatacaa agactgaaac aagtcctttt tgcactacaa 180

```

ctctataaca ttaccgcaga aattttggtt ctatgtagca tggacctcct aaggaattct 240  
gtttctttta gcattgagat ccctggtgct ctttttttac ctcagaattg gtacaatcat 300  
tattaaacgt taatttattt caaacttttt aattgaaaaa aggaaaggga aacttaattg 360  
gggataaatt caggcatcat attattatga tagagtctcc tgagtgggtc gtctataggt 420  
aatgaactca ttggtgttat ttcttggaca tcttggcctt ttaatcaaag actgtgtgct 480  
gctatttgct atgagcaagg tttctcaaaa gcaaaagggtg cttggaccat ttggatcacc 540  
tgagttagaa tctctaggta tagggcccag gtatctgcat tttcacaggc ttcttgtagg 600  
tgactttctg caagctaaag tatgagaacc attggcttgg atgtagttct aaacttttag 660  
gtctgtaaatt cttgaaatct tgaactgaag gtcaactatt ggc 703

&lt;210&gt; 220

&lt;211&gt; 536

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2271935

&lt;400&gt; 220

ctttcatcat aattaaagtg ctgtcagggg aaatggcatg gctgagtttt gctgctgttg 60  
aaatgaccct cctcctccac tcctcttcgc ttctctcatt tgctaaagtg gtcctttctc 120  
tgctgaaat caggcccttt ggtgatggaa attttagctt aaagcagagt tctaagcaga 180  
atcctaaccg tgcgagggtg gggagaaaaa caatgttttg agctgggtgc tgtttgcagc 240  
gaggtgctgg tgaggccatt ttcacagga ggaacgggtg tgggtggctac ttctgggctt 300  
tagatccacg caaggtctcc taaatacaag tcaactgcat ggtacacaat ttagcaaaac 360  
ttggaggctg attttccccg ttgacttagc tagggtcagg aggaagctgt ttagaagtac 420  
agaggttctg catctgggag ggtaaaatcc aaacgcctct catgctcaga gggaaagcat 480  
gcctgcatgt ttactatcac tgctggccta cgtgcttgtg tgctgaattt agatgg 536

&lt;210&gt; 221

&lt;211&gt; 790

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2295344

&lt;400&gt; 221

tccgtccccg gccggtagat tttcttctct ttctaaggct aatgggtggta gttttgtttt 60  
ttgacgtttt cttataatga gtttttcttt ataattttta atttatgctg taatgtttct 120  
tatttacaat gttatctctt aaatctttga gtacattaca ttttctcccc tgataatctc 180  
ttctaaatta cttctcttag ttggttttct tccttctctt aatgttagcc attcttcagg 240  
tgaagggttaa tcctcaatgt actcttcatg ttttaagggga ggggtctaaaa cttgtgggt 300  
aggacttacc aacggagtgt cattgcatga tgatcttatt gagcttattg gtagccctta 360  
tctcagtatc tttagttttt cttgggctgg tcagattttc aagagaagac ttttcatttc 420  
ctttgtggag ggaaaaggcc ttttaccagc actcttcaag ctcaagtaggg gaaagacttc 480  
aagcactcag gaagcatgca ttcactttat ttggaacaat acccttactt gtaactgtgc 540  
ctcaggtgcc atagtccaca gagacttctt ttacctgtcc agagaataaa attagtgtgc 600  
tggtggggta acaaaaagtg tggagctgaa gagggtagct ataaatgaag ttgttttctg 660  
gccgggcgca gtggctcacg cctgtaatcc cagcacttcg ggaggccaag gtggagggat 720  
cacttgagtc caggagtttg agaccagcct gggcaacata ctgagactcc gtctctccaa 780  
aaaaaaaaa 790

<210> 222  
<211> 1045  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2303994

<400> 222  
gggaagttga ggetgcagtg aactatgatt ttaccactgc actccagctt gggcaacaag 60  
atgagaccct gtctcaaaaa aaaaaaaaaag ttttctagaa taagcaggat gattgtttta 120  
tttgaagatg gaacaggaaa ctagagtgc tttaaaatac tctgtcttca ttttaacatg 180  
ttgaatggaa taactgcata tcaccatgag tttgttttgc ttttcataca gacttgatg 240  
tgtcatttga gtgggtttcca gattggagcg aggttattct gatctaaatg aacagcattt 300  
ttttccttag cctctgtttg ccactctggg tatctctect atgggcaaag ccattagaaa 360  
tgcataaaac ctgcagacat ggtttttggc aaaaactcca tgactttaaa ctagctcttt 420  
tactactgac ctttcacaga gaaaaaatat ttcccttgaa aaaaactggg cttgtcattt 480  
tttcccttgt agctttaagc agagacataa gtgccttgca ttacacatag taaactttct 540  
ttaaaaaaaa aaaaaaagat tttggagact accagggtaa gattccaact tgtccaaaag 600  
ctttctggcc ttacatatat tattataaaa atttctcaagt ctggtaattct tctatgtcag 660  
agctagtgat ttcaaaaggt ttcacaattc cccaagacaa aagtgatttt cgttcattat 720  
aataagggtta agtgatatgt gattcataac aattttgatg tgaagaaggg aaggacatca 780  
ttgacttaat aatagtatca gtcggtgcaa cagttggcaa catgtgcctt cacactttac 840  
cataaagaga cgggtttgag gggttgccct cttaaagtctg caacttcaag aaaaaaatc 900  
gacaccgtgg attgaccttc ccgggtccac taatataaag ccaataaagc ttaaaaacac 960  
ctttggtaac ccatgtaatt taactccggg ccagtgggccc tataattcca attaaaaatg 1020  
gttcaatctc ttggaaaaaa aaaaa 1045

<210> 223  
<211> 553  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2497805

<400> 223  
ctggcagatc cggacgggca ggactgggtg tgtcccatga gagcacctcc ttcctggcct 60  
ttcctgtgga ctttgtccca caccacctgc ctgggttccct tccttttagtc acttccagct 120  
ccaggcacag cagttggtga ctcccttggtg ggagccgtgt cccaccgggt cctgatactg 180  
ccgtcttctc tttcacagtc ctccaggctt gggccagcct tgggggcagc agagcttctg 240  
gggtgagtgat cgagatcctg tgcctgaga gcggtagtca gggagagggc tggtcggggc 300  
agggctgccc gggcaggaca caggatgcgg ccggccaggc tggggccaag gtgttcagac 360  
ctggactttg ggctcgtgct ttcttcatgg ttgcgccttg ctgcgtgtcc cttggagtct 420  
tcatttggtt ttgctttttt tgtttggttg ttttcacctt atttttgcca gacttaagct 480  
agttttgctg ccttttgaaa ctagtggaag aatcatttta ttcctgggga taatttgggg 540  
gcttttgaat cca 553

<210> 224  
<211> 706  
<212> DNA  
<213> Homo sapiens



&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2646362

&lt;400&gt; 224

```
ccgacccccca acctcaagtt gccgccggaa gagcggctca tctgaacgct ggggcctgct 60
gcagccacca acactgcccga ggactgcggg ttgctggctt gtacaccgca gctgccaccg 120
agacaccagc ctctgatggc tcaggaggac ttgtggggag aggctggggg caccatgtg 180
gtgggctctg tgcagcatgt tgctctgct tggctgtgcc tgcagctcag ggtgctgggg 240
ctcgggaccc acccccctgc ttgcggaacc aacttttctc tgtgtgtcca gcaggcccca 300
caacccctc tcctttcttt cagttctccc atgcagccga ggcccgggccc cctcaggact 360
ccaaggagac ggtgcagggc tgctgcccga tctagggtccc ctctcctgca tctgtctccc 420
ttcattgctg tgtgacctg gggaaaggca gtgccctctc tgggcagtca gatccacca 480
gtgcttaata gcagggaaga aggtacttca aagactctgc ccctgaggtc aagagaggat 540
ggggctattc acttttatat atttatataa aattagtagt gagatgtaac aaaagcttta 600
ttggtgtgtg tgagctgggt ggtgccacat atttggggat ttgaagaagg aggtgagatg 660
tctggatggg gactgggatg ggtagaggat tcagtgtatc tccgag 706
```

&lt;210&gt; 225

&lt;211&gt; 509

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 492

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2657146

&lt;400&gt; 225

```
aaatttttagt gtattacatt tgcctttact gtttatgtgc agcataaagt tgctttttgtt 60
acaattcatg ttgttttgta atggttgatc aaagcaaaga aagacatgtg ttactacgca 120
tgatctgtca atgtttaagg ctgttggtgg ttcttgtagc ttgctaata tgtttttctc 180
ctgacagggt aacctgccct ctttaactcag cagtgggtct agcgtcctat gccgtacaat 240
gtaagtcaca aaggagcat ttcacggatg gacagggtgt tctgatcagt gtgtggagaa 300
agtactggg tcctcctgct tgaccaagtc cctcttcccc aggaatcctg ctgggcagca 360
tatctctggc tgtccagata tgtgtttcta ctcagactgg cactctcctg tagcatgggg 420
atgtaggatt aaggaagggt gttaaagggg aaagaatgaa tgaactgtgg tgtgaaattt 480
cttccaagga gnccatccga cagcagaca 509
```

&lt;210&gt; 226

&lt;211&gt; 2153

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2755786

&lt;400&gt; 226

```
gaaggcgggtg gctgaggcgg ttccggagggt tctagtgtcg gagttgggtg caggcagggtg 60
ccatgggccc gcttgaggca cactgagggg acgcggggct gggccatggc cggcgctcgg 120
```

gccgccgccc ccgctgcctc ggccgggggtcc tcggcctctt caggcaacca gccgcctcag 180  
gagctggggc ttggggagct gctggaggag ttctcccga ctcagtaccg ggccaaggat 240  
ggcagcggga ccggcggctc taagggtgag cgcattgaga agagatgtct ggagctgttt 300  
ggccgagact actgtttcag cgtgattcca aacacgaatg gggatatctg tggccactat 360  
ccccggcaca tcgtgttcct ggagtatgag agttctgaga aggagaaaga cacgtttgag 420  
agtaccgtac aggtgagcaa gttgcaagac ctcattccacc gcagcaagat ggcccgggtgc 480  
agaggacggg ttgtctgccc agtaatcctg ttcaaggga agcacatttg caggtcggcc 540  
acactggctg gatggggaga gctgtatgga cgtcaggct acaactattt tttctcaggg 600  
gggtgcagatg atgcctgggc agatgtggag gacgtcacgg aggaggactg tgcctctcga 660  
agtggtgaca cgcacttttt tgataaggct agaggctatg acatcaagct gcttcgatac 720  
ctgtcagtc aatacatctg tgacctgatg gtggagaaca agaagggtgaa gtttggcatg 780  
aatgtaacct cctctgagaa ggtggacaaa gcccagcgt atgcccactt cactctctc 840  
tccatcccgt atccaggctg tgaatttttc aaggaatata aagatcggga ttacatggca 900  
gaagggtc aatttaactg gaagcaggac tacgttgatg cccattgag catccccgac 960  
ttcctgactc actctctgaa cattgactgg agccagtatc agtgttggga tctggtgcaa 1020  
caaacacaaa actacctgaa gctgctgctt tccttagtta acagtgatga tgacagcggg 1080  
ctgctggtac actgtatctc aggtgggat cggaccccc tcttcatctc cctcctgcgc 1140  
cttcccttgt gggctgatgg gctcatccac acgtccctga agcccactga gatcctctac 1200  
ctcactgtgg cctatgactg gtctctcttc gggcacatgt tggtagatcg gctcagcaaa 1260  
ggggaggaga ttttctctt ctgcttcaat ttttgaagc atattacctc cgaggagtgc 1320  
tctgctctga agaccagag gaggaagagt ttgccagccc gggatggagg cttcacctcg 1380  
gaagacatct gcatgctgag acgaaaggac cgtggcagca ccaccagcct tggcagcgac 1440  
ttctccctgg tcatggagag ttccccagga gccactggga gcttcaccta tgaggccgtg 1500  
gagctggtec cagcaggagc gccaaactcag gcagcttgge ttgcagccct gagtgatcga 1560  
gagactcggc tgcaggaggg gcgctcagcc ttcttggctg cgtacagcag cacagtgggg 1620  
cttcgggcag tagccccag tccttccggt gccatcgggg gectgctgga gcaatttgcc 1680  
cgtggtgttg gactccggag catcagcagc aatgccttgt gaagaagcca gcccatgaca 1740  
tttctctgt cctctctcag ctgagccctt agcagagaat caaagccatg cctggccgaa 1800  
ggggtacttc caggtcaggg gaaatttcag tccccatct ccatcatgaa catggcagcc 1860  
ccaaagctga gcaaggccaa agacagggtt ttccaacccc cagcctcttg actggtgacc 1920  
accacccctt cttgtcactg tctcccaccc accccatctt tgcgtgggatt cccatcaact 1980  
ctcagaactg tgtgggggtt cctgggggcc ttgtggaagc catgacttca caaagaccct 2040  
acctgtcagt tcttgtttct ggggaggagg gatcacctgc actgagaatg aggcagtttg 2100  
acacagatca caaaataaaa tcaaagtctt tttgaatagc caaaaaaaa aaa 2153

&lt;210&gt; 227

&lt;211&gt; 791

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2831245

&lt;400&gt; 227

ttaactgagg actaagttga tctatgcagg gtctgagtc aaaccctggt gtcaagggtg 60  
taagtgc aaa ttattattat tattttttaa agaaaacact cttgttaciaa tttggacaga 120  
gagaatggta tggagatgaa aggttctcgt gtatggcttt tgcctctatt tatgtggaaa 180  
gcacgcccta cattctttca aagctgtgtt gtcccttta ttctcagtc ccagaattgt 240  
gtgcaaacac actctcttgg cccaggggtt tggtgggtg tgttctctc tgggaagtctt 300  
cactagcact cttgagttag ctggcaggag atcccttaaa accatttcca agcagttttt 360  
ctcacttccc tataggggct aatcctgtac ttccacttc agttccagct gctgttgctt 420  
gggaagaaac aaatttctgc tgtgttctca atctccagac ggtccatgaa aatttaattgt 480  
ataagaacaa agaggctggg cgcagtggct aacgcctgta atacctgcac tttgggaggc 540  
tgagggtggg ggatcacctg aggtcagaag ttcgagaaca gcctagccaa catggcgaaa 600  
ccctgtctct actaaaaata ccaaatttgc tgaacgtgat ggtgggggct gtttaacccca 660



gtacttggga ggctgaggca ggaaatcgct gaactcggga agcaaagggt gcattaaggg 720  
tacgagctcg aattcggtat catgttaaaa ccgtttccgg gttaaattgg tatccgcca 780  
caattcccac a 791

<210> 228

<211> 870

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 3116250

<400> 228

cctgttctcg ccctcaaagt ggaacgctgg cctgggacta aagcatagac caccaggctg 60  
agtatcctga cctgagtcac cccagggat caggagctc cagcaggga ccttccatta 120  
tattcttcaa gcaacttaca gctgcaccga cagttgcat gaaagttcta atctcttccc 180  
tcctcctgtt gctgccacta atgctgatgt ccatggctc tagcagcctg aatccagggg 240  
tcgccagagg ccacaggga cagggccagg cttctaggag atggctccag gaaggcggcc 300  
aagaatgtga gtgcaaagat tggttcctga gagccccgag aagaaaattc atgacagtgt 360  
ctgggctgcc aaagaagcag tgccctgtg atcatttcaa gggcaatgtg aagaaaacaa 420  
gacaccaaag gcaccacaga aagccaaaca agcattccag agcctgccag caatttctca 480  
aacaatgtca gctaagaagc tttgctctgc cttttagtaga gctctgagcg cccactcttc 540  
caattaaaca ttctcagcca agaagacagt gagcacacct accagacact cttcttctcc 600  
cacctcactc tcccactgta cccacccta aatcattcca gtgctctcaa aaagcatgtt 660  
tttcaagatc attttgtttg ttgctctctc tagtgtcttc ttctctctgc agtcttagcc 720  
tgtgccctcc ccttaccag gcttaggctt aattacctga aagattccag gaaactgtag 780  
cttcctagct agtgtcattt aaccttaaat gcaatcagga aagtagcaaa cagaagtcaa 840  
taaataatttt taaatgtcac aaaaaaaaaa 870

<210> 229

<211> 764

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 3129630

<400> 229

gcacctgaga ccaccgtgag cagtcatggc gtactccaca gtgcagagag tcgctctggc 60  
ttctgggctt gtctggctc tgctgctgct gctgcccaag gccttctgt cccgcgaggaa 120  
gcggcaggag ccgcccga cactgaagg aaaattgggc cgatttccac ctatgatgca 180  
tcacaccag gcacctcag atggccagac tcctggggct cgtttccaga ggtctcacct 240  
tgccgaggca tttgcaaagg ccaaaggatc aggtggagggt gctggaggag gaggtagtgg 300  
aagaggctct atggggcaga ttattccaat ctacggtttt gggatttttt tatatatact 360  
gtacattcta tttaaggtaa gtagaatcat cctaatacata ttacatcaat gaaaatctaa 420  
tatggcgata aaaatcattg tctacattaa aacttcttat agttcataaa attatttcaa 480  
atccatcatc tctttaaatc ctgctcctc ttcatgagggt acttaggata gccatgattt 540  
cagtttcaca taagaatgtt tactcaatgt ttaagtgtgt tgcccaaaa ttcccaacta 600  
acaaggcaga actaggggac ttgaccttg gacctttttg ggtcctaacc tccaggtaag 660  
tataaacaat ttcaattggc ctttccccct gccaaagaaa aaaaaataa aggggcgggg 720  
gggttccccg acccccggaa tttccggaaa cccttggtaa aacc 764

<210> 230  
<211> 540  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 007632

<400> 230  
atcttgtggc gatcatgtat aagctggcct cctgctgttt gcttttcata ggattcttaa 60  
atcctctctt atctcttcct ctcttgact ccagggaat atcctttcaa ctctcagcac 120  
ctcatgaaga cgcgcgctta actccggagg agctagaaag agcttccctt ctacagatac 180  
tgccagagat gctgggtgca gaaagagggg atattctcag gaaagcagac tcaagtacca 240  
acatttttaa cccaagagga aatttgagaa agtttcagga tttctctgga caagatccta 300  
acattttact gagtcctctt ttggccagaa tctggaaacc atacaagaaa cgtgagactc 360  
ctgattgctt ctggaaatac tgtgtctgaa gtgaaataag catctgttag tcagctcaga 420  
aacacccatc ttagaatatg aaaaataaca caatgcttga tttgaaaaca gtgtggagaa 480  
aaactaggca aactacaccc tgttcattgt tacctggaaa ataatcctc tatgttttgc 540

<210> 231  
<211> 857  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1236968

<400> 231  
cacatttgaa cgcgcagtgga ctctcttcta cctaaacttt cgaacttttt ttagacacag 60  
gaagtagcaa gaaggagat gccaaagtac aatcaccagg aagatgcctc tctctagtga 120  
cctgggtagt ttgcacgggt ttgctggaaa ccacagtccc cccatctctg ccagaacccc 180  
ccatgtggcc actgtcctca gacagctcct ggagcttgtg gataagcact ggaatggctc 240  
cggctccctc ctctcaaca agaagtttct cggaaagttt gaagcaaaaa ctggtcagag 300  
tgctggagga aaacctcatt ttgtcagaaa aaattcaaca gttggaggaa ggtgctgcca 360  
tctcaattgt gagtgggcaa cagtcacata cttatgatga tcttctgcac aaaaaccaac 420  
agctgaccat gcaggtggct tgctgaacc aggagcttgc ccagctgaaa aagctggaga 480  
agacagttgc cattctccat gaaagtcaga gatccctggt ggtaactaat gagtatctgc 540  
tgcagcagct gaataaggag ccaaaagggt attccgggaa agcgtcctg cctcctgaga 600  
agggtcacaa tctggggaga tcatcgccct ttgggaaaag caggttgtct tctcctcac 660  
cagtggcaca tgagactggt cagtatctaa tacagagcgt cttggatgct gcccagagc 720  
ctggcttata gagctagcat ggaactcaca ccacagcttc cctgggtccac agaggctctc 780  
accgccattg ccaccagtat ggtggtatgt actcaciaag attaagaaag aaatgtattc 840  
tgattaaaaa aaaaaaa 857

<210> 232  
<211> 1010  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1334153

&lt;400&gt; 232

```

gggaaccacc ttctgtagga cagtcaccag gccagatcca gaaggcttga ggccctgtgg 60
tccccatcct tgggagaagt cagctccagc accatgaagg gcatcctcgt tgctgggtatc 120
actgcagtgc ttgttgagc tgtagaatct ctgagctgcg tgccgtgtaa ttcattgggaa 180
aaatcctgtg tcaacagcat tgcctctgaa tgtccctcac atgccaacac cagctgtatc 240
agctcctcag ccagctcctc tctagagaca ccagtcagat tataccagaa tatgttctgc 300
tcagcggaga actgcagtga ggagacacac attacagcct tcaactgtcca cgtgtctgct 360
gaagaacact ttcattttgt aagccagtgc tgccaaggaa aggaatgcag caacaccagc 420
gatgccctgg accctcccct gaagaacgtg tccagcaacg cagagtgcct tgcttggtat 480
gaatctaatt gaacttctg tctggggaag ccctggaaat gctatgaaga agaacagtgt 540
gtctttctag ttgcagaact taagaatgac attgagtcta agagtctcgt gctgaaaggc 600
tgttccaacg tcagtaacgc cacctgtcag ttcctgtctg gtgaaaacaa gactcttgga 660
ggagtcattc ttcgaaagt ttgagtgtga aatgtaaaca gcttaacccc cagctctgca 720
ccaaccactt cccacaacgt gggctccaaa gcttccctct acctcttggc ccttgccagc 780
ctccttcttc ggggactgct gccctgaggt cctggggctg cactttgccc agcaccat 840
ttctgttct ctgaggtcca gagcaccctc tgcggtgctg acacctctt tccctgctct 900
gccccgttta actgccaggt aagtgggagt cacaggtctc caggcaatgc cgacagctgc 960
cttgttcttc attattaaag cactggttca ttcactgccc aaaaaaaaaa 1010

```

&lt;210&gt; 233

&lt;211&gt; 1981

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1396975

&lt;400&gt; 233

```

cagcactttg ggaggctggt ctggaactcc tgatctcagg tgattcacc gcctcagcct 60
tccaaagtgc tgggattata ggtgtgagcc accgcgccc gcttgatct gttttcttag 120
cacgcagtga ggaatctttg tacttaaggc cagggcaaca aagtcaagag gtcaagggtgt 180
agggccatga ggccctggacc tatgctgcag gcaagggttt ccatccccgc tgccctaggc 240
actctcttcc caaggccagg ttgggcacct ggggaggtca gttcagaaat atctagcaga 300
gacctcttaa acccccatcc cagcacccca tctgttgtt cccagagctg gtctcccatg 360
agtgtgctag agccagatag cctggtgccc ccacctct cactcacaca cacaggcatc 420
catacaccac agaagacttc ccaaagtagg ccagactcag ggtcacgggg aatgtgcttc 480
tgccctgta agggctttgg ggaagggggc aacatagtag aggctggaaa gagcccccaa 540
acctgtgccc atgcccctcc agccctgctg ttccattctg ccttctcaga gtgcccctgc 600
tgacccaga ccaccggcca ggagagacct tctctccac tccagccct ctcactgccc 660
ttcaactaga gctttcacct ttttacattt ccttctgaa ggacacaaat ctgcttttct 720
gccatacac tggcccaagg gctcacctaa cttgggaggg aaggggctgt tgggtacaagg 780
atgattttct gttagactgc cattttgcac ggtctcccc tcccatctg atgtgtcctg 840
cccctcagct ctttgctta tctgtgtcac tgtcacttta gcaaaaatac agcggccatt 900
tgtatcagcc tctggtggtt gcttgtgagg tgggactctt gcgggaacag gtggactttg 960
ggaggagtgg gcagggaggg agtggtagtg gcagttctcg agctatctga ttaagccatt 1020
ccgttagttc agttgtgccc tggagggcag gggacagggt cagtatctct ggggctgcag 1080
gccctcttgc cttggccctc ctggcatggg gtaaccacca gctcagctct cctcctccag 1140
ctttcctctc tctagcacac cccagccagg gcaaggatgc ccacgggcat agctacagca 1200
accctgcgg gatttggtgt ccacaccga gaggccaggc cagatgggaa agggattagc 1260
gcctcttccc tcacactctg ccaggtgccc gggagcttgg gccaggtcta aggtaatgag 1320
gtgtcctct tctgtctgga aaaaccggac agactcagaa ccacaaaggc aggtgctgcc 1380
agcctggcgc cttctctct gcttaggctg ggtgagcttg tccaggcctg tgccctaccc 1440
cttctctct ctaggctcag tgtatgctta atcaggcatg gtgcatcaga gggggaagga 1500
gccatcaaca gtgtatact ctggagcctt ctactgataa acagaggccc cagaagacga 1560
tttgacttac ctgagctccc agctgggact taaaccagg tgtgtctgag tcacaactct 1620

```

tcgggggatgc cgtggtgagc tggggctgag ctctgtatt cccactcccc caccaccacc 1680  
ccactcctgc catatcaggg ctggtctctg tggactcagc ccagggetgc ctctcttttg 1740  
tcaccccaaaa gtggggcagc caggacagc cagggtgtgt tcagaatggg ttcttcctgc 1800  
agggcaggaa gggcagattg ttaaaggggc tgccggccag accaccctgg tccctcctcc 1860  
ggcagtgact cagaccacac ctgtgccgtg cagctgtgtg ccctgcacac ccgcttgacg 1920  
gcgcactgct cacttctggg gggcccttcc agaggcactt ttaaagcaaa taaaacattt 1980  
a 1981

&lt;210&gt; 234

&lt;211&gt; 744

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1501749

&lt;400&gt; 234

gcgcccgggt ctccctcgca gcacctcgaa gtgcgcccct cgccctcctg ctgcgcgccc 60  
gccgccatgg ctgcctcccc cgcgcgccct gctgtcctgg ccctgaccgg gctggcgctg 120  
ctcctgctcc tgtgctgggg cccagggtggc ataagtggaa ataaactcaa gctgatgctt 180  
caaaaacgag aagcacctgt tccaactaag actaaagtgg ccgttgatga gaataaagcc 240  
aaagaattcc ttggcagcct gaagcgccag aagcggcagc tgtgggaccg gactcggccc 300  
gaggtgcagc agtggtacca gcagtttctc tacatgggct ttgacgaagc gaaatttgaa 360  
gatgacatca cctattggct taacagagat cgaaatggac atgaatacta tggcgattac 420  
taccaacgtc actatgatga agactctgca attgggtccc ggagccccta cggctttagg 480  
catggagcca gcgtcaacta cgatgactac taaccatgac ttgccacacg ctgtacaaga 540  
agcaaatagc gattctcttc atgtatctcc taatgcctta cactacttgg tttctgattt 600  
gctctatttc agcagatctt ttctacctac tttgtgtgat caaaaaagaa gagttaaaac 660  
aacacatgta aatgcctttt gatatttcat gggaatgcct ctcattttaa aatagaaata 720  
aagcattttg ttaaaaaaaa aaaa 744

&lt;210&gt; 235

&lt;211&gt; 979

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1575240

&lt;400&gt; 235

gggatgaagc ccagcaagtt cacagggatc cgggaagttg tgtggctgga aaccacaggca 60  
gggctgcacc acagggacca tttgctggag atgcagcact tgccacagcc accaccactg 120  
acagcatgac accacaaaaa agggagcctc cagctgcacc cctgctgctg cgagtacttc 180  
ctcagctgtc tgccatgagc ttaagggttaa gtaccaggag ggaggatatg attgggcaaa 240  
cctcaggcat gtgttcattc tgtagcttcc agaacatgcy aggagagagc atctggctcc 300  
tttgtctcga ggaggagggg gcaggactct gccagaactc actcgataaa agattttccc 360  
aaaaggaagg gtgttcagat gacaaaagtc cactacacca ctttccttgg ctatctgatg 420  
cacccccata tccccatgcy cgcacctcag aaatcaggct cccacctgac ataacacaac 480  
catgcctcac aaaaagacag tggtttatcc ctccctagg agaaaagaga ggcaatgcca 540  
agctgcttca tcaactgtta ataactcttc cagcccgcga cccaggatat ctgcagggtg 600  
ctctccctct ggtttggtca tggctctctc tgttctagaa tgtatgggtt aaagtcggct 660  
gccacaccat gcccteggca gtgtgggtcca aggaccctg agggctctca aggtccttcc 720  
tttcccaacc ccaegtgggt ttcttcagtc aggataccat actgcaacag accgaaggcg 780

gaagcagcta tgaggatgca gcagccttct gttaagccag gctttaagga tctgcaaaaa 840  
tgtaaaacga tgccactcct actgatgaaa tatattgttt tggaaaatat aggttttaaaa 900  
atTTTTTTTaa ggtaacatgt aatggatgta tagtcttcaa atggatgaat aaatgttttt 960  
cagagttaaa aaaaaaaaaa 979

<210> 236

<211> 760

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1647884

<400> 236

cccgactgtg cgccgcggct ggctcgggtt cccgggccga catgggcgcc gccgcgtggg 60  
cacggccgct gagegtgtct ttectgetgc tgcttctgcc gctcccgggg atgcccgcgg 120  
gctcctggga cccggccggt tacctgetct actgcccctg catgggtaag gcctcccaag 180  
ccctctgtct agatggagaa actgaggccg ggagaggaaa agccactcct cagatgcgcc 240  
cagagacacc ttcacaggte caggagagaa cctcagagcg ggaacggggca tgctcttctc 300  
ctctctgcct tagttgcaag ggcacagagg ggccaacgtg tccaactttc catttgacag 360  
atgagaaaac tgaggctggg agaggttacg tgacttgctt gaggtctaag ccagtccagg 420  
gtccagtaaa tggagttagt ggggcaggac ttgatgtcac tgaccacgc tggctcctgg 480  
tgatttttca ttgattcagc aaatatattat ggggcaccta ttctgtgccg ggccctgttc 540  
tctgtactgg gaataccgca gtgaataaga taaactccgt gtcctttag agccttcatt 600  
ttagttgggg aagacaaaca attgagaata agtaggccag gcgcgggtggc tcacttctgt 660  
aatcccacca ctttgagaga ccgaggcagg atcacttgaa gccaggagct cgagatcagc 720  
ctaggcaaca tagtgaaaat ccaatctcaa aaaaaaaaaa 760

<210> 237

<211> 1080

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 1661144

<400> 237

ttttttgtat ttttagtaga gatgggtcta accatgttgc ctaggctggt ctggaactcc 60  
tgagctcaag cgactctctt gectcaacct cccaaagtgc tgggattgca gctgtgagcc 120  
accgcacccg gccgcattct tctaaatcac agtacatctg gtccccagtg cccaggctct 180  
cagggcagag ggtccagtgt gatcactttg catggcctct ctcccctcct gagcttgtgc 240  
cagggcccca gggctgacct ggagaaggaa aatggcagag ggtgaagatg ggggtgtctgg 300  
tttggggacc atcctggccc cccttgtcac tgttggcatc tcttctgcac agtggcattg 360  
ctgggaggtg cttactgtgc ctattcaagg ggctggcagc cgcagcctca ctgcagatca 420  
gggacttggc ttcccggttg accacaggte caagaacctg caggggtccag cctccccccc 480  
atccccagtc ttccccaccc tggcccggcc ctccagggtg agaaacatgc aggccctct 540  
ccaggactgt gggaggagtg tgccctcag actggcctgt gtccctggctc ctcttaccac 600  
ctcttccaga ggttgtcacc tgcagctgcc ccaggataaa ggcaaggcca gagaggactc 660  
ctgaactcct gtgtgcctgg ggtggcagg gcaaacatag ccaactgggtg gcctgagcgg 720  
ggccatggtg aggacaccct tgggtggctt tcccacatca agctgggagg tgacactgag 780  
gatgcattag tctgcagcgt atgataaaaa cggcatttca ggccaggcgt ggtggctcat 840  
gcctgtcacc ccagcacctt gggaggccga ggtgggcgga tcatatgagg tcaggacttt 900  
gagaccagcc tggccaacat ggtgaaaact catctgtact aaaaaaacia aaattatgtg 960



ggttggtggt gtgcgcctgt aatcccagct acttgggagg ctgaggcagg agaatcactt 1020  
gaacctggga ggcggaggct acaacgagcc gaaattgcac cactgcactc cagcgctgat 1080

<210> 238  
<211> 1129  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1685409

<400> 238  
caacgtccga cagaacgagg ggacgtaacg gaggcagggt ggagccgctg ccgtcgccat 60  
gacctgcggt aaccagcgtg agctcgcccc ccagaagaat atgaaaaagc agagcgactc 120  
ggttaagggg aagcgccgag atgacgggct ttctgctgcc gcccgcaagc agaggtagcc 180  
ccaggggagg gagggaaagg gacgggtggag acctgggtta gaccaagggt tatagaagga 240  
aagagagcta cctcagggtt tgaatgtgga ctagtctgta ggagcagagt gcattgcttc 300  
ctctagggtt ttatttcttc cccacctcc aaattgttag ctacacgctt tacaggaaag 360  
gacggggggc ggcgccctgc ctacgtctga tttctgagcg tccctgggtc tgaccttaag 420  
ggcaagggca gggagcttca catttcaa atcagttgtg ttacggcagc ccagtacttt 480  
tgccctctct tgcgtgtcgg ttctctctcc ttctcccaac ctctcactg gtgttgctgg 540  
gtgtggtcct caatacagaa tagagacctt tgggcctgtg tcaccagact tctgacctct 600  
tgggcaacag ccagatggag actggctgcc ttttgagcct cagctctctt cctcttgctc 660  
tctagggtg ggagtacagc agccaaacgc tgaacttagt cccatccact tccatcttat 720  
cctttgtgcc ctctcatccc ctgcatcttg tcccttttgc cctctggtac ctcccagtgc 780  
cccatcatct ctacccccag ggactcggag atcatgcagc agaagcagaa aaaggcaaac 840  
gagaagaagg aggaacccaa gtagctttgt ggcttcgtgt ccaaccctct tgcccttcgc 900  
ctgtgtgcct ggagccagtc ccaccacgct cgcgtttcct cctgtagtgc tcacaggctc 960  
cagcaccgat ggcattccct ttgccctgag tctgcagcgg gtcccttttg tgcttccttc 1020  
ccctcaggta gcctctctcc cctggggcca ctcccgggg tgaggggggt accccttccc 1080  
agtgtttttt attcctgtgg ggtcacccc aaagtattaa aagtagctt 1129

<210> 239  
<211> 2370  
<212> DNA  
<213> Homo sapiens

<220>  
<221>  
<222> 122, 124  
<223> a or g or c or t, unknown, or other

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 1731419

<400> 239  
agaaacttgg cccaagtttg tgacggttct gggatatgaaa gaagtcagtg tttcccaagt 60  
gcctgccatg tgcgaggctc tgtgctgggg cgggtgcatg tgtgcgttgg gggcgtggac 120  
angnggggtg ggaaaggcct gtgacatttc ctctgggtgt ttccacgaac ccaggcgctc 180  
cccctcggtg gagataaagt ggagccaccc agctccaccg tgtctcagcc tggggtcggc 240  
ctctgctgct tctggactca gtgacctgg gctgtcaggg agcttctgag ccttggtttt 300  
cctgtcagat aagatggagg taatcgtgtc ttatgggggt gttttgaggg ttaaatagag 360  
tggtggctgt gtgggaaaga gctctgcctc ccgcaggagg gaactgtgct gttcttatta 420

```

ttgtgaactt agtgacaagt gtggcactat taccatttct cttgtctgcc cccaaccctg 480
gggtcttggg cagagaacag gagttcttgc catcttctcc cagctccac cttgtgctgg 540
cttgcggttg ctgaggtcat atttgcctgg tgaaagggtg caggccagat atgagccagg 600
cctggcagag agggtttttg tcagcagtga tacctgcagt gttctctgca gttgggtttg 660
gctggccctg ctctgagaa ctctgggtt gtcccttcag gcaaccaggg aaggctcctt 720
ggagcagcag catctccctt taccactcgc cgacaccagc ttccgctga cccagagaag 780
gagtttgggg acagccacag cacgtccagg gcttccaagg cagctggcag agccaatgag 840
gagaccccaa caccatccg acggctgcag ctctccctga cgtgtgttac cgcagccctg 900
gtcccagccg ctgtgcttct cagggcctgc ctgcccagcc cgggtggata tgggtcccag 960
gcgggccccc gggacacaat gagggccatt ctgagagcca ggcagagcgt gtggggcagt 1020
cctgtcagtc ctatgtgcaa cagctgggat attgtttagg gagtgctggc atcaggccgg 1080
ggctctctc ctctggccct gccctttggg atgagcaagc ccccaaaggc cttcctgggt 1140
tcctctggtg cacgtgccct ggagttacct ttctgaagga ggtagacttg tcctcctgtc 1200
ctgggtgcct ggggtgcagg ggtgtgaatt gggctatgtc aagatatgct gggcagtact 1260
gtgaggtggg ggcagagggg agaaggtgtc ccaggaggag ccttcctgga ggggatgata 1320
gtccagcatg ttctgaagtg ggagtagggg gcggcaggag tagggtacca gagaatgagt 1380
gagtcaggca gcagcctcca ctgcgccttg gacacagggt gccgacagtg tccacctgga 1440
ctggctttgc acccttctg aggtcacagt tgtgtccctt gaaaacttgg gcaggagcac 1500
ctgactggcc cagcttgggt catgccctag gccagcagt gcgggaggcc aggaaagtag 1560
gcttggggag gctggcctct cctccagttt gaagcatggc aggggttccg ggggaggetg 1620
ctggggggcc tgcgagcatg tccagagcag gaatgcttgg ggtggtgtgt gctttgctcg 1680
tctgggctta tctggcctg ggaagctgg ttgtgcggat gacgttcaact gagctgtgca 1740
cgcacatcc atggagtctg cgtgtgagt ccttttgccg ctccagggtc acagcctgcc 1800
tcctgctcc agccccctg ctgaggccct tcctctgcc catgctcttc tcagacagga 1860
atcctgtgga atgtcatctc tttggggagg cgtctctga cctgtatgc aaaggccttc 1920
tcccacatta ttttggcac cccactttct tcccgtgaa agcaaattgt ttggtgtctt 1980
tctgtccac tacagtatag gcccggttca gacagaggcc ttgtccacta ggcctgcgt 2040
atctctgcgg agcccagcca aagcaggggc caggcgaatc tttgttaaa agaacaatgc 2100
gcgctgggca cagtgtcac gctgtaatc ccagcacttt gggagtccga agctggagga 2160
tcacttgaac ccaagagttt gagaccaccc tgggcaacat aaggagaacc catctctaca 2220
caaaattagc tgggcgtggt ggtgtatgcc tgtagtcta gctacttggg aggctaaggt 2280
gggaggtggc tgaggtggga ggatcacttg agcctgggag gttgttgag tgagagccat 2340
gatcgcgcta ctgggcaata gagcagaacc
2370

```

&lt;210&gt; 240

&lt;211&gt; 981

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2650265

&lt;400&gt; 240

```

eggactgccc tgagggcggg aaagggtggt cactgggtca gccgaagca cctgacatga 60
gggcggggac cccgaaatgc acacgaagtc cggaactggt cttctgtgat tttcattcgc 120
cctggtctct gttcccttct gtactcaaag ctctgcatc caggagggg aaaccggaga 180
tagggtcttc gggcccggg cagaccctct gtccgctgc aaaccgttgc agcctgaggc 240
tgtcaggtec tccccagac acctgcggac cctccctctc ctggcttccc gtctggtcat 300
ggcgagatte tgggtctgcg tagccggtgc tggttcttt cttgcatttt tggttttgca 360
ttcgcgtttt tgtggtctct cagttttgag gaactttact tttgcagttt cctggagaac 420
tgagaaaatt ctttaccggc tggatgtggg ttggcctaag caccagaat attttaccgg 480
aacaacattt tgtgttgag ttgactccct caatggattg gtttacatag gtcaaagagg 540
ggataacatc ccaaagatat tagtggtcac agaggatgga tatttctac gagcctggaa 600
ttatacagtt gacacacctc atggtatatt tgcagccagt actctatatg aacaatccgt 660
ctggatcacg gatgtaggaa gtggtatgta tagtaatac tattaaatta tcttactgga 720

```



aatcacatct ttgcacatgt ccttgtttgt attgttttaa atcagagttg ctgaatctaa 780  
ttgtaatttc ttttaacgatt catgaaatca catgttttta acaaacttta ttttgtactt 840  
ctgtggaatt aagaaattta acaagggctg gacgccgtgc tcacgcctgt aatcccagca 900  
ctttgggagg ccgaggcggg cggatcacga ggtcaggaga tcgagacgat cctggccaac 960  
acggtgaaac ccccgctctcc a 981

<210> 241  
<211> 1204  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2677129

<400> 241  
aggagaggaa ggtaattaca ttaagcatta taatatagtg tgttaaatgc taatgatcat 60  
aatcattgaa cccttctcag tcctcatctt atttaaactt ggtatttttag cagacttttt 120  
tgccttactg ctattaatta attttttttt ggtctctttc ttccttgctt accctttgtt 180  
taacaaccaa atcaactcta gatcaatgaa tgaaataaaa aatctccagt acctacctcg 240  
gaccagttaa ccccgcggaag ttctctttga agataggact agagctcatg ctgatcatgt 300  
cggtcagggg tttgactggc agagtacggc tgctgttggg gttttgaaag ctgtacaatt 360  
tggtgaatgg agtgaccaac ctgcataaac caaagatgtg atttgttttc atgctgagga 420  
ttttactgat gttgtacaaa gacttcagtt agatcttcat gaacctccag tttcccagtg 480  
cgtacagtgg gtagatgaag ctaaactaaa ccaaagagg cggaaggca ttcgttatgc 540  
tagaattcag ctttgcgaca atgatatcta cttcatccct agaaatgtca ttcattcagtt 600  
caaaacagtt tcggcgggtg gcagcttagc ctggcatata agccttaaac agtaccaccc 660  
tggtgtggaa gccactcaaa acacagaaag caattctaac atggactgtg gtttaactgg 720  
aaagcgagaa ttagaagttg actcccaatg tgtgaggata aaaactgaat ctgaagaagc 780  
atgcacagag attcagctgt taacaactgc ttcattcatc tccccacctg catcagaact 840  
taatctacag caagatcaga agactcagcc tattccagtt ttaaaagtgg aaagtagact 900  
ggactctgac cagcaacaca atctgcaaga acattcaacc acttctgtgt gatatgtaca 960  
tattcaaaca cattttttta ctttttttaa ttttgatgtg aagttatagt tttataactg 1020  
gcttaagtta agttttattg gagaaatctt gcctataatt ctataaagag aaatgacatt 1080  
cacaaatgtc agcatatctt tttacacaga tatgcaagtt agagtgtatc tatccggtag 1140  
tacgtatgta taagtgggtc gcgcacttct gttttaaggg tgaggtacat ccattctctt 1200  
cgag 1204

<210> 242  
<211> 784  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 3151073

<400> 242  
cacagacaaa ccgtcaacag ctggtctcgc atgtcctttg tttccgggtc gctcttgtgt 60  
ttcgttctcc tcctgtgtgt tagccctgtg taccttccct ctcgttcacc ctccacattt 120  
cccatctctg agccctcag ctttataggg atgtcagctt ggccccaatg tagtccattt 180  
tacagccaga ctcttgact tgcctatgag ccatcttcat ttccaaaaag gcgatattgg 240  
gtatgtacat tgcattgaaat aaagtgggaa tgtcccagaa gcagaaggac atctgatgca 300  
gtccacgcca ataaattggg cttaccttta aaaatcatct gaatatgcag gtcttagggc 360  
agagaatata gacagcttaa gatttttctaa actacaagtc ccacccaaaa tacggtattt 420

```

tcatgatttc ccaaagggtg accatcagca agactggata tttttcagac ttaagatgac 480
tgttcagtag ctgatgttct ggaaaagatc tgggccttca ccatgaaatc ttaaagtgtga 540
gcagttactg gatgttgaat ttgaaacctt ttcatttctt tttttaaaac aagcttggtc 600
atttctgtgc aatgctataa ttcggaacga aacaaagcac aatgttaata aggtagacac 660
taattcattc ctctgaagag agatctcttc cagacatttt aagccagggc aagaaatgtt 720
taaagatgtt ttctgcagtt gccgtagaaa cactccttag cagtcattct ggctgttggt 780
aaaa 784

```

&lt;210&gt; 243

&lt;211&gt; 426

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3170095

&lt;400&gt; 243

```

ctccattaaa ccaccaccag ctccccaage cacccttca gccatgaagt tcctgtctct 60
ggctcttgga gccctcggat tctgacceca ggtgatecca gccagtgcag gtgggtcaaa 120
atgtgtgagt aacaccccag gatactgcag gacatgttgc cactgggggg agacagcatt 180
gttcattgtc aacgcttcca gaaaatgctg catcagctac tccttctctg cgaagcctga 240
cctaccacag ctcatcggta accactggca atcaaggaga agaaacacac aaaggaaaga 300
caagaagcaa caaacgaccg taacatcata ataaccactg ctatcgctc caccaactca 360
gagaaatata atttccacag ttccaattcc tctacattg ctgagtacta gccaaaggctc 420
ctcttt 426

```

&lt;210&gt; 244

&lt;211&gt; 1732

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt;

&lt;222&gt; 1651, 1655

&lt;223&gt; a or g or c or t, unknown, or other

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3475168

&lt;400&gt; 244

```

cgggaccaga gcacgttctt ggctgcagag gccacaagtc acgctgtctc tgagagtgga 60
atgtcaccat cgcccagggt gggatttttg tgtgttttgt tctgtgtgt acaccagcc 120
cccagcacag cgctgttcca ggacaagtgc ccagtaaaca cttgggaagc aatgcaagcg 180
tcctcccagc agctcctgca aacagacccc cgacccaagc ctttctctct gcctccactg 240
ccaccactgc tgetcatctc tgetggcaca gaagtctctt ccctgggtctt ccagaaatcc 300
cctctccaca ctacgccaga gggagctatt aaaactgcgg gccagccac atcagtccac 360
agcaaagtcc tctctaaggg atctctgttg cttggagaat aaacctcgg attccttctt 420
tggtctctcg ggctcctctt ctgacctccc tctgtctctt ctcccagct tcctcctcac 480
tcacctcca gccatgctgg ctctctctt gctcctgaaa cagcctgaga gccacactgc 540
cccgggccct ttgcactggc tgtttctctt gcttgagaca cttctcttag gcatccacag 600
ggctccctcc cacaactcct tcgggtgccc acatgggaag ccatccctga ccaccccccc 660
gacttcttct tgagcaaggt agggctcttc tacctagtca tgagggcagg gatttttctc 720
tggtgtgttc tctgtgtgcc ccagtgcca tcccagtgcc tggcagatgg taagtgtctg 780

```

acacacattg gctgactgcc tgaatgaaca actctatgag ccgatggcag ataaggacac 840  
tgaggctctc tggggtaggt gaccagccca aggccacaca gctggctctga gattaggcca 900  
ggagaggagc ccgggttggt cacatcctgg agttggcgctc ttggaaactg catcaggaga 960  
ataacaaaga tgagacgcag gctctaacaa gtggatacca gtgactctcg ccccgccagc 1020  
cccagccctg cagccttggg cccttccagg agtcattggc tgcttgcccg gggcattcca 1080  
ggcttcgacc caggctctgc actttctatt ttgagcctct tagtcctgag gactgtgtgt 1140  
tcccagcagg cggcgcgggc cagaggctga gcctgggtgt ggctgtcacc ctatctgggg 1200  
ccagagaccc agattcccg gccccttaacc tggttggtgc tgagggtctt ggcataagcc 1260  
ctgttccctg cttgattgtc tccccttcaa gcccctgccc tggatcgta tcggcccatc 1320  
tcaccttgga ttatatccct gtttggcccc atttgaatcc tggctctgcc cctttccagc 1380  
aatgtgacct tgggcaagtc acttcatctc tctgggtctca gttcttcatc tggaaatggg 1440  
acaataagag tacctgtctc tggccatgtg tgggtgactca tgctgtaac cccagcgctt 1500  
tgggaagccg agccgagaga attgcttgag accaggagtt tgagatcagc cctgggcaac 1560  
atagtgaac ccctgtctct acaaaattct aaaaaatta gccggttggt gtggtgtgtg 1620  
cctgtagtcc cagctattct agaggctgag ncggnaggat tgcttgagcc cagcagtttg 1680  
aggctgcagt gagctatgat tatgcccgtg aaggccccc aaaaaaaaaa aa 1732

&lt;210&gt; 245

&lt;211&gt; 918

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 3836893

&lt;400&gt; 245

agcctctagg tcattgtggt gccttgtagc tgtcccggga gccctcagca gcagttggag 60  
ctggtgcaca ggaaggatga ggaagaccag gctctggggg ctgctgtgga tgctctttgt 120  
ctcagaactc cgagctgcaa ctaaattaac tgaggaaaag tatgaactga aagaggggca 180  
gaccctggat gtgaaatgtg actacacgct agagaagttt gccagcagcc agaaagcttg 240  
gcagataata agggacggag agatgcccaa gaccctggca tgcacagaga ggccttcaaa 300  
gaattcccat ccagtccaag tggggaggat catactagaa gactaccatg atcatggttt 360  
actgcgcgtc cgaatgggtc accttcaagt ggaagattct ggactgtatc agtgtgtgat 420  
ctaccagcct cccaaggagc ctcacatgct gttcgatcgc atccgcttgg tggtagccaa 480  
gggtttttca gggacccttg gctccaatga gaattctacc cagaatgtgt ataagattcc 540  
tcctaccacc actaaggcct tgtgcccact ctataccagc cccagaactg tgaccaagc 600  
tcacccaag tcaactgccg atgtctccac tcctgactct gaaatcaacc ttacaaatgt 660  
gacagatata atcagggttc cgggtgttcaa cattgtcatt ctctggctg gtggattcct 720  
gagtaagagc ctggtcttct ctgtcctgtt tgctgtcacg ctgagggtcat ttgtacccta 780  
ggcccacgaa cccacgagaa tgtcctctga cttccagcca catccatctg gcagttgtgc 840  
caaggaggga gggaggaggt aaaaggcagg gagttaataa catgaattaa atctgtaate 900  
accagctaaa aaaaaaaaaa 918

&lt;210&gt; 246

&lt;211&gt; 676

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 4072159

&lt;400&gt; 246

gctcacacag ctcccggcca ggtcaccgc catggctctc cctctgccc ggctctctcg 60

```

gtaccatttc cttcgccctcc ttctgccctc ctgggtccttg gcaccccagg gctcccatgg 120
gtgctgctcc caaaacccca aagcaagcat ggaagagcag accaactcca gaggaaatgg 180
gaagatgacg tcccctccca ggggcccttg gacccaccgc acagctgagc tggcccagagc 240
tgaagagttg ttggagcagc agctggagct gtaccaggcc ctcttgaag ggcaggaggg 300
agcctgggag gcccagccc tgggtgctcaa gatccagaag ctgaaggaa acagatgaggag 360
gcaccaagag agccttgagg gaggcgccta agtttcccc agtgcccaca gcaccctccg 420
gcactgaaaa tacacgcacc acccaccagg agccttgagg tcataaacac cccagcgtct 480
tcccaggcca gagaaagtgg aagagaccac aaaccgcagg caattggcag gcagtggggg 540
agccagggct ctgcagtctt agtcccattc ccctttgatc tcacagcagg cagggcacca 600
caggccttac taggaattca ccctggacca tgccctaaaa taacctcacc ccaaatacaa 660
taaagggacg aggcaa 676

```

&lt;210&gt; 247

&lt;211&gt; 2255

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 1003916

&lt;400&gt; 247

```

ccggtgcgtc ctgggtctgt ctgcgcggag ttccccgggg cgcgaggaga ggggactgga 60
gaaagaggag ggccggggcag cggagggggag gaggcggtgc gtgcctcgcc tgccaaaggg 120
agatccgctc ctctgcgtgc gatccccggc gcccgccgc gccacagcg ctccgccaga 180
gctgcgcgcg cggactcgcc gggagtgggg gtctccgctg gtgccagccc gcttctggag 240
acctccgcc tcctgccaac ccctgctctt ccaggtcggg ccccggggtt ctgcggtgt 300
tagggacaga ggcaaagaag ggcaggacgg tccggtttcc cgtggatgtt cccgcccag 360
aaagacagca agttgtgtgt gcgcccggga cgcgggaggg aaggtagccg ccgcccgcca 420
gccatggacc atcatcttta gtgcagagga tggaaagtgt atgcccagta agactgaaga 480
tccattctgc attacggaac tgtggattat ctgtgggtcc ctggtgattt cacaccttca 540
ttcactcctg cagtccctga acacttactt ggggtcctca ttgccctatc tggtgaaaga 600
tggcatccag cctgacttgt actggagtaa tctgggcttt gctgtctttt ctttgtgtgt 660
ccacctcctg cgtgggggtt tttatgcctt actggctctg gggatcacag ctgggcaagc 720
ctgtgtcctt cggtaacctt cggaggtgct catatcctgt gcatgatgag agtcggcaga 780
tgatgggtgat ggtggaggaa tgtgggcgct atgctcctt ccagggcac cccagcgcag 840
aatggaggat ctgcaccata gtgaccggcc tgggttgttg cctcctcctc ctggtggcgc 900
tactgcctt catgggttgc tgtgtttccg acctcatctc caggacagtg ggaagagtgg 960
ctggaggaaat tcagtttctt gggggcttgt tgatttgtgc tggctgtgcc ctctaccct 1020
tgggctggga cagtaggaa gtccggcaga ctgtggcta cacttctggc cagtttgacc 1080
tggggaagtg tgaatcggc tgggcctact actgcacggg agcagggtgc actgccgcca 1140
tgctgctgtg cacgtggctg gcttgctttt cgggcaagaa acagaagcac taccatact 1200
gagatggagc taccaagagc agacagagga gaagatgggc caaaggggct tggagaggtc 1260
aaaacatcca cctaccttca aaagggtggga tagtagttct aatccaatac aatgctaata 1320
aatgaaacc cgataaaatc aggaacatga tataggaagg aaggattgta ggagatttgt 1380
gggggaaaaa aaaggagagt atagaatgat ggagaaaaat ggaccaaagg ctaaaaatat 1440
tgcagggcat cgggtgtttc tattccacag agtattgtta atgtacaaca cacacacaca 1500
cacacacaca cacacacaca cacacacaca acaaatctac atatacaaac aagggtttgg 1560
gttttagttt ttttttttta aggtgaggac tcagaaaatc aaagggttag tagaaacagt 1620
gttatgttgg gaagcagggt acccccaaag atgttcctg taggtcacgg cactcccaa 1680
agcacacaag cacatacaga catatgcac cccacacag cctatgcaca aacgtggatt 1740
atcgcacaga ctgggaggtt tagtggtgca tttctcctct gttttctttt taatatacat 1800
ttaaaataca gtattatcac ttataaaac atacattaag cctaataaat ggaccaataa 1860
gccaaactat cagtattttg tatatcctgc ataaactcta atttagttcc tcaacatatt 1920
ttcagtgttt atgcagacct ttagagttaa gcctttgtat ttccatgtta ttccacaata 1980
tgcaatatct ctctgagtag cttctgctat gatattctta tgaagaaaag gggcaacttt 2040

```

```

ctgtccacta taggagagaa ttcagccgaa gatatgagag taatgagaga cattttccag 2100
tcattggatc gtgttttctt ttgtccatta ttgtactgtg ctgtaccaca tttatttcta 2160
tattcatttt gtaaaaaatt taaaagtgtt attttgtttg tatttgaaaa tctctgtgaa 2220
taaattctct ctttgatcaa tagcaaaaaa aaaaaa 2255

```

&lt;210&gt; 248

&lt;211&gt; 1223

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2093492

&lt;400&gt; 248

```

gacgcttcac cagcgtcctg gtggtgtcca gtctctcacc cctgtgcgtg ctgctctgga 60
gggaactcac aggcattccag ccaggcacat cctgtctcac cctgatgggc ttcaggctgg 120
agggcatttt cccagcggcg ctgctgcccc tggtgtgac catgattctt ttcctgggcc 180
cactgatgca gctctctatg gattgccctt gtgacctggc agatgggctg aagggtgtcc 240
tgcccccccg ctctggggcc cgctgcctca cagacatgag ttggctgcgg aaccaagtga 300
tcgccccgct gacagaggag ctggtgttcc gggcctgtat gctgccccat ttagcaccgt 360
gcatgggcct gggccctgct gtgttcacct gcccgctctt ttttgaggtt gccattttc 420
accatattat tgagcagctg cgtttccgcc agagcagcgt ggggaacatc ttcttgtctg 480
ctgcgttcca gttctcctac acagctgtct tcggtgccta cactgcttcc ctcttcaccc 540
gcacaggaca cctgattggg ccggttctct gccattcctt ctgcaattac atgggtttcc 600
cagctgtttg cgcggccttg gagcaccac agaggcgcc cctgctggca ggctatgcc 660
tggtgtgtgg actcttctct cttctgctcc agccctcac ggaccccaag ctctacggca 720
gccttccctt ttgtgtgctt ttggagcggg caggggactc agaggctccc ctgtgtcct 780
gacctatgct cctggatacg ctatgaactc tcaccggctc cccagccctc cccaccaagg 840
ggtactgcag gggaagggtt ggtgtgggtc cccgagatct caggaatttt ttaggggat 900
tgaagccaga gctagtgtcg tcccaggac caagagaaag aagcagatat ccaaagggtg 960
cagccctttt tgaaagggtt gtttacgagc agctgtgagt gaggggacaa ggggcaggtc 1020
ccaggagcca cactcctt tcctcacttt ggactgctgc ttctcttagc tcctctgct 1080
ctgaaaagct gctcggggtt tttattttat aaaacctct cccaccccc acccccaac 1140
ttctgggtt ttctcattgt ctttttgcac cagtactttg tattgggata ttaaagagat 1200
ttaacttggg taaaaaaaaa aaa 1223

```

&lt;210&gt; 249

&lt;211&gt; 1188

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2108789

&lt;400&gt; 249

```

gccccccca gctgccaag aaaacggtag gggagcatga tggggccttt gaggcagggt 60
cgcagggaca agctcagctt taggcacat ctgttcccat cgcgcctgct gctgtgacct 120
gttttgga aa actggtgtgt accgaggcgc tgactgcacg gctgaccgcc tgctcgtgcc 180
ttcattctgc agcggcatgg tccctcccat tctggctcca cctgcagcct cctgggtgg 240
cctaggctcc cccgaccaag agacctcct ctcatgatca ctggtacctg ggggcctgaa 300
ttctggcccc cggtcccca cacagctggg actggcctgg atggctgtcc tggtagcccc 360
tgccccacct gacagaggga gctgggcctc cctcactcct ctgtaactcc cgccttcacc 420
agactcgagg acacctggc cctgctgagg catacagagc ttcagcccag cacagaagca 480

```



```

agacaaaatc agtggctctt agagttttaga aaacaagaca gactctcaga tgaaagatct 540
gacaagcacc gtggccagtc acagggagag acttgatgtc tggcctttta attcctcctc 600
tgccaggggtg ggtcctggga cctctaattgt gggcatgtcg tccaccccag gacgagccat 660
cagggacaga cccccaccc ccaaggctgc agccacacca tgtttcagge ttggggctgg 720
ggcaggcttg ggctcaatcc tgggcaccca ggggcagccc acccetaacc tggctectac 780
ccaccttgcc cttgaaggat gggcctgctg cacgtctccc tctccaccc cataccacac 840
tgggggggtct gageccacccc cctcagcccc gtteggctca gaccgacccc cactccatcc 900
ccagacctgc agcacaagtg cgcgggctg tctcccagg ggcctgggag actccatatt 960
caatcagtag cgagcagccg ggcacacag accctcatgc actctcttac gtgccattct 1020
ccccagactt tttttgtact taatgtatga aagatccaaa ctaatatattg tgtaaaaagg 1080
agagacaaat taatatagct tattctataa atatatctgt atataaagggt ttctgtatat 1140
tgtatagagc tgtgtataaa ctggatgtag aagcacaaaa aaaaaaaaaa 1188

```

&lt;210&gt; 250

&lt;211&gt; 1792

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2171401

&lt;400&gt; 250

```

cgccgctggg gccggccgc acggcttcat ctgagggcgc acggcccgcg accgagcgtg 60
cggactggcc tcccaagcgt ggggcgacaa gctgccggag ctgcaatggg ccgaggctgg 120
ggattcttgt ttggcctcct gggcgccgtg tggctgctca gctcgggcca cggagaggag 180
cagcccccg agacagcggc acagaggctg ttctgccagg ttagtggtta cttggatgat 240
tgtacctgtg atgttgaaac cattgataga ttaataact acaggctttt cccaagacta 300
caaaaacttc ttgaaagtga ctactttagg tattacaagg taaacctgaa gagggcgtgt 360
cctttctgga atgacatcag ccagtgtgga agaagggact gtgctgtcaa accatgtcaa 420
tctgatgaag ttcctgatgg aattaaatct gcgagctaca agtattctga agaagccaat 480
aatctcattg aagaatgtga acaagctgaa cgacttggag cagtggatga atctctgagt 540
gaggaaacac agaaggctgt tcttcagtgg accaagcatg atgattcttc agataacttc 600
tgtgaagctg atgacattca gtcccctgaa gctgaatatg tagatttgc tcttaatcct 660
gagcgtctaca ctggttacaa gggaccagat gcttggaataa tatggaatgt catctacgaa 720
gaaaactgtt ttaagccaca gacaattaaa agacctttta atcctttggc ttctgggtcaa 780
gggacaagtg aagagaacac tttttacagt tggctagaag gtctctgtgt agaaaaaaga 840
gcattctaca gacttatate tggcctacat gcaagcatta atgtgcattt gagtgcaga 900
tatcttttac aagagacctg gttagaaaag aaatggggac acaacattac agaatttcaa 960
cagcgatttg atggaatttt gactgaagga gaagggtcaa gaaggcttaa gaacttgtat 1020
tttctctact taatagaact aagggtttta tccaaagtgt taccattctt cgagcgccca 1080
gattttcaac tctttactgg aaataaaatt caggatgagg aaaacaaaat gttacttctg 1140
gaaatacttc atgaaatcaa gtcatttcct ttgcattttg atgagaattc attttttgct 1200
ggggataaaa aagaagcaca caaactaaag gaggactttc gactgcattt tagaaatatt 1260
tcaagaatta tggatttgtt tggttgtttt aaatgtcgtc tgtggggaaa gcttcagact 1320
cagggtttgg gcactgctct gaagatctta ttttctgaga aattgatagc aaatatgcca 1380
gaaagtggac ctagttatga attccatcta accagacaag aaatagtatc attattcaac 1440
gcatttgga gaatttctac aagtgtgaaa gaattagaaa acttcaggaa cttgtttacag 1500
aatattcatt aaagaaaaca agctgatatg tgctgttttc tggacaatgg aggcgaaaga 1560
gtggaatttc attcaaaggc ataatagcaa tgacagtctt aagccaaaca ttttatataa 1620
agttgctttt gtaaaggaga attatattgt ttaagtaaa cacattttta aaaattgtgt 1680
taagtctatg tataatacta ctgtgagtaa aagtaatact ttaataatgt ggtacaaatt 1740
ttaaagttta atattgaata aaaggaggat tatcaaattc aaaaaaaaaa aa 1792

```

&lt;210&gt; 251

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2212530

<400> 251  
gcgaggcggg aggaggtgag gctccggcgc acacccaaac cgcgctgcgc ccgctccttc 60  
cgggccccgg agatggcgcc tccaccggga tgagctagcc agcctgggca ataccagagg 120  
cggccctcgg cgcgcgcagg ggaccgagct ggtcgcccca accgggtttg atttctgatg 180  
actctggcct gagttccagg atggtttttt cttgggacca gacatgaaca aaagttgacc 240  
tcatgagcac ttcaacctct ccagctgcc a tgctcctccg gaggtgcgg cgactctcct 300  
ggggcagcac tgctgtccag ctcttcaccc taacagtggg gacgtttggc ctgctggccc 360  
ccctggcctg tcaccgactt ctacactctt acttctatct gcgccattgg catctgaacc 420  
aaatgagcca agagttcctg cagcaaagct tgaaagaggg tgaggctgcc ctccactatt 480  
ttgaggagct tccctctgcc aatggctcag tgcccattgt ctggcaggcc acccccggc 540  
cctggctggg gatcaccatc atcactgtgg acaggcagcc tggcttcac tacgtcctgc 600  
agggttgtgc ccagttccac cggcttcttc agcaatgtgg cccccagtgc gaggggcacc 660  
aactcttctt gtgcaacgtg gacgtagtg tgagccattt tgatgccaaag ttgctctcca 720  
agtatgtccc tgtggccaat cgctatgagg gcaactgagga tgattatggg gatgaccctt 780  
cgaccaactc gtttgagaaa gagaagcagg actatgtcta ttgcctggag tcatcctgc 840  
agacctacaa cccagactac gtcctgatgg tagaagacga tgctgtacca gaagagcaga 900  
tcttcccagt cttggagcac cttctgcggg ctgccttctc tgagccacat ctgagagatg 960  
ccctttatct caagctgtat caccgcgaga ggtccagca ctacatcaat ccagagccca 1020  
tgcggtatct ggaatgggtt ggtgtaggca tgttgctggg gcccttacta acctggatat 1080  
acatgagggt tgccagccgc ccagggttta gctggcctgt aatgctcttc ttctccctgt 1140  
atagcatggg tctggtggag ctggtgggtc ggcactatct cctggaactg cggcggtga 1200  
gtccttccct gtacagtgtg gttcctgcct ctcaagtgtg caccacagcc atgctcttcc 1260  
cggcacctgc ggcccgcgg accctcacct acctgtccca agtgtactgc cacaagggt 1320  
ttggcaagga catggcactg tactcgctgt tgagggccaa gggagagagg gcctatgtag 1380  
tgagagccga cctcgtgaaa cacatcgggc tcttctccag tctccggtac aactttcatc 1440  
ccagtctcct ctaggggtgcc aagagatgcc tttcggaagt tggccacttc ttgaagattc 1500  
aaatatttat ctctttatct agacatggtt gcctgcaggt atttcactgt ttactgttgt 1560  
tagagatata ggcactgggg cagctgagga acctcaatat gttaagagcc ttggctttgg 1620  
tagcctcctg gcaggagcag cagtttgcca caggtecgga cctctccctc cacacagcca 1680  
cactgcctca tgcagtctga cccaccagc gaggggtgcat ttgaacactg attatattct 1740  
ccatttgttt ttaagctctg ctttgtgtta gagcttgtga ctgccaaaaa ttttgtgcac 1800  
agtgatatga ctgttttagg atcttaaggg tagaattttg tgaaaggtga gatcctttgg 1860  
aattgagttc tttctcattg ggtatgaaaa tggatgtatg tttagaatat atgcccacg 1920  
aggcaggacc atgtggatag attccatttg tttccttgac ctgatgtaat aaaaactgat 1980  
aaaagccgtg cagtgcggcg catct 2005

<210> 252  
<211> 471  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2253036

<400> 252  
tgggtatgtc tcatggagag gtgctttcac tgcttccctg ttcacctagt cttcaatctg 60  
gtccagagtt tcagcccat ctctggagtt gagtccctgc ttctccctca atgtgacaaa 120



tggttgccaa tggatatcg cagttgtgat gcaagcagag gcttggtaaa tgcctgcata 180  
ctgggggtttg tccctcttga atgctcattt gtgggagccc tgaacaacta tgtaagaagt 240  
ctggctaccc tgctggagag aacacatggt gggaagagac taaaattatg tgaagagagt 300  
caggccagcc atcccagctt ctctgctgag ccccgccatc agccaacctg ccagctgaat 360  
gcaaccgtaa gagtgatcac cagcaagatc actagaaaaa ccacctaact gagcccaccc 420  
tggattgaac aatcataaac aaataaaatg gttattgttt taaaaaaaaa a 471

&lt;210&gt; 253

&lt;211&gt; 3775

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2280161

&lt;400&gt; 253

tccctgagag gtgtccactg atgtctcctc ctcatttcat ttagcagctc ttagtttgtg 60  
aagaatctgt agatgctcaa agtataattg ccccaggga tttatgctaa tcacaacctc 120  
ttcttcagac accaagtcta ccttgaatgg gtttgcctgt atatggcact tcaggtctcc 180  
ttttccatct gccaatatca gactgcctgt gtccccagag catgaaatca gccttacagt 240  
gcttggtctg cttgtgagga catccggaac ttcaaactct ggttttagag gactctcttc 300  
gttaatttta agcctgaaaa tgtttccttc tataccataa atttcagcca ggagagggaac 360  
cttacttget tcattgatga tttggaacct ggtgctgtct tcactctgtg tgactgaatc 420  
caataatgcc cgataggtgg acttcttggg aagccactgt ttctgacgcc tgtaaaatgc 480  
gatcttggtta cagtctctga aaatgttttt atctacagct tcactctcaa cacttatttc 540  
ctctttcact gctgcttcca tggcttctct gtcactccga ccagctccca gctctcagga 600  
caagggccct gggcgatctt ttaaaaaagc cgattgggtg tctttctaaa attacaacca 660  
gtacttcate gtcaagtttc tgggaaggga gtcccccca gattctcatg gactgacaaa 720  
tcttgactct tgctcctgga atttttcagg cccaaactag cgtttctaca atgatttatt 780  
tggcaaatth gtcttgatta tgggtggctg atgaggaacg tgcttttgtt aggaaccgaa 840  
actgggcggc ggtgagggcg tgtacgcaat gagtccgga gaggggtgaaa tgctttcggg 900  
aggcactcca cggctgtgaa gatggcgggc gctgcgtggc ttcaggtgtt gcctgtcatt 960  
cttctgcttc tgggagctca cccgtcacca ctgtcgtttt tcagtgcggg accggcaacc 1020  
gtagctgctg ccgaccggtc caaatggcac attccgatac cgtcggggaa aaattatttt 1080  
agttttggaa agatcctctt cagaaatacc actatcttcc tgaagtttga tggagaacct 1140  
tgtgacctgt ctttgaatat aacctggtat ctgaaaagcg ctgattgtta caatgaaatc 1200  
tataacttca aggcagaaga agtagagttg tatttggaag aacttaagga aaaaagaggc 1260  
ttgtctggga aatatcaaac atcatcaaaa ttgttccaga actgcagtga actctttaaa 1320  
acacagacct tttctggaga ttttatgcat cgactgcctc ttttaggaga aaaacaggag 1380  
gctaaggaga atggaacaaa ccttaccttt attggagaca aaaccgcaat gcatgaacca 1440  
ttgcaaaact ggcaagatgc accatacatt tttattgtac atattggcat ttcactctca 1500  
aaggaatcat caaaagaaaa ttcactgagt aatcttttta ccatgactgt tgaagtgaag 1560  
ggctccctat aatacctcac acttgaagac tatcccttga tgattttttt catggtgatg 1620  
tgtattgtat atgtcctggt tgggtgttctg tggctggcat ggtctgctg ctactggaga 1680  
gatctcctga gaattcagtt ttggattggt gctgtcatct tcctgggaat gcttgagaaa 1740  
gctgtcttct atgcggaatt tcagaatatt cgatacaaag gagaatctgt ccagggtgct 1800  
ttgatccttg cagagctgct ttcagcagtg aaacgctcac tggctcgaac cctggctcatc 1860  
atagtcagtc tgggatatgg catcgtcaag ccacgccttg gagtcactct tcataagggt 1920  
gtagtagcag gagccctcta tcttttgttc tctggcatgg aaggggtcct cagagttact 1980  
gggtattttt cttatccctt gactctgata gtaaacctgg ccctctcagc agttgacgcc 2040  
tgtgttattt tatggatatt tattagcctg actcaaaaaa tgaagctatt aaaacttcgg 2100  
aggaacattg taaaactctc tttgtatcgg catttcacca acacgcttat tttggcagtg 2160  
gcagcatcca ttgtgtttat catctggaca accatgaagt tcagaatagt gacatgtcag 2220  
tcggactggc gggagctgtg ggtagacgat gccatctggc gcttgcctgt ctccatgatc 2280  
ctctttgtca tcatggttct ctggcgacca tctgcaaaaa accagagggt tgccttttca 2340

```

ccattgtctg aggaagagga ggaggatgaa caaaaggagc ctatgctgaa agaaagcttt 2400
gaaggaatga aaatgagaag taccaaaca gaacccaatg gaaatagtaa agttaacaaa 2460
gcacaggaag atgatttgaa gtgggtagaa gagaatgttc cttcttctgt gacagatgta 2520
gcacttccag ccttctgga ttcagatgag gaacgaatga tcacacactt tgaaagggtcc 2580
aaaatggagt aaggaatggg aagatttgca gttaaagatg gctaccatca gggaagagat 2640
cagcatctgt gtcagtcttc tgtacggctc catgggatta aaggaagcaa tgacatcctg 2700
atctgttctt tgatctttgg gcattggagt tggcgagagg tgtcagaaca aagagaacat 2760
cttactgaaa acaagttcat aagatgagaa aaatctacga gcttcttatt tacaacactg 2820
ctgccccctt tcttcccaga ctctgacatg gatgttcatg caacttaagt gtgttggtcc 2880
tgaactttct gtaatgtttc atttttttaa tctgacaaac taaaaagttt aacgtcttct 2940
aaaagattgt catcaacacc ataatatgta atctccagga gcaactgcct gtaattttta 3000
tttatttagg gagttacata ggtgatgggg gaaattgtta actaccttct attttcttgg 3060
gaagtcaagg ttacatcttg cagaggttgt tttgagaaaa aaggggcctt ctgagttaag 3120
gagccatagt tctatcaatg atcaaaagaa aaaaaaaaaa aagagaaact gttacagtat 3180
gattcagatc atttaaaaaa gcaaaatcaa gtgcaatttt gtttaciaat ggtgtatatt 3240
aaagattttt ctatttcaga tgtactttta agagaaatat tagcttaact cttttgacat 3300
ctgctattgt gacacatccc attgctggca atgtgggtgca cactccgaaa cttttaacta 3360
ctgttttgta agcctccaag ggtggcattg cagggtcctt aggcaatgtt ttgtttgcct 3420
ttatgcagag aggtgctcca agtgctgtga ttgagcaccg tgctagagga actgtaatgc 3480
ttcagaagtt gtagcttata caaaggaaac aggtcctgct ggcttaattt aaacagttat 3540
tgcatgaagt agcgtggagg ccctggactg ctgctcgttc tttaggatgg actgttctgg 3600
tatctggtat tggtttagag actgttaata agggacatca caaggtgatg ggattcattt 3660
gaagcactct atttctgttt taatggtttt atccaatttt gccttcccaa gatttttgtt 3720
ctacataaaa agttcatgcc acttttttaat ataaaaaaat ttaacaaaaa aaaaa 3775

```

&lt;210&gt; 254

&lt;211&gt; 1856

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2287485

&lt;400&gt; 254

```

cggccgcacc cggccggagc ggagggcaga gcgcgcgccc agttgcccgg gcaccaaate 60
ggagcgcggc gtgcgggagg gccagagca ggactggaaa tgccttgccc gcgcgcgctc 120
ctgctcagat acctgttccc ggccctcctg cttcacgggc tgggagaggg ttctgccctc 180
cttcatccag acagcaggtc tcatcctagg tcttagaga aaagtgcctg gagggtttt 240
aaggagtcac agtgccatca catgctcaa catctccaca atggtgcaag gatcacagt 300
cagatgccac ctacaatcga gggccactgg gtctccacag gctgtgaagt aaggtcaggc 360
ccagagttca tcacaaggtc ctacagattc taccacaata acaccttcaa ggctaccaa 420
ttttattatg gcagcaaccg gtgcacaaat ccactttata ctctcatcat ccggggcaag 480
atccgcctcc gccaggcctc ctggatcatc cgagggggca cgaagccga ctaccagctg 540
cacaacgtcc aggtgatctg ccacacagag gcggtggccc agaagctggg ccagcagggt 600
aaccgcacat gcccggtt cctcgcagac ggggggtcct ggggtgcagg cgtggcctat 660
gacctctggc gagaggagaa cggctgtgag tgcaccaagg ccgtgaactt tgccatgcat 720
gaacttcagc tcatccgggt ggagaagcag taccttcacc acaacctcga ccacctggc 780
gaggagctct tcttgggtga cattcacact gatgccacce agaggatgtt ctaccggccc 840
tccagttacc agccctctet gcagaatgcc aagaaccacg accatgcctg catcgctgt 900
cggatcatct atcggtcaga cagacaccac cctcccatcc tgcccccaa ggcagacctg 960
accatcgccc tgcacgggga gtgggtgagc cagcgtgtg aggtgcgccc cgaagtcctc 1020
ttcctcacc gccacttcat cttccatgac aacaacaaca cctgggaggg ccactactac 1080
cactactcag acccggtgtg caagcaccac accttctcca tctacgcccg gggccgctac 1140
agccgcggcg tctctcgtc cagggtcagt ggaggcaccg agttcgtgtt caaagtgaat 1200
cacatgaagg tcacccccat ggatgcggcc acagcctcac tgctcaacgt cttcaacggg 1260

```

aatgagtgcg gggccgaggg ctccctggcag gtggggcatcc agcaggatgt gacccacacc 1320  
aatggctgcg tggccctggg catcaaacta cctcacacgg agtacgagat cttcaaaatg 1380  
gaacaggatg cccgggggag ctatctgctg ttcaacggtc agaggcccag cgacgggtcc 1440  
agcccagaca ggccagagaa gagagccacg tctaccaga tgcccttggg ccagtgtgcc 1500  
tctcttcgc cgagggcaga ggacctcgca gaagacagtg gaagcagcct gtatggccgg 1560  
ggccctggga ggcacacctg gtccctgctg ctggctgcac ttgcctgcct tgtccctctg 1620  
ctgcattgga acatccgcag atagaagttt tagaaagttc tatttttcca aaccaggatt 1680  
ccttactatt gacagatttt ctttaccaaa agaaaagaca tttattcttt tgatgcactt 1740  
gaatgccaga gaactgtcct tctttttctc ctctccctcc ctcccagccc ctgagtcatg 1800  
aacagcaagg agtgtttgaa gtttctgctt tgaactccgt ccagcctgat ccctgg 1856

&lt;210&gt; 255

&lt;211&gt; 1545

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2380344

&lt;400&gt; 255

ggctggactg gaactcctgg tcccaagtga tccacccgcc tcagcctccc aagggtgctgt 60  
gattataggt gtaagccacc gtgtctggcc tctgaacaac tttttcagca actaaaaaag 120  
ccacaggagt tgaactgcta ggattctgac tatgctgtgg tggctagtgc tctactcct 180  
acctacatta aaatctgttt tttgttctct tgtaactagc ctttaccttc ctaacacaga 240  
ggatctgtca ctgtggctct ggcccaaacc tgaccttcac tctggaacga gaacagaggt 300  
ttctaccac accgtccct cgaagccggg gacagcctca ccttgctggc ctctcgctgg 360  
agcagtgcc tcaccaactg tctcacgtct ggaggcactg actcgggcag tgcaggtagc 420  
tgagcctctt ggtagctgcg gctttcaagg tgggccttgc cctggccgta gaagggttg 480  
acaagcccga agatttcata ggcgatggct cccactgccc aggcacagc cttgctgtag 540  
tcaatcactg ccctggggcc aggacgggcc gtggacacct gctcagaagc agtgggtgag 600  
acatcacgt gcccgcccat ctaacctttt catgtcctgc acatcacctg atccatgggc 660  
taatctgaac tctgtcccaa ggaaccacga gcttgagtga gctgtggctc agaccagaa 720  
gggtctgct tagaccacct ggtttatgtg acaggacttg cattctcctg gaacatgagg 780  
gaacgccgga ggaaagcaaa gtggccaggg aaggaaactg tgccaaatta tgggtcagaa 840  
aagatggagg tgttgggtta tcacaaggca tcaggtctcc tgcattcagt ggacatgtgg 900  
gggaagggt gccgatggcg catgacacac tcgggactca cctctggggc catcagacag 960  
ccgtttccgc cccgatccac gtaccagctg ctgaagggca actgcaggcc gatgctctca 1020  
tcagccaggc agcagccaaa atctgcgatc accagccagg ggcagccgtc tgggaaggag 1080  
caagcaaaagt gaccatttct cctccctcc ttcctctga gaggcctcc tatgtcccta 1140  
ctaaagccac cagcaagaca tagctgacag gggctaattg ctcagtgttg gcccaggagg 1200  
tcagcaaggc ctgagagctg atcagaaggg cctgctgtgc gaacacggaa atgcctccag 1260  
tctctgtgcg cgatgccctg ttgaaccaga tggccacgc cttccagcag ctgcagcagc 1320  
atcatggcgg cgaggcgggg gctgggtgtg ttcacacaaa ggaagaagag tgacctcct 1380  
ggaagaagat ggaattctgc cagcggccag gcttcaaacc tgaactgcac cgctggctcc 1440  
tccctggctc tccagcctgc ccgcctactc tgcggtttt aagactttgc caatccccat 1500  
agggagccag gtccctcaaaa taaacctgcc tctatataga cacat 1545

&lt;210&gt; 256

&lt;211&gt; 1671

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2383171

&lt;400&gt; 256

```
gaattcggac gctctctggg ccaatatggc agcgcccagc aacaagacag agctggcctg 60
gagtccgcgg ctggccgcgt gagtaggtga ttgtctgaca agcagaggca tgagctgggt 120
ccaggccacc ctactggccc gaggcctctg tagggcctgg ggaggcacct gcggggccgc 180
cctcacagga acctccatct ctcaggtccc tcgcccggctc cctcggggcc tccactgcag 240
cgcagctgcc catagctctg aacagtccct ggttcccagc ccaccggaac cccggcagag 300
gccaccaag gctctggtgc cctttgagga cctgtttggg caggcgctg gtggggaacg 360
ggacaaggcg agcttctgc agacggtgca gaaatttgcg gagcacagcg tgcgtaagcg 420
gggccacatt gacttcatct acctggccct gcgcaagatg cgggagtatg gtgtcgagcg 480
ggacctggct gtgtacaacc agctgctcaa catcttcccc aaggaggtct tccggcctcg 540
caacatcatc cagcgcctct tcgtccacta ccctcggcag caggagtgtg ggattgctgt 600
cctggagcag atggagaacc acggtgtgat gcccaacaag gagacggagt tcctgctgat 660
tcagatcttt ggacgcaaaa gctaccccat gctcaagttg gtgcgcctga agctgtgggt 720
ccctcgattc atgaacgtca accccttccc agtgcgcccg gacctgcccc aggacctgt 780
ggagctggcc atgtttggcc tgcggcacat ggagcctgac cttagtcca gggtcaccat 840
ctaccaggtt cctttgccc aagactcaac aggtgcagca gatccccccc agccccacat 900
cgtaggaatc cagagtcctg atcagcaggc cgccctggcc cgccacaatc cagcccggcc 960
tgtctttgtt gagggccctt tctccctgtg gctccgcaac aagtgtgtgt attaccacat 1020
cctcagagct gacttgctgc ccccgaggga gaggggaagt gaagagacgc cggaggagt 1080
gaacctctac taccgatgc agctggacct ggagtatgtg aggagtggct gggacaacta 1140
cgagtttgac atcaatgaag tggaggaagg cctgtcttc gccatgtgca tggcgggtgc 1200
tcatgaccag gcgacgatgg ctaagtggat ccagggcctg caggagacca acccaaccct 1260
ggcccagatc cccgtggtct tccgcctcgc cgggtccacc cgggagctcc agacatcctc 1320
tgcagggtcg gaggagccgc ccctgcccga ggaccaccag gaagaagacg acaacctgca 1380
gcgacagcag cagggccaga gctagtctga gccggcgca gggcacgggc tgtggcccga 1440
ggaggcggtg gactgaaggc atgagatgcc ctttgagtgt acagcaaatc aatgttttcc 1500
tgcttggggc tctcttccct catctctagc agtatggcat cccctcccca ggatctcggg 1560
ctgccagcga tgggcaggcg agaccctcc agaatctgca ggcgcctctg gttctccgaa 1620
ttcaaataaa aaggggcggg agcgcgtgtg gttgtgcgca aaaaaaaaaa a 1671
```

&lt;210&gt; 257

&lt;211&gt; 792

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2396046

&lt;400&gt; 257

```
aatttttaggg agaattgtggg ggggtgggggt gttactttcc attttacaca tattttgtatt 60
ttcagatttt caacaataac agtattcaat acataatcag aaaaaagaga tgtggaggag 120
gaggagagaa acttcccaag gagctccctt ggggtgctgct ggctccctaat tagtctaacc 180
tgttaatcac atgttgctcg gtgttagagc ggtccctctg tgctctgcct ggcagggcgc 240
tgttggcctg gtctccctcg ctatttctat ttgcaagcat gggctttctt cccagcagaa 300
tctggttccct gggaagagta atgttccaaa ggctctgat atgcctcgat gccctcctgt 360
cttccagagc cccaacctca ctccctttcc ccaccataca aaacacacct cccaggggtc 420
acatttgagg gtcccgcctc ctgctccaat gccatggtgt cccaagcac agggcttttg 480
cctgagttgt cagtctctgg atgcatttga ggggcagcta ggggtgtggct ggggggtcca 540
agcagctggg gagccgagac tcagaatcat tcacacactt ctatttgagg cttttgtgga 600
agtttccaga attccataat attcacctcc tgaatggtgg ctgcccctta tcagccaggg 660
ctgggggttc cagtgccttc ggagagcttg ctttagagtc ttggagagac ggccatgggtc 720
tgcgtttgta tgtctgtcac atcttaccat catcacaat tgaatataca acattaccta 780
attgtgtgat ca 792
```



&lt;210&gt; 258

&lt;211&gt; 3045

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2456587

&lt;400&gt; 258

```
gtgagagggg ctgatggaag ctgataggca ggactggagt gtttagcacca gtactggatg 60
tgacagcagg cagaggagca cttagcagct tattcagtggt ccgattctga ttccggcaag 120
gateccaagca tgggaatgctg ccgtcgggca actcctggca cactgctcct ctttctggct 180
ttcctgctcc tgagttccag gaccgcacgc tccgaggagg accgggacgg cctatgggat 240
gcctggggcc catggagtga atgctcacgc acctgcgggg gaggggcctc ctactctctg 300
aggcgctgcc tgagcagcaa gagctgtgaa ggaagaaata tccgatacag aacatgcagt 360
aatgtggact gccaccaga agcaggtgat ttccgagctc agcaatgctc agctcataat 420
gatgtcaagc accatggcca gttttatgaa tggcttcctg tgtctaataa ccctgacaac 480
ccatgttcac tcaagtgcc aagccaaagga acaaccctgg ttgttgaact agcacctaag 540
gtcttagatg gtacgcgttg ctatacagaa tctttggata tgtgcatcag tggtttatgc 600
caaattgttg gctgcgatca ccagctggga agcaccgtca aggaagataa ctgtgggggc 660
tgcaacggag atgggtccac ctgcccgtg gtccgagggc agtataaate ccagctctcc 720
gcaaccaa atcgatgatac tgtggttgca attccctatg gaagtagaca tattcgctt 780
gtcttaaaag gtcctgatca cttatatctg gaaacccaaa ccctccaggg gactaaaggt 840
gaaaacagtc tcagctccac aggaactttc cttgtggaca attctagtgt ggacttccag 900
aaatttccag acaaagagat actgagaatg gctggaccac tcacagcaga tttcattgtc 960
aagattcgta actcgggctc cgctgacagt acagtccagt tcatcttcta tcaaccatc 1020
atccaccgat ggaggagagc ggatttcttt ccttgctcag caacctgtgg aggaggttat 1080
cagctgacat cggctgagtg ctacgatctg aggagcaacc gtgtggttgc tgaccaatac 1140
tgtcactatt acccagagaa catcaaacc aaaccaagc ttcaggagtg caacttggat 1200
ccttgctcag ccagtgcag atacaagcag atcatgcctt atgaccteta ccatccctt 1260
cctcgggtgg aggccacccc atggaccgcg tgctcctcct cgtgtggggg gggcatccag 1320
agccgggagc tttcctgtgt ggaggaggac atccaggggc atgtcacttc agtggaagag 1380
tggaaatgca tgtacacccc taagatgccc atcgcgcagc cctgcaacat ttttgactgc 1440
cctaaatggc tggcacagga gtggtctccg tgcacagtga cgtgtggcca gggcctcaga 1500
taccgtgtgg tcctctgcat cgaccatcga ggaatgcaca caggaggtg tagcccaaaa 1560
acaaagcccc acataaaaga ggaatgcac gtaccactc cctgctataa acccaaagag 1620
aaacttccag tcgaggccaa gttgccaatg ttcaaacaag ctcaagagct agaagaagga 1680
gctgctgtgt cagaggagcc ctcgttcatc ccagaggcct ggtcggcctg cacagtcacc 1740
tgtggtgtgg ggacccaggt gcgaatagtc aggtgccagg tgcctctgtc tttctctcag 1800
tccgtggctg acctgcctat tgacgagtgt gaagggccca agccagcatc ccagcgtgcc 1860
tgttatgcag gcccatgcag cggggaaatt cctgagttca acccagacga gacagatggg 1920
ctctttggtg gcctgcagga tttcgacgag ctgtatgact gggagtatga ggggttcacc 1980
aagtgtccg agtcctgtgg aggaggtgtc caggaggctg tggtagctg cttgaacaaa 2040
cagactcggg agccttgctg aggagaacct gtgcgtgacc accgccggcc cccacagctc 2100
ctgaagtcct gcaatttggg tccctgcccc gcaagtcctg tcatctagga agaagcagta 2160
tcgactcagc atggaacgcc tgcaacgttc tttgttaggc aaccaagagg cctggcttct 2220
catcctgctg tcaccaacta gctctgtggc ctaggcgag gtgtctgccc tttatgtttc 2280
cacatctgca aagtgaactg gttgtacctg atgatctgag atcccatgac ttgctcacat 2340
gtcccatgat tctttatatt gttaggcagaa gcattaaaca gctactcctg ctgctgtgtg 2400
ctaactatc ctgtaatttc tgttctgctt atttgccatt atttgaaaaa catgcaaaaag 2460
ggtctttcta accacattcc tgtgttgtaa caacacccaa atgctgaggc agtgccgagg 2520
agtcagtgcc tgggacttgc ttaaaaactgc tgggactcgt ggtccctaaa cccttctttg 2580
agcaccacaaa cgaataggac atgagatgtt acttctcatt ctcaaagtac taactatgtt 2640
taagttacaa aaggttaggt tatcctgtga cccttttggt gactcacaga caagaacagt 2700
tgttgagctt aatgttgctg catttgcctc agataaactc aattctctga tttccacca 2760
```

gccaactgtc aagccaacag gcaagacctc tcaactgggca cagccaggag tttcttgggt 2820  
cgaccataca cattgaaaca tttgtagaag gttgctaatt gcaacaataa aggggaccaa 2880  
agtataatgg cctaattctca tccaagagtc aaaacagatt ttccccctaa aaatgataat 2940  
tgtatagagg tgcctttcct gtggaatata tcaactctgat gtcagagaaa aatctctcct 3000  
tcccttctcc tgggtgttcaa tgtgagacag aaaataaaat gtgtg 3045

<210> 259

<211> 2445

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2484813

<400> 259

gcactctggc aggggtccggg gacgtggact atttcgcaca ccacaccacg gggaggggatt 60  
tttttctatt ttccctacga aaaacagatc tttttaagga tgggtgctgct ccactgggtgc 120  
ctgctgtggc tcctgtttcc actcagctca aggaccaga agttaccac ccgggatgag 180  
gaacttttcc agatgcagat ccgggacaag gcatttttcc atgattcgtc agtaattcca 240  
gatggagctg aaattagcag ttatctcttt agagatacac ctaaaaggta tttctttgtg 300  
gttgaagaag acaatactcc attatcagtc acagtgcgc cctgtgatgc gcctttggag 360  
tggaagctga gcctccagga gctgccagag gacaggagcg ggggaaggctc aggtgatctg 420  
gaacctcttg agcagcagaa gcagcagatc attaatgagg aaggcactga gttattctcc 480  
taciaaggca atgatgttga gtattttata tegtctagtt ccccatccgg tttatatcag 540  
ttggatcttc tttcaacaga gaaagacaca catttcaaag tatatgccac cacaactcca 600  
gaatctgate agccataccc tgagttaccc tatgacccaa gagtagatgt gacctcactg 660  
gggcgcacca cggtcacttt ggcttgaaa ccaagcccca ctgcctcttt gctgaaacaa 720  
cccattcagt actgtgtggt catcaacaaa gagcacaatt tcaaaagtct ctgtgcagtg 780  
gaagcaaaac tgagtgcaga tgatgctttt atgatggcac cgaaacctgg tctggacttc 840  
agcccccttg actttgccc ctttggattt ccttctgata attcaggtaa agaacgcagt 900  
ttccaggcaa agccttctcc aaaactgggg cgtcatgtct actccaggcc caaggttgat 960  
attcagaaaa tctgcatagg aaacaagaac atcttcaccg tctctgatct gaaacccgac 1020  
acgcagtact actttgacgt atttgtggtc aacatcaaca gcaacatgag caccgcttat 1080  
gtaggtagct ttgccaggac caaggaagaa gccaaacaga agacagtcga gctaaaagat 1140  
gggaagataa cagatgtatt tgttaaaagg aaggagcaa agtttctacg gtttgcacca 1200  
gtctcttctc accaaaaagt cacttctttt attcactctt gtctggatgc tgtccaaatc 1260  
caagtgcaga gagatgggaa acttcttctg tctcagaatg tggaaggcat tcagcagttt 1320  
cagcttagag gaaaacctaa agctaaatac ctggttcgac tgaaaggaaa caagaaagga 1380  
gcactctatg tgaaaattct agctaccaca aggcctaata agcagtcatt tccctctctt 1440  
cctgaagaca caagaatcaa agcctttgac aagctccgta cctgttcttc ggccaccgtg 1500  
gcttggttag gcactcagga aaggaacaag ttttgcattc acaaaaaaga agtggatgat 1560  
aactacaatg aagaccagaa gaaaagagag caaaaccaat gtctaggacc agatataagg 1620  
aagaagtcag aaaaggctct ctgtaaatat ttccacagtc aaaacctgca gaaagcagtg 1680  
accacagaaa caattaaagg tcttcagcct ggcaaatctt acctgctgga tgtttatgtc 1740  
ataggacatg gggggcactc tgtaaagtat cagagtaagg ttgtgaaaac tagaaagtcc 1800  
tgttagttac cttcttatag agatatatta tgtagaactc caggagggac attaatcac 1860  
tttaagtata aactgactac tcccacagtt gagagaagtt gtgacctgta cttgtactat 1920  
ggaaggaagg atatcaacgt gtgtatatgt atgtttatat aagtaactct tgaaggagac 1980  
ttgttctagc gtgccccatg gtacctagtg tgtgtctgat gccggttggg gtcaaagata 2040  
gagggcttct tgaaggaact tgccattcct tgctttgacc actgcatgaa ctgcttctaa 2100  
attattttat tacctaaaaa tttaaaatat gccattcatt gcacacaccc acaaatgcaa 2160  
atcattcttc tctatagatg ctaggatata tataaattat tttataaatt cttgttttaa 2220  
atgtcagtggt ttctatgatt gtaaactatt aaattctttt cctattaaag tacagatcta 2280  
atctaagtat tattaagttg atagccctct agtcagttat attgctattg taaattcttg 2340  
tttgttgagt aaaatgttta aatactatat gtatctcatg tacaaagttg acatacat 2400



tattcatgta cataaaatta aagagattag attatatagt gttca

2445

&lt;210&gt; 260

&lt;211&gt; 672

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2493851

&lt;400&gt; 260

```
cccacgggcg cccagcctag gagtcgtccc ccaggcaatc cccagtactc ctgatgctgg 60
agagccagcc acactgcaca gtgccccggg ggcggtttct accaccctaa ggggtattct 120
tggctccagg catcagagtc catgtggctt gtggggccct catttctttc atgcccactg 180
gggaagggtc caccagcagg gctgttactg gcggggctct ctgggagggg ggcaagaagg 240
ccagccacac caaggcactg gagctccacg actcctggcc ttcgattgga ggcccctctc 300
tgccagctct gccccttggg gggcaccagg caggactgcc agccgctctc ctggcagggtg 360
acatcagcct tcaagctcac tgtgccctca ccatttcatt ctccccaag gtccctggta 420
tgtcttctct tgggtatctt cccaggacag gcaactggac tggagccctg gcaactgttt 480
ctgggttcca tgcttcccag gtgtgatggt gaatgctgag tgtcagcttg actggattga 540
aggatgcaaa gtattgtcac tgggtgtgtc tgtgagggtg ttgccagagg agattcccat 600
ttgagtcagt gggctgggag aggcagaccc accctcaatc cagggtgggca ccacctaatc 660
ggctgccagc aa 672
```

&lt;210&gt; 261

&lt;211&gt; 1183

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2495719

&lt;400&gt; 261

```
gagagaaatg atgtgacagg agcaagegaa ctacaacccc gccccgcctt tcttgcctca 60
ccactgcggc ggcgggcgct acgttccgga agcggaatg gacgagaggt cagggtagggt 120
ttttgaagat ggcgccctc aaggctctgg tgtccggctg tggcgggctt ctccgtgggc 180
tactagcggg cccggcagcg accagctggt ctggcttcc agctcggggg ttccagggaag 240
tgggtggagac ccaagaaggg aagacaacta taattgaagg ccgtatcaca gcgactccca 300
aggagagtc aaatcctcct aacctctctg gccagtgcc catctgccgt tggaaacctga 360
agcacaagta taactatgac gatgttctgc tgcttagcca gttcatccgg cctcatggag 420
gcatgctgcc ccgaaagatc acaggcctat gccaggaaga acaccgcaag atcgaggagt 480
gtgtgaagat ggcccaccga gcaggctctat taccaaatca caggcctcgg ctctctgaag 540
gagttgttcc gaagagcaaa ccccaactca accggtacct gacgcgctgg gctcctgggt 600
ccgtcaagcc catctacaaa aaaggccccc gctggaacag ggtgcgcatg cccgtgggggt 660
cacccttct gagggacaat gtctgctact caagaacacc ttggaagctg tatcactgac 720
agagagcagt gcttccagag ttctcctgac acctgtgctg gggagtagga ggcccactca 780
caagcccttg gccacaacta tactcctgtc ccacccacc acgatggcct ggccctcca 840
acatgcatgg acaggggaca gtgggactaa cttcagtacc cttggcctgc acagtagcaa 900
tgctgggagc tagaggcagg cagggcagtt gggcccttg ccagctgcta tggggcttag 960
gccatgctca gtgctgggga caggagtttt gcccaacgca gtgtcataaa ctgggttcat 1020
gggcttacc attgggtgtg cgctcactgc ttgggaagtg caggggggtcc tgggcacatt 1080
gccagctggg tgctgagcat tgagtcactg atctcttgat atggggccaa tgagtcaatt 1140
gaattcatgg gccaaacagg tcccctctc ttcaaaaaaa aaa 1183
```

<210> 262  
<211> 1266  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2614153

<400> 262  
gcctgaccac gcagttcttg ggtctgtgct gctggcctgg ggttgtggtt gaggccgggt 60  
ctcgcctcct gtgcccggga agatggtgct aggtggttgc ccggttagtt acttacttct 120  
gtgcgggccag gcggctttgc tgctggggaa ttacttctct ctgcattgtg tgtctcggag 180  
ccactcgcaa aatgcgaccg ctgagcctga gctcacatcc gctggcgccg ccagaccgga 240  
gggccccggg ggtgctgcga gctgggaata tggcgacccc cactctccgg tcatcctctg 300  
ctcttaccta cctgatgaat ttatagaatg tgaagacca gtggatcatg ttggaaatgc 360  
aactgcatcc caggaaacttg gttatggtt tctcaagttc ggcggtcagg cctacagcga 420  
cgtggaacac acttcagtc agtgccatgc cttagatgga attgagtgtg ccagtcctag 480  
gacctttcta cgagaaaata aaccttgat aaagtatacc ggacactact tcataaccac 540  
ttactctac tcttcttcc tgggatgtt tgggtgtgat cgattctgtt tgggacacac 600  
tggcactgca gtagggaagc tgttgacgct tggaggactt gggatttggg ggtttgttga 660  
ccttattttg ctaattactg gagggctgat gccaagtgat ggcagcaact ggtgcactgt 720  
ttactaaaaa gagctgccat catggcccag ggaggcgggt gaaagctccg tcttctgaat 780  
tcatctctac aggetcaaaa ctctctttt atatcagacc tgatgttatt ttccttcttt 840  
tggagggcat ttgtttggtt aagaaggctt ctttggactt tggaaattca acccagattt 900  
taccttgtag acggaatgac aagcaaaaag tgttgtgggg aatcaaattt gttccttctc 960  
tcatgcacaa aacataaagg atagtggcga gtttacaagc tgtggatggg tttccatagt 1020  
cttcttttct gtacattgct atatcttcag tcttttgag caagtggacc taacaagttg 1080  
agcaaatga atatttgat ccattgttct cttgtgaccc tgagtcttca tgcaaggaga 1140  
tctgaagctg aacaatgaaa atcttcagca gaaatagaaa tggccgtgga ttgtaataca 1200  
cactgaaatt ctgactttct gaatttaa atgtagaataa ttttaccac ttggaaaaaa 1260  
aaaaaa 1266

<210> 263  
<211> 1093  
<212> DNA  
<213> Homo sapiens

<220>  
<221> misc\_feature  
<223> Incyte Clone No: 2655184

<400> 263  
gatggcttgt ttttcatttt ttttgtgctt tttggtecat ctattaataa aaatgaaccc 60  
cgttacagag tcaccatcat gtctcttctc accaccctct gaatctgcat tagccagtca 120  
actagccett tcagcgtcat gtgaccagcg cgcgccattc agcttggctg gtgtcgtttc 180  
acatgaccca ggctggccag tcgtcagggt gcaccgccct ttggttcccg agcatgctgt 240  
tttctctcag ctttctctcc aaccttaacc aaatcggcag cagccacctc gaccgccac 300  
acattcctgg ccaatcagct cagctgttta tttaccaa atgtctcaca caactacagc 360  
agcagccttc ggctaacaaa aaagcaggaa aaatccacaa caccctcttc gccaaaccaac 420  
taaataccaac gcaacatctg gcaaaacctt ttcagcaaat tcttcttggc cgtcagtcgg 480  
gcagcctcac ctcaccattt ctactgtgtt gaaacccaaa actaatctcc aagaaggaga 540  
agcttctctc gcagccggag caggctccct tctagagata ggagaagaga gagatcgctg 600  
tctcgggaga gaaatcaca gccgtcccg tcttctctta ggtctcgtag tcgatctagg 660  
tcaaatgaaa ggaaatagaa gacagtttgc aagagaagtg gtgtacagga aattacttca 720

tttgacagga gtatgtacag aaaattcaag ttttgtttga gacttcataa gcttgggtgca 780  
tttttaagat gtttttagctg ttcaaactctg tttgtctctt gaaacagtga caciaaagggtg 840  
taattctcta tggtttgaaa tggatcatac gaggcattga ataccaagaa ttgttacttt 900  
acaatgttcc cttaagcaaa attgaatttg ctttgaactt ttagttatgc acagactgat 960  
aataaacctc taaacctgcc cagcgggaagt gtgttttttt taaattttaa tacagaacca 1020  
ctggcaaaaa ttgaactaag atttactttt ttttccatag ctgggatata ggggggatcc 1080  
tctagagtcg acc 1093

&lt;210&gt; 264

&lt;211&gt; 1056

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2848362

&lt;400&gt; 264

gcctgacatg cctgatcctc tcttttctgc agttcaaggg aaagacgaga tcttgcacaa 60  
ggcactctgc ttctgccctt ggctggggaa ggggtggcatg gagcctctcc ggctgctcat 120  
cttactcttt gtcacagagc tgtecgagc ccacaacacc acagtgttcc agggcggtggc 180  
gggccagtcc ctgcaggtgt cttgccccta tgactccatg aagcactggg ggaggcgcaa 240  
ggcctgggtgc cgccagctgg gagagaaggg cccatgccag cgtgtggtca gcacgcacaa 300  
cttgtggctg ctgtccttcc tgaggagggtg gaatgggagc acagccatca cagacgatac 360  
cctgggtggc actctcacca ttacgtctgc gaatctacaa cccatgatg cgggtctcta 420  
ccagtgccag agcctccatg gcagtgagc tgacaccctc aggaaggtcc tgggtggaggt 480  
gctggcagac cccctggatc accgggatgc tggagatctc tgggtccccc gggagtctga 540  
gagcttcgag gatgcccatg tggagcacag catctccagg agcctcttgg aaggagaaat 600  
ccccttccca cccacttcca tcttctctc cctggcctgc atctttctca tcaagattct 660  
agcagccagc gccctctggg ctgcagcctg gcatggacag aagccaggga cacatccacc 720  
cagtgaactg gactgtggcc atgaccagc gtatcagctc caaactctgc cagggtctgag 780  
agacacgtga aggaagatga tgggaggaaa agcccaggag aagtcaccac agggaccagc 840  
ccagcctgca tacttgccac ttggccacca ggactccttg ttctgctctg gcaagagact 900  
actctgctg aacactgctt ctctggacc ctggaagcag ggactggttg agggagtggg 960  
gaggtggtaa gaacacctga caacttctga atattggaca ttttaaacac ttacaaataa 1020  
atccaagact gtcataatga gctggaaaaa aaaaaa 1056

&lt;210&gt; 265

&lt;211&gt; 1183

&lt;212&gt; DNA

&lt;213&gt; Homo sapiens

&lt;220&gt;

&lt;221&gt; misc\_feature

&lt;223&gt; Incyte Clone No: 2849906

&lt;400&gt; 265

ggagctcagc cgagggctgc acaaagacct tcctggcctg cccagacag agctgaggac 60  
ccctggccgt gggcttgggc ctcggttca caggatgggg ctgccagtgt cctgggcccc 120  
tcctgccctc tgggttctag ggtgctgcgc cctgctctc tcgctgtggg cgtgtgtcac 180  
agcctgccgc agggccgagg acgctgtagc cccaggaag agggcgcgga ggcagcgggc 240  
gaggctgcag ggcagtgcga cggcgcgga agcgtcccta ctgaggcgga cccacctctg 300  
ctccctcagc aagtcggaca ccagactgca cgagctgcac cggggcccgc gcagcagcag 360  
ggccctgcgg cctgccagca tggatctcct gcgcccacac tggctggagg tgtccaggga 420  
catcaccgga ccgcaggcag cccctctgc cttcccacac caggagctgc cccgggctct 480

gccggcagct gcagccaccg caggggtgcgc tggcctcgag gccacctatt ccaacgtggg 540  
gctggcgggc cttcccgggg tcagcctggc ggccagccct gtggtggccg agtatgcccg 600  
cgtccagaag cgcaaaggga cccatcgag tccccaaagag ccacagcagg ggaagactga 660  
ggtgaccccg gccgctcagg tggacgtcct gtactccagg gtctgcaagc ctaaaaggag 720  
ggacccagga cccaccacag acccgctgga cccaagggc cagggagcga ttctggccct 780  
ggcgggtgac ctggcctacc agaccctccc gctcagggcc ctggatgtgg acagcggccc 840  
cctggaaaac gtgtatgaga gcatccggga gctgggggac cctgctggca ggagcagcac 900  
gtgcggggct gggacgcccc ctgcttcag ctgccccagc ctaggaggag gctggagacc 960  
cctccctgcc tcctgccc gaacactcaa ggacctgtgc tccttcctcc agagtgaggc 1020  
ccgtcccccg ccccgccccg cctcacagct gacagcgcca gtcccaggtc cccgggcccgc 1080  
cagcccgtga ggtccgtgag gtccctggccg ctctgacagc cgcggcctcc cggggcatcc 1140  
tagagaaggc ccgctctaa ataaagcgcc acgcagagtg atc 1183

<210> 266

<211> 840

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2899137

<400> 266

gcatgtcatg gccgcctcca tggcccgggg aggcgtgagt gccagggttc tactgcaggc 60  
tgccaggggc acctggtgga acagacctgg gggcacttcc gggtcggggg agggggtggc 120  
gctggggaca accagaaagt ttcaagcgac aggcctcgcc ccggctggag aggaggacgc 180  
ggcgggcccg gagcgccccg gggacgtggt gaacgtggtg ttcgtagacc gctcaggcca 240  
gcggatccca gtgagtggca gaggcgggga caatgttctt cacctggccc agcgccacgg 300  
ggtggacctg gaaggggccc gtgaagcctc cctggcctgc tccacctgcc atgtgtatgt 360  
gagtgaagac cacctggatc tcctgcctcc tcccaggag aggggaagacg acatgctaga 420  
catggccccc ctctccagg agaactcgcg gctgggctgc cagattgtgc tgacaccgga 480  
gctggaagga gcggaattca ccctgcccga gatcaccagg aacttctacg tggatggcca 540  
tgtccccaag cccactgac atgaacacct ggaccattcc acattgccat ggccccaggg 600  
cccagattga gggaatagcc aggtgccagc cctgcccaga gtgcggacag gcccgggaga 660  
gacgtggaag cccctgtgaa ggacaacacc cctgcttggg agagagtccc atgtccaggc 720  
tctggtgggg acagggcccc tagtgggggtg gccttcccca ggcccctgag aatcagggtt 780  
tgagtaggag tggactcata ttggagctgc aataaatcga taacacagga aaaaaaaaaa 840

<210> 267

<211> 606

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 2986229

<400> 267

aataatgttt gagacagaag agaccattgg ctagtatttta gcaattatca tagttatttg 60  
atttatatta aaaagcattt gtctttccac taaaacataa aggggaataag ggcctagagt 120  
tatatgagtt aatagtaatt atagtcaagc tgggggttaaa aatttggtgt agatgatgca 180  
tacttgggga taattaagag taccatctaa ttttctgtca ctttagaaag gaacaagtgg 240  
caactttgtt gactatgtgg agaaagccag atgttcttta ctcagtaata cctgttactt 300  
ctcttttttt ccttttagca ctgaacctac cagatgtatt tgggttggtc gtcctcccat 360  
tggaactgaa actacggatc ttccgacttc tggatgttcg ttccgtcttg tctttgtctg 420

cggtttgtcg tgacctcttt actgcttcaa atgaccact cctgtggagg tttttatata 480  
tgcgtgattt tcgaggtgat ttccgtaatg acatattcac aagaaagggc tcttattgtc 540  
ttgattactc agctcaccaa aagtttttag ttgtaggatt tttctgttgc aaatgattac 600  
aataaa 606

<210> 268

<211> 1025

<212> DNA

<213> Homo sapiens

<220>

<221> misc\_feature

<223> Incyte Clone No: 3222081

<400> 268

gtccttcgag ctactccgtc tggccccgcc ttttctctgc tctcctgaac ctttaggctt 60  
gtctcggccc atttgaagac caggaagttg atcaatcccg aggtctgtga gagacgggtg 120  
cgcgattggg acagtcgcca gggatggctg agcgtgaaga tgcagcgggt gtccgggctg 180  
ctctcctgga cgctgagcag agtcctgtgg ctctccggcc tctctgagcc gggagctgcc 240  
cggcagcccc ggatcatgga agagaaagcg ctagaggttt atgatttgat tagaactata 300  
cgggacccag aaaagcccaa tacttttagaa gaactggaag tggctctgga aagttgtgtg 360  
gaagttcagg agataaatga agaagaatat ctggttatta tcaggttcac gccaacagta 420  
cctcattgct ctttggcgac tcttattggg ctgtgcttaa gagtaaaact tcagcgatgt 480  
ttaccattta aacataagtt ggaaatctac atttctgaag gaaccactc aacagaagaa 540  
gacatcaata agcagataaa tgacaaagag cgagtggcag ctgcaatgga aaaccccaac 600  
ttacgggaaa ttgtggaaca gtgtgtcctt gaacctgact gatagctgtt ttaagagcca 660  
ctggcctgta attgtttgat atatttgttt aaactctttg tataatgtca gagactcatg 720  
tttaatacat aggtgatttg tacctcagag cattttttaa aggattcttt ccaagcgaga 780  
tttaattata aggtagtacc taatttggtc aatgtataac attctcagga tttgtaacac 840  
ttaaattgatc agacagaata atattttcta gttattatgt gtaagatgag ttgctatttt 900  
tctgatgctc attctgatac aactattttt cgtgtcaaata atctactgtg cccaaatgta 960  
ctcaatttaa atcattactc tgtaaaataa ataagcagat gattcttata atgaaaaaaa 1020  
aaaaa 1025